

The taxonomy of this list is based on my global mammalwatching checklist, [available here](#).

As at October 31 2023

ECHIDNAS (TACHYGLOSSIDAE) (2/4)

Western Long-beaked Echidna (*Zaglossus bruijnii*)

Short-beaked Echidna (*Tachyglossus aculeatus*)

PLATYPUSES (ORNITHORHYNCHIDAE) (1/1)

Platypus (*Ornithorhynchus anatinus*)

OPOSSUMS (DIDELPHIDAE) (19/125)

Central American Woolly Opossum (*Caluromys derbianus*)

Brown-eared Woolly Opossum (*C.lanatus*)

Bare-tailed Woolly Opossum (*C.philander*)

Woolly Mouse Opossum (*Marmosa demerarae*)

Little Rufous Mouse Opossum (*M.lepida*)

Robinson's Mouse Opossum (*M.robinsoni*)

Amazonian Red-sided Opossum (*Monodelphis glirina*)

Water Opossum (*Chironectes minimus*)

White-eared Opossum (*Didelphis albiventris*)

Brazilian Common Opossum (*D.aurita*)

Black-eared Opossum (*D.marsupialis*)

Andean White-eared Opossum (*D.pernigra*)

Virginia Opossum (*D.virginiana*)

Southeastern Four-eyed Opossum (*Philander canus*)

Dark Four-eyed Opossum (*P.melanurus*)

Pebas Four-eyed Opossum (*P.pebas*)

Northern Four-eyed Opossum (*P.vossi*)

Agile Gracile Opossum (*Gracilinanus agilis*)

Small Fat-tailed Opossum (*Thylamys pusillus*)

NUMBATS (MYRMECOBIIDAE) (1/1)

Numbat (*Myrmecobius fasciatus*)

DASYURES (DASYURIDAE) (35/76)

Kaluta (*Dasykaluta rosamondae*)

Dibbler (*Parantechinus apicalis*)

Müller's Three-striped Dasyure (*Myoictis melas*)
Sandstone Antechinus (*Pseudantechinus bilarni*)
Fat-tailed Pseudantechinus (*P.macdonnellensis*)
Ningbing Pseudantechinus (*P.ningbing*) (?)
Woolley's Pseudantechinus (*P.woolleyae*)
Western Quoll (*Dasyurus geoffroii*)
Northern Quoll (*D.hallucatus*)
Spotted-tailed Quoll (*D.maculatus*)
Eastern Quoll (*D.viverrinus*)
Tasmanian Devil (*Sarcophilus harrisii*)
Rusty Antechinus (*Antechinus adustus*)
Agile Antechinus (*A.agilis*)
Fawn Antechinus (*A.bellus*)
Yellow-footed Antechinus (*A.flavipes*)
Atherton Antechinus (*A.godmani*)
Mainland Dusky Antechinus (*A.mimetes*)
Swamp Antechinus (*A.minimus*)
Brown Antechinus (*A.stuartii*)
Subtropical Antechinus (*A.subtropicus*)
Black-tailed Dasyure (*Murexia melanurus*)
Red-tailed Phascogale (*Phascogale calura*)
Northern Brush-tailed Phascogale (*P.pirata*)
Brush-tailed Phascogale (*P.tapoatafa*)
Long-tailed Planigale (*Planigale ingrami*)
Common Planigale (*P.maculata*)
Pilbara Ningaui (*Ningaui timealeyi*)
Southern Ningaui (*N.yvonneae*)
Kultarr (*Antechinomys laniger*)
Fat-tailed Dunnart (*Sminthopsis crassicaudata*)
Grey-bellied Dunnart (*S.fuliginosa*)
Gilbert's Dunnart (*S.gilberti*)
White-footed Dunnart (*S.leucopus*)
Stripe-faced Dunnart (*S.macroura*)

Common Dunnart (*S.murina*)
Red-cheeked Dunnart (*S.virginiae*) (?)
Lesser Hairy-footed Dunnart (*S.youngsoni*) (?)
BILBIES (THYLACOMYIDAE) (1/2)
Bilby (*Macrotis lagotis*)
BANDICOOTS (PERAMELIDAE) (10/22)
Golden Bandicoot (*Isodon auratus*)
Quenda (*I.fusciventer*)
Northern Brown Bandicoot (*I.macrourus*)
Southern Brown Bandicoot (*I.obesulus*)
Eastern Barred Bandicoot (*Perameles gunnii*)
Southern Long-nosed Bandicoot (*P.nasuta*)
Northern Long-nosed Bandicoot (*P.pallescens*)
Raffray's Bandicoot (*Peroryctes raffrayana*)
Common Echymipera (*Echymipera kalubu*)
Long-nosed Echymipera (*E.rufescens*)
KOALAS (PHASCOLARCTIDAE) (1/1)
Koala (*Phascolarctos cinereus*)
WOMBATS (VOMBATIDAE) (3/3)
Common Wombat (*Vombatus ursinus*)
Northern Hairy-nosed Wombat (*Lasiorninus krefftii*)
Southern Hairy-nosed Wombat (*L.latifrons*)
PYGMY POSSUMS (BURRAMYIDAE) (5/5)
Mountain Pygmy Possum (*Burramys parvus*)
Long-tailed Pygmy Possum (*Cercartetus caudatus*)
Western Pygmy Possum (*C.concinnus*)
Little Pygmy Possum (*C.lepidus*)
Eastern Pygmy Possum (*C.nanus*)
CUSCUSES AND BRUSHTAIL POSSUMS (PHALANGERIDAE) (12/31)
Short-eared Brushtail Possum (*Trichosurus caninus*)
Mountain Brushtail Possum (*T.cunninghami*)
Coppery Brushtail Possum (*T.johnstonii*)
Common Brushtail Possum (*T.vulpecula*)

Scaly-tailed Possum (*Wyulda squamicaudata*)
Bear Cuscus (*Ailurops ursinus*)
Small Sulawesi Cuscus (*Strigocuscus celebensis*)
Ground Cuscus (*Phalanger gymnotis*)
Northern Common Cuscus (*P.orientalis*)
Australian Spotted Cuscus (*Spilocuscus nudicaudatus*)
Waigeo Cuscus (*S.papuensis*)
RINGTAIL POSSUMS (*PSEUDOCHEIRIDAE*) (14/20)
Lemuroid Ringtail Possum (*Hemibelideus lemuroides*)
Central Greater Glider (*Petauroides armillatus*)
Northern Greater Glider (*P.minor*)
Southern Greater Glider (*P.volans*)
Lowland Ringtail (*Pseudochirulus canescens*)
Daintree River Ringtail Possum (*P.cinereus*)
Herbert River Ringtail Possum (*P.herbertensis*)
Arfak Ringtail (*P.schlegelii*)
Western Ringtail Possum (*Pseudocheirus occidentalis*)
Common Ringtail Possum (*P.peregrinus*)
Rock Ringtail Possum (*Petropseudes dahlii*)
D'Albertis's Ringtail (*Pseudochirops albertisii*)
Green Ringtail Possum (*P.archeri*)
Reclusive Ringtail (*P.coronatus*)
GLIDERS, TRIOKS, AND ALLIES (*PETAURIDAE*) (10/15)
Long-fingered Triok (*Dactylopsila palpator*)
Striped Possum (*D.trivirgata*)
Leadbeater's Possum (*Gymnobelideus leadbeateri*)
Savanna Glider (*Petaurus ariel*)
Yellow-bellied Glider (*P.australis*)
Sugar Glider (*P.breviceps*)
Mahogany Glider (*P.gracilis*)
Squirrel Glider (*P.norfolcensis*)
Krefft's Glider (*P.notatus*)
New Guinea Glider (*P.papuanus*)

HONEY POSSUMS (TARSIPEDIDAE) (1/1)

Honey Possum (*Tarsipes rostratus*)

FEATHERTAILS (ACROBATIDAE) (1/3)

Feather-tailed Possum (*Distoechurus pennatus*)

MUSKY RAT-KANGAROOS (HYPSPRYMNODONTIDAE) (1/1)

Musky Rat Kangaroo (*Hypsiprymnodon moschatus*)

POTOROOS AND BETTONGS (POTOROIDAE) (7/12)

Rufous Bettong (*Aepyprymnus rufescens*)

Tasmanian Bettong (*Bettongia gaimardi*)

Burrowing Bettong (*B.lesueur*)

Woylie (*B.penicillata*)

Northern Bettong (*B.tropica*)

Gilbert's Potoroo (*Potorous gilbertii*)

Long-nosed Potoroo (*P.tridactylus*)

KANGAROOS, WALLABIES AND ALLIES (MACROPODIDAE) (42/67)

Brown Dorcopsis (*Dorcopsis muelleri*)

Bridled Nailtail Wallaby (*Onychogalea frenata*)

Northern Nailtail Wallaby (*O.unguifera*)

Tasmanian Pademelon (*Thylogale billardieri*)

Red-legged Pademelon (*T.stigmatica*)

Red-necked Pademelon (*T.thetis*)

Bennett's Tree Kangaroo (*Dendrolagus bennettianus*)

Grizzled Tree Kangaroo (*D.inustus*)

Lumholtz's Tree Kangaroo (*D.lumholtzi*)

Vogelkop Tree Kangaroo (*D.ursinus*)

Allied Rock Wallaby (*Petrogale assimilis*)

Short-eared Rock Wallaby (*P.brachyotis*)

Monjon (*P.burbidgei*)

Cape York Rock Wallaby (*P.coenensis*)

Godman's Rock Wallaby (*P.godmani*)

Herbert's Rock Wallaby (*P.herberti*)

Unadorned Rock Wallaby (*P.inornata*)

Black-footed Rock Wallaby (*P.lateralis*)

Mareeba Rock Wallaby (*P.mareeba*)
Brush-tailed Rock Wallaby (*P.penicillata*)
Proserpine Rock Wallaby (*P.persephone*)
Purple-necked Rock Wallaby (*P.purpureicollis*)
Rothschild's Rock Wallaby (*P.rothschildi*)
Mount Claro Rock Wallaby (*P.sharmani*)
Wilkins' Rock Wallaby (*P.wilkinsi*)
Yellow-footed Rock Wallaby (*P.xanthopus*)
Quokka (*Setonix brachyurus*)
Spectacled Hare Wallaby (*Lagorchestes conspicillatus*)
Swamp Wallaby (*Wallabia bicolor*)
Western Gray Kangaroo (*Macropus fuliginosus*)
Eastern Grey Kangaroo (*M.giganteus*)
Antilopine Wallaroo (*Osphranter antilopinus*)
Black Wallaroo (*O.bernardus*)
Common Wallaroo (*O.robustus*)
Red Kangaroo (*O.rufus*)
Agile Wallaby (*Notamacropus agilis*)
Black-striped Wallaby (*N.dorsalis*)
Tammar Wallaby (*N.eugenii*)
Western Brush Wallaby (*N.irma*)
Parma Wallaby (*N.parma*)
Whiptail Wallaby (*N.parryi*)
Red-necked Wallaby (*N.rufogriseus*)
LONG-NOSED ARMADILLOS (*DASYPODIDAE*) (2/8)
Greater Long-nosed Armadillo (*Dasypus kappleri*)
Nine-banded Armadillo (*D.novemcinctus*)
SHORT-NOSED ARMADILLOS (*CHLAMYPHORIDAE*) (5/14)
Yellow Armadillo (*Euphractus sexcinctus*)
Large Hairy Armadillo (*Chaetophractus villosus*)
Giant Armadillo (*Priodontes maximus*)
Southern Naked-Tailed Armadillo (*Cabassous unicinctus*)
Southern Three-banded Armadillo (*Tolypeutes matacus*)

ANTEATERS (MYRMECOPHAGIDAE) (3/3)

Giant Anteater (*Myrmecophaga tridactyla*)

Northern Tamandua (*Tamandua mexicana*)

Southern Tamandua (*T.tetradactyla*)

SILKY ANTEATERS (CYCLOPEDIDAE) (1/7)

Central American Silky Anteater (*Cyclopes dorsalis*)

TWO-TOED GROUND SLOTHS (MEGALONYCHIDAE) (2/2)

Linné's Two-toed Sloth (*Choloepus didactylus*)

Hoffmann's Two-toed Sloth (*C.hoffmanni*)

THREE-TOED SLOTHS (BRADYPODIDAE) (4/5)

Southern Maned Three-toed Sloth (*Bradypus crinitus*)

Pygmy Three-toed Sloth (*B.pygmaeus*)

Pale-throated Three-toed Sloth (*B.tridactylus*)

Brown-throated Sloth (*B.variegatus*)

DUGONGS (DUGONGIDAE) (1/1)

Dugong (*Dugong dugon*)

MANATEES (TRICHECHIDAE) (2/3)

Amazonian Manatee (*Trichechus inunguis*)

American Manatee (*T.manatus*)

HYRAXES (PROCAVIIDAE) (5/6)

Rock Hyrax (*Procavia capensis*)

Yellow-spotted Hyrax (*Heterohyrax brucei*)

Southern Tree Hyrax (*Dendrohyrax arboreus*)

Western Tree Hyrax (*D.dorsalis*)

Eastern Tree Hyrax (*D.validus*)

ELEPHANTS (ELEPHANTIDAE) (3/3)

African Elephant (*Loxodonta africana*)

Forest Elephant (*L.cyclotis*)

Asian Elephant (*Elephas maximus*)

AARDVARKS (ORYCTEROPODIDAE) (1/1)

Aardvark (*Orycteropus afer*)

SENGIS (MACROSCOLIDIDAE) (6/20)

Golden-rumped Sengi (*Rhynchocyon chrysopygus*)

Black-and-rufous Sengi (*R.petersi*)
Four-toed Sengi (*Petrodromus tetradactylus*)
North African Sengi (*Petrosaltator rozeti*)
Eastern Rock Sengi (*Elephantulus myurus*)
Western Rock Sengi (*E.rupestris*)
GOLDEN MOLES (*CHRYSOCHLORIDAE*) (1/21)
Congo Golden Mole (*Huetia leucorhina*)
TENRECS (*TENRECIDAE*) (3/31)
Greater Hedgehog Tenrec (*Setifer setosus*)
Tailless Tenrec (*Tenrec ecaudatus*)
Lowland Streaked Tenrec (*Hemicentetes semispinosus*)
PIKAS (*OCHOTONIDAE*) (8/34)
Gansu Pika (*Ochotona cansus*)
Collared Pika (*O.collaris*)
Plateau Pika (*O.curzoniae*)
Chinese Red Pika (*O.erythrotis*)
Large-eared Pika (*O.macrotis*)
Nubra Pika (*O.nubrica*)
Pallas's Pika (*O.pallasii*)
American Pika (*O.princeps*)
HARES AND RABBITS (*LEPORIDAE*) (45/72)
Amami Rabbit (*Pentalagus furnessi*)
Jameson's Red Rock Hare (*Pronolagus randensis*)
Smith's Red Rock Hare (*P.rupestris*)
Hewitt's Red Rock Hare (*P.saundersiae*)
Volcano Rabbit (*Romerolagus diazi*)
Riverine Rabbit (*Bunolagus monticularis*)
Andean Rabbit (*Sylvilagus andinus*)
Swamp Rabbit (*S.aquaticus*)
Desert Cottontail (*S.audubonii*)
Brush Rabbit (*S.bachmani*)
Tapeti (*S.brasiliensis*)
Mexican Cottontail (*S.cunicularius*)

Dice's Cottontail (*S.dicei*)
Eastern Cottontail (*S.floridanus*)
Gabb's Cottontail (*S.gabbi*)
Robust Cottontail (*S.holzneri*)
Pygmy Rabbit (*S.idahoensis*)
Mountain Cottontail (*S.nuttallii*)
Appalachian Cottontail (*S.obscurus*)
Marsh Rabbit (*S.palustris*)
New England Cottontail (*S.transitionalis*)
Bunyo Rabbit (*Neotoma marjorita*)
European Rabbit (*Oryctolagus cuniculus*)
Antelope Jackrabbit (*Lepus alleni*)
Snowshoe Hare (*L.americanus*)
Arctic Hare (*L.arcticus*)
Japanese Hare (*L.brachyurus*)
Black-tailed Jackrabbit (*L.californicus*)
White-sided Jackrabbit (*L.callotis*)
Cape Hare (*L.capensis*)
Broom Hare (*L.castroviejoi*)
Korean Hare (*L.coreanus*)
Corsican Hare (*L.corsicanus*)
European Hare (*L.europaeus*)
Granada Hare (*L.granatensis*)
Abyssinian Hare (*L.habessinicus*)
Indian Hare (*L.nigricollis*)
Woolly Hare (*L.oiostolus*)
Burmese Hare (*L.peguensis*)
Scrub Hare (*L.saxatilis*)
Ethiopian Highland Hare (*L.starcki*)
Mountain Hare (*L.timidus*)
Tolai Hare (*L.tolai*)
White-tailed Jackrabbit (*L.townsendii*)
African Savanna Hare (*L.victoriae*)

BEAVERS (CASTORIDAE) (2/2)

American Beaver (*Castor canadensis*)

Eurasian Beaver (*C.fiber*)

KANGAROO RATS AND POCKET MICE (HETEROMYIDAE) (43/69)

Desmarest's Spiny Pocket Mouse (*Heteromys desmarestianus*)

Mexican Spiny Pocket Mouse (*H.irroratus*)

Cloud-dwelling Spiny Pocket Mouse (*H.nubicolens*)

Painted Spiny Pocket Mouse (*H.pictus*)

Salvin's Spiny Pocket Mouse (*H.salvini*)

Arizona Pocket Mouse (*Perognathus amplus*) (?)

Silky Pocket Mouse (*P.flavus*)

Salinas Pocket Mouse (*P.inornatus*)

Little Pocket Mouse (*P.longimembris*)

Merriam's Pocket Mouse (*P.merriami*)

Great Basin Pocket Mouse (*P.mollipilosus*)

Dalquest's Pocket Mouse (*Chaetodipus ammophilus*)

Little Desert Pocket Mouse (*C.arenarius*)

Bailey's Pocket Mouse (*C.baileyi*)

California Pocket Mouse (*C.californicus*)

San Diego Pocket Mouse (*C.fallax*)

Long-tailed Pocket Mouse (*C.formosus*)

Hispid Pocket Mouse (*C.hispidus*)

Rock Pocket Mouse (*C.intermedius*)

Nelson's Pocket Mouse (*C.nelsoni*)

Desert Pocket Mouse (*C.penicillatus*)

Sinaloa Pocket Mouse (*C.pernix*)

Baja Pocket Mouse (*C.rudinoris*)

Cerralvo Pocket Mouse (*C.siccus*)

Spiny Pocket Mouse (*C.spinatus*)

Dark Kangaroo Mouse (*Microdipodops megacephalus*)

Pale Kangaroo Mouse (*M.pallidus*)

Agile Kangaroo Rat (*Dipodomys agilis*)

California Kangaroo Rat (*D.californicus*)

Gulf Coast Kangaroo Rat (*D.compactus*)
Desert Kangaroo Rat (*D.deserti*)
Texas Kangaroo Rat (*D.elator*)
Heermann's Kangaroo Rat (*D.heermanni*)
Giant Kangaroo Rat (*D.ingens*)
Merriam's Kangaroo Rat (*D.merriami*)
Chisel-toothed Kangaroo Rat (*D.microps*)
Fresno Kangaroo Rat (*D.nitratoides*)
Ord's Kangaroo Rat (*D.ordii*)
Panamint Kangaroo Rat (*D.panamintinus*)
Phillip's Kangaroo Rat (*D.phillipsii*)
Dulzura Kangaroo Rat (*D.simulans*)
Banner-tailed Kangaroo Rat (*D.spectabilis*)
Stephens' Kangaroo Rat (*D.stephensi*)
Narrow-faced Kangaroo Rat (*D.venustus*)
POCKET GOPHERS (GEOMYIDAE) (16/41)
Botta's Pocket Gopher (*Thomomys bottae*)
Camas Pocket Gopher (*T.bulbivorus*)
Mountain Pocket Gopher (*T.monticola*)
Northern Pocket Gopher (*T.talpoides*)
Desert Pocket Gopher (*Geomys arenarius*)
Attwater's Pocket Gopher (*G.attwateri*)
Baird's Pocket Gopher (*G.breviceps*)
Plains Pocket Gopher (*G.bursarius*)
Knox Jones's Pocket Gopher (*G.knoxjonesi*)
Texas Pocket Gopher (*G.personatus*)
Strecker's Pocket Gopher (*G.streckeri*)
Central Texas Pocket Gopher (*G.texensis*)
Yellow-faced Pocket Gopher (*Cratogeomys castanops*)
Oriental Basin Pocket Gopher (*C.fulvescens*)
Smoky Pocket Gopher (*C.fumosus*)
Merriam's Pocket Gopher (*C.merriami*)
ANOMALURES (ANOMALURIDAE) (4/7)

Beecroft's Flying Squirrel (*Anomalurus beecrofti*)
Derby's Flying Squirrel (*A. derbianus*)
Long-eared Flying Squirrel (*Idiurus macrotis*)
Cameroon Scaly-tail (*Zenkerella insignis*)
SPRINGHARES (PEDETIDAE) (2/2)
Cape Springhare (*Pedetes capensis*)
East African Springhare (*P. surdaster*)
GUNDIS (CTENODACTYLIDAE) (1/5)
Gundi (*Ctenodactylus gundi*)
OLD WORLD PORCUPINES (HYSTRICIDAE) (5/11)
Long-tailed Porcupine (*Trichys fasciculata*)
African Brush-tailed Porcupine (*Atherurus africanus*) (?)
Cape Porcupine (*Hystrix africaeaustralis*)
Malayan Porcupine (*H. brachyura*)
North African Crested Porcupine (*H. cristata*)
Indian Crested Porcupine (*H. indica*)
CANE RATS (THRYONOMYIDAE) (1/2)
Greater Cane Rat (*Thryonomys swinderianus*)
DASSIE RATS (PETROMURIDAE) (1/1)
Dassie Rat (*Petromus typicus*)
NAKED MOLERATS (HETEROCEPHALIDAE) (1/1)
Naked Mole Rat (*Heterocephalus glaber*)
NEW WORLD PORCUPINES (ERETHIZONTIDAE) (7/18)
North American Porcupine (*Erethizon dorsatum*)
Bicolor-spined Porcupine (*Coendou bicolor*)
Amazonian Long-tailed Porcupine (*C. longicaudatus*)
Black-tailed Hairy Dwarf Porcupine (*C. melanurus*)
Mexican Hairy Dwarf Porcupine (*C. mexicanus*)
Andean Porcupine (*C. quichua*)
Stump-tailed Porcupine (*C. rufescens*)
PACAS (CUNICULIDAE) (2/2)
Spotted Paca (*Cuniculus paca*)
Mountain Paca (*C. taczanowskii*)

CAVIES (CAVIIDAE) (7/24)

Brazilian Guinea Pig (*Cavia aperea*)

Southern Mountain Cavy (*Microcavia australis*)

Common Yellow-toothed Cavy (*Galea musteloides*)

Capybara (*Hydrochoerus hydrochaeris*)

Lesser Capybara (*H. isthmus*)

Patagonian Cavy (*Dolichotis patagonum*)

Dwarf Patagonian Cavy (*Pediolagus salinicola*)

AGOUTIS AND ACOUCHIS (DASYPROCTIDAE) (5/15)

Azara's Agouti (*Dasyprocta azarae*)

Coiban Agouti (*D. coibae*)

Black Agouti (*D. fuliginosa*)

Red-rumped Agouti (*D. leporina*)

Central American Agouti (*D. punctata*)

CHINCHILLAS AND VISCACHAS (CHINCHILLIDAE) (2/7)

Plains Viscacha (*Lagostomus maximus*)

Southern Mountain Viscacha (*Lagidium viscacia*)

TUCO-TUCOS (CTENOMYIDAE) (1/68)

Highland Tuco-tuco (*Ctenomys opimus*)

CAPROMYIDAE (1/11)

Cuvier's Hutia (*Plagiodontia aedium*)

SPINY RATS AND HUTIAS (ECHIMYIDAE) (12/91)

Punare (*Thrichomys apereoides*)

Coypu (*Myocastor coypus*)

Armored Rat (*Hoplomys gymnurus*)

Huallaga Spiny Rat (*Proechimys brevicauda*)

O'Connell's Spiny Rat (*P. oconnelli*)

Tome's Spiny Rat (*P. semispinosus*)

Spiny Tree Rat (*Mesomys hispidus*)

Amazon Bamboo Rat (*Dactylomys dactylinus*)

Arboreal Soft-furred Spiny Rat (*Diplomys caniceps*)

Rufous Tree Rat (*D. labilis*)

Giant Tree Rat (*Toromys grandis*)

Brazilian Spiny Tree Rat (*Makalata didelphoides*)
MOUNTAIN BEAVERS (APLODONTIIDAE) (1/1)
Mountain Beaver (*Aplodontia rufa*)
SQUIRRELS (SCIURIDAE) (188/311)
Neotropical Pygmy Squirrel (*Sciurillus pusillus*)
Pale Giant Squirrel (*Ratufa affinis*)
Black Giant Squirrel (*R.bicolor*)
Indian Giant Squirrel (*R.indica*)
Grizzled Giant Squirrel (*R.macroura*)
Layard's Palm Squirrel (*Funambulus layardi*)
Common Palm Squirrel (*F.palmarum*)
Five-striped Palm Squirrel (*F.pennantii*)
Dusky-striped Squirrel (*F.sublineatus*)
Western Ghats Striped Squirrel (*F.tristriatus*)
Least Pygmy Squirrel (*Exilisciurus exilis*)
Tufted Pygmy Squirrel (*E.whiteheadi*)
Whitish Dwarf Squirrel (*Prosciurillus leucomus*)
Celebes Dwarf Squirrel (*P.murinus*)
Maritime Striped Squirrel (*Tamiops maritimus*)
Himalayan Striped Squirrel (*T.mcclellandii*)
Cambodian Striped Squirrel (*T.rodolphii*)
Swinhoe's Striped Squirrel (*T.swinhoei*)
Orange-bellied Himalayan Squirrel (*Dremomys lokriah*)
Perny's Long-nosed Squirrel (*D.pernyi*)
Asian Red-cheeked Squirrel (*D.rufigenis*)
Black-eared Squirrel (*Nannosciurus melanotis*)
Brooke's Squirrel (*Sundasciurus brookei*)
Bornean Mountain Ground Squirrel (*S.everetti*)
Horse-tailed Squirrel (*S.hippurus*)
Jentink's Squirrel (*S.jentinki*)
Low's Squirrel (*S.lowii*)
Robinson's Squirrel (*S.robinsoni*)
Slender Squirrel (*S.tenuis*)

Indochinese Ground Squirrel (*Menetes berdmorei*)
Three-striped Ground Squirrel (*Lariscus insignis*)
Sculptor Squirrel (*Glyphotes simus*)
Ear-spot Squirrel (*Callosciurus adamsi*)
Gray-bellied Squirrel (*C.caniceps*)
Pallas's Squirrel (*C.erythraeus*)
Finlayson's Squirrel (*C.finlaysonii*)
Black-striped Squirrel (*C.nigrovittatus*)
Plantain Squirrel (*C.notatus*)
Borneo Black-banded Squirrel (*C.orestes*)
Prevost's Squirrel (*C.prevestii*)
Hoary-bellied Squirrel (*C.pygerythrus*)
Douglas's Squirrel (*Tamiasciurus douglasii*)
Fremont's Squirrel (*T.fremonti*)
North American Red Squirrel (*T.hudsonicus*)
Abert's Squirrel (*Sciurus aberti*)
Guianan Squirrel (*S.aestuans*)
Allen's Squirrel (*S.alleni*)
Caucasian Squirrel (*S.anomalous*)
Arizona Gray Squirrel (*S.arizonensis*)
Red-bellied Squirrel (*S.aureogaster*)
Eastern Gray Squirrel (*S.carolinensis*)
Collie's Squirrel (*S.coliaei*)
Deppe's Squirrel (*S.deppei*)
Yellow-throated Squirrel (*S.gilvularis*)
Red-tailed Squirrel (*S.granatensis*)
Western Gray Squirrel (*S.griseus*)
Northern Amazon Red Squirrel (*S.igniventris*)
Japanese Squirrel (*S.lis*)
Mexican Fox Squirrel (*S.nayaritensis*)
Bryant's Fox Squirrel (*S.niger*)
Peters's Squirrel (*S.ocolatus*)
Andean Squirrel (*S.pucheranii*)

Richmond's Squirrel (*S.richmondi*)
Southern Amazon Red Squirrel (*S.spadiceus*)
Guayaquil Squirrel (*S.stramineus*)
Variegated Squirrel (*S.variegatoides*)
Eurasian Red Squirrel (*S.vulgaris*)
Yucatan Squirrel (*S.yucatanensis*)
Central American Dwarf Squirrel (*Microsciurus alfari*)
Amazon Dwarf Squirrel (*M.flaviventer*)
Santander Dwarf Squirrel (*M.santanderensis*)
Bangs's Mountain Squirrel (*Syntheosciurus brochus*)
Humboldt's Flying Squirrel (*Glaucomys oregonensis*)
Carolina Flying Squirrel (*G.sabrinus*)
Southern Flying Squirrel (*G.volans*)
Javanese Flying Squirrel (*Iomys horsfieldii*)
Whiskered Flying Squirrel (*Petinomys genibarbis*)
Temminck's Flying Squirrel (*P.setosus*)
Particolored Flying Squirrel (*Hylopetes alboniger*)
Red-cheeked Flying Squirrel (*H.spadiceus*)
Red-and-white Giant Flying Squirrel (*Petaurista alborufus*)
Spotted Giant Flying Squirrel (*P.elegans*)
Formosan Giant Flying Squirrel (*P.grandis*)
Taiwan Giant Flying Squirrel (*P.lena*)
Japanese Giant Flying Squirrel (*P.leucogenys*)
Bhutan Giant Flying Squirrel (*P.nobilis*)
Common Giant Flying Squirrel (*P.petaurista*)
Large Brown Flying Squirrel (*P.philippensis*)
Japanese Flying Squirrel (*Pteromys momonga*)
Russian Flying Squirrel (*P.volans*)
Black Flying Squirrel (*Aeromys tephromelas*)
Thomas's Flying Squirrel (*A.thomasi*)
Smoky Flying Squirrel (*Pteromyscus pulverulentus*)
Complex-toothed Flying Squirrel (*Trogopterus xanthipes*)
Barbary Ground Squirrel (*Atlantoxerus getulus*)

Unstriped Ground Squirrel (*Xerus rutilus*)
South African Ground Squirrel (*Geosciurus inauris*)
Damara Ground Squirrel (*G.princeps*)
Striped Ground Squirrel (*Euxerus erythropus*)
Père David's Rock Squirrel (*Sciurotamias davidianus*)
Eastern Chipmunk (*Tamias striatus*)
Alpine Chipmunk (*Neotamias alpinus*)
Yellow-pine Chipmunk (*N.amoenus*)
Gray-footed Chipmunk (*N.canipes*)
Gray-collared Chipmunk (*N.cinereicollis*)
Cliff Chipmunk (*N.dorsalis*)
Merriam's Chipmunk (*N.merriami*)
Least Chipmunk (*N.minimus*)
California Chipmunk (*N.obscurus*)
Yellow-cheeked Chipmunk (*N.ochrogenys*)
Palmer's Chipmunk (*N.palmeri*)
Panamint Chipmunk (*N.panamintinus*)
Long-eared Chipmunk (*N.quadrimaculatus*)
Colorado Chipmunk (*N.quadrivittatus*)
Red-tailed Chipmunk (*N.ruficaudus*)
Hopi Chipmunk (*N.rufus*)
Allen's Chipmunk (*N.senex*)
Siskiyou Chipmunk (*N.siskiyou*)
Sonoma Chipmunk (*N.sonomae*)
Lodgepole Chipmunk (*N.speciosus*)
Townsend's Chipmunk (*N.townsendii*)
Hidden Forest Chipmunk (*N.umbrinus*)
Siberian Chipmunk (*Eutamias sibiricus*)
Harris's Antelope Squirrel (*Ammospermophilus harrisi*)
Texas Antelope Squirrel (*A.interpres*)
White-tailed Antelope Squirrel (*A.leucurus*)
Nelson's Antelope Squirrel (*A.nelsoni*)
Uinta Ground Squirrel (*Urocitellus armatus*)

Belding's Ground Squirrel (*U.beldingi*)
Northern Idaho Ground Squirrel (*U.brunneus*)
Merriam's Ground Squirrel (*U.canus*)
Columbian Ground Squirrel (*U.columbianus*)
Nevada Ground Squirrel (*U.elegans*)
Piute Ground Squirrel (*U.mollis*)
Arctic Ground Squirrel (*U.parryii*)
Richardson's Ground Squirrel (*U.richardsonii*)
Townsend's Ground Squirrel (*U.townsendii*)
Long-tailed Ground Squirrel (*U.undulatus*)
Washington Ground Squirrel (*U.washingtoni*)
Golden-mantled Ground Squirrel (*Callospermophilus lateralis*)
Cascade Ground Squirrel (*C.saturatus*)
Mexican Ground Squirrel (*Ictidomys mexicanus*)
Rio Grande Ground Squirrel (*I.parvidens*)
Thirteen-lined Ground Squirrel (*I.tridecemlineatus*)
Franklin's Ground Squirrel (*Poliocitellus franklinii*)
California Ground Squirrel (*Otospermophilus beecheyi*)
Rock Squirrel (*O.variegatus*)
Mohave Ground Squirrel (*Xerospermophilus mohavensis*)
Perote Ground Squirrel (*X.perotensis*)
Spotted Ground Squirrel (*X.spilosoma*)
Round-tailed Ground Squirrel (*X.tereticaudus*)
Alashan Ground Squirrel (*Spermophilus alashanicus*)
European Ground Squirrel (*S.citellus*)
Pallid Ground Squirrel (*S.pallidicauda*)
Asia Minor Ground Squirrel (*S.xanthoprymnus*)
Alaska Marmot (*Marmota broweri*)
Hoary Marmot (*M.caligata*)
Yellow-bellied Marmot (*M.flaviventris*)
Himalayan Marmot (*M.himalayana*)
Alpine Marmot (*M.marmota*)
Woodchuck (*M.monax*)

Olympic Marmot (*M.olympus*)
Mongolian Marmot (*M.sibirica*)
Vancouver Island Marmot (*M.vancouverensis*)
Gunnison's Prairie Dog (*Cynomys gunnisoni*)
White-tailed Prairie Dog (*C.leucurus*)
Black-tailed Prairie Dog (*C.ludovicianus*)
Mexican Prairie Dog (*C.mexicanus*)
Utah Prairie Dog (*C.parvidens*)
Gambian Sun Squirrel (*Heliosciurus gambianus*)
Isabelline Red-legged Sun Squirrel (*H.rufobrachium*)
Ruwenzori Sun Squirrel (*H.ruwenzorii*)
Zanj Sun Squirrel (*H.undulatus*)
Slender-tailed Squirrel (*Protoxerus aubinnii*)
African Giant Squirrel (*P.stangeri*)
Western Palm Squirrel (*Epixerus ebii*)
Carruther's Mountain Squirrel (*Funisciurus carruthersi*)
Congo Rope Squirrel (*F.congicus*)
Lady Burton's Rope Squirrel (*F.isabella*)
Orange Headed Tree Squirrel (*F.leucogenys*)
Fire-footed Rope Squirrel (*F.pyrropus*)
Alexander's Bush Squirrel (*Paraxerus alexandri*)
Boehm's Bush Squirrel (*P.boehmi*)
Smith's Bush Squirrel (*P.cepapi*)
Ochre Bush Squirrel (*P.ochraceus*)
Red Bush Squirrel (*P.palliatus*)
Green Bush Squirrel (*P.poensis*)
Svynnerton's Bush Squirrel (*P.vexillarius*)
DORMICE (GLIRIDAE) (10/30)
Lorrain Dormouse (*Graphiurus lorraineus*)
Nagtglass' African Dormouse (*G.nagtglassii*)
Spectacled Dormouse (*G.ocularis*)
Stone Dormouse (*G.rupicola*)
Japanese Dormouse (*Glirulus japonicus*)

Edible Dormouse (*Glis glis*)
Hazel Dormouse (*Muscardinus avellanarius*)
Mouse-tailed Dormouse (*Myomimus roachi*)
Forest Dormouse (*Dryomys nitedula*)
Garden Dormouse (*Eliomys quercinus*)
BIRCH MICE (SMINTHIDAE) (1/19)
Northern Birch Mouse (*Sicista betulina*)
JUMPING MICE (ZAPODIDAE) (3/9)
Meadow Jumping Mouse (*Zapus hudsonius*)
North-western Jumping Mouse (*Z. saltator*)
Pacific Jumping Mouse (*Z. trinotatus*)
JERBOAS (DIPODIDAE) (14/42)
Five-toed Pygmy Jerboa (*Cardiocranius paradoxus*)
Thick-tailed Pygmy Jerboa (*Salpingotus crassicauda*)
Kozlov's Pygmy Jerboa (*S. kozlovi*)
Western Woodland Jumping Mouse (*Napaeozapus abietorum*)
Long-eared Jerboa (*Euchoreutes naso*)
Balikun Jerboa (*Orientallactaga balikunica*)
Gobi Jerboa (*O. bullata*)
Siberian Jerboa (*O. sibirica*)
Great Jerboa (*Allactaga major*)
Hairy-footed Jerboa (*Dipus sagitta*)
Andrews's Three-toed Jerboa (*Stylodipus andrewsi*)
African Hammada Jerboa (*Jaculus hirtipes*)
Lesser Egyptian Jerboa (*J. jaculus*)
Arabian Jerboa (*J. loftusi*)
SPALACIDS (SPALACIDAE) (4/29)
Plateau Zokor (*Eospalax baileyi*)
Giant Mole Rat (*Tachyoryctes macrocephalus*)
East African Mole Rat (*T. splendens*)
Lesser Mole Rat (*Nannospalax leucodon*)
NESOMYIDS (NESOMYIDAE) (9/71)
Western Tuft-tailed Rat (*Eliurus myoxinus*)

Western Big-footed Mouse (*Macrotarsomys bastardi*)
Malagasy Giant Jumping Rat (*Hypogeomys antimena*)
Lowland Red Forest Rat (*Nesomys audeberti*)
Eastern Red Forest Rat (*N.rufus*)
Pygmy Rock Mouse (*Petromyscus collinus*)
East African Savannah Giant Pouched Rat (*Cricetomys ansorgei*)
Forest Giant Pouched Rat (*C.emini*)
Gerbil Mouse (*Malacothrix typica*)
HAMSTERS, VOLES, LEMMINGS, AND ALLIES (CRICETIDAE) (154/842)
Desert Hamster (*Phodopus roborovskii*)
Romanian Hamster (*Mesocricetus newtoni*)
Striped Dwarf Hamster (*Cricetulus barabensis*)
Long-tailed Dwarf Hamster (*C.longicaudatus*)
Gray Dwarf Hamster (*Nothocricetulus migratorius*)
Black-bellied Hamster (*Cricetus cricetus*)
Round-tailed Muskrat (*Neofiber alleni*)
Muskrat (*Ondatra zibethicus*)
Nearctic Collared Lemming (*Dicrostonyx groenlandicus*)
Grey Red-backed Vole (*Craseomys rufocanus*)
Southern Red-backed Vole (*Clethrionomys gapperi*)
Bank Vole (*C.glareolus*)
Northern Red-backed Vole (*C.rutilus*)
Gobi Altai Mountain Vole (*Alticola barakshin*)
Mongolian Silver Vole (*A.semicanus*)
Père David's Vole (*Eothenomys melanogaster*)
Sichuan Red-backed Vole (*Antelomys chinensis*)
Balkan Snow Vole (*Dinaromys bogdanovi*)
European Water Vole (*Arvicola amphibius*)
Southern Water Vole (*A.sapidus*)
European Snow Vole (*Chionomys syriacus*)
Brandt's Vole (*Lasiopodomys brandtii*)
Irene's Mountain Vole (*Neodon irene*)
Blyth's Vole (*N.leucurus*)

Reed Vole (*Alexandromys fortis*)
Japanese Grass Vole (*A. montebelli*)
Root Vole (*A. oeconomus*)
Field Vole (*Microtus agrestis*)
Common Vole (*M. arvalis*)
California Vole (*M. californicus*)
Western Meadow Vole (*M. drummondii*)
Mediterranean Field Vole (*M. lavernedii*)
Long-tailed Vole (*M. longicaudus*)
Mexican Vole (*M. mexicanus*)
Mogollon Vole (*M. mogollonensis*)
Montane Vole (*M. montanus*)
Meadow Vole (*M. pennsylvanicus*)
Woodland Vole (*M. pinetorum*)
East European Gray Vole (*M. rossiaemeridionalis*)
European Pine Vole (*M. subterraneus*)
Townsend's Vole (*M. townsendii*)
White-throated Woodrat (*Neotoma albigula*)
Bryant's Woodrat (*N. bryanti*)
Bushy-tailed Woodrat (*N. cinerea*)
Eastern Woodrat (*N. floridana*)
Dusky-footed Woodrat (*N. fuscipes*)
Goldman's Woodrat (*N. goldmani*)
Desert Woodrat (*N. lepida*)
Big-eared Woodrat (*N. macrotis*)
Allegheny Woodrat (*N. magister*)
Mexican Woodrat (*N. mexicana*)
Southern Plains Woodrat (*N. micropus*)
Sonoran Woodrat (*N. phenax*)
Stephen's Woodrat (*N. stephensi*) (?)
Golden Mouse (*Ochrotomys nuttalli*)
Northern Pygmy Mouse (*Baiomys taylori*)
Short-tailed Singing Mouse (*Scotinomys teguina*)

Long-tailed Singing Mouse (*S.xerampelinus*)
Mexican Volcano Mouse (*Neotomodon alstoni*)
Volcano Harvest Mouse (*Reithrodontomys chrysopsis*)
Talamancan Harvest Mouse (*R.creper*)
Fulvous Harvest Mouse (*R.fulvescens*)
Chiriquian Harvest Mouse (*R.garichensis*)
Slender Harvest Mouse (*R.gracilis*)
Southern Marsh Harvest Mouse (*R.megalotis*)
Plains Harvest Mouse (*R.montanus*)
Sumachrasti's Harvest Mouse (*R.sumichrasti*)
Mearns's Grasshopper Mouse (*Onychomys arenicola*)
Northern Grasshopper Mouse (*O.leucogaster*)
Southern Grasshopper Mouse (*O.torridus*)
Michoacan Deer Mouse (*Osgoodomys banderanus*)
Oaxacan Rock Deermouse (*Peromyscus amplus*)
Yukon Deermouse (*P.arcticus*)
Texas Deermouse (*P.attwateri*)
Brush Mouse (*P.boylii*)
Perote Deer Mouse (*P.bullatus*)
California Mouse (*P.californicus*)
Jalisco Deermouse (*P.chrysopus*)
Tamaulipas White-ankled Deermouse (*P.collinus*)
Canyon Mouse (*P.crinitus*)
Rock Mouse (*P.difficilis*)
Cactus Mouse (*P.eremicus*)
Eva's Desert Mouse (*P.eva*)
Northern Baja Deermouse (*P.fraterculus*)
Blackish Deer Mouse (*P.furvus*)
Gambel's Deermouse (*P.gambelii*)
Cotton Deermouse (*P.gossypinus*)
Osgood's Mouse (*P.gratus*)
Hooper's Deer Mouse (*P.hooperi*)
Transvolcanic Deermouse (*P.hylocetes*)

Northwestern Deermouse (*P.keeni*)
Southern Deermouse (*P.labecula*)
Northern White-ankled Mouse (*P.laceianus*)
White-footed Mouse (*P.leucopus*)
Tehuantepec Deermouse (*P.leucurus*)
Nimble-footed Deer Mouse (*P.levipes*)
North American Deermouse (*P.maniculatus*)
Black-eared Mouse (*P.melanotis*)
Mesquite Mouse (*P.merriami*)
Mexican Deer Mouse (*P.mexicanus*)
Northern Rock Mouse (*P.nasutus*)
Nicaraguan Deer Mouse (*P.nicaraguae*)
Talamancan Deermouse (*P.nudipes*)
White-ankled Mouse (*P.pectoralis*)
Oldfield Mouse (*P.polionotus*)
Nayarit Deer Mouse (*P.simulus*)
Western Deermouse (*P.sonoriensis*)
Gleaning Deer Mouse (*P.spicilegus*)
Pinyon Mouse (*P.truei*)
Yucatan Deer Mouse (*P.yucatanicus*)
Nelson's Giant Deer Mouse (*Megadontomys nelsoni*)
Arizona Cotton Rat (*Sigmodon arizonae*)
Tawny-bellied Cotton Rat (*S.fulviventer*)
Hispid Cotton Rat (*S.hispidus*)
Yellow-nosed Cotton Rat (*S.ochrognathus*)
Peruvian Cotton Rat (*S.peruanus*)
Kansas Bog Lemming (*Synaptomys cooperi*)
Brown Lemming (*Lemmus trimucronatus*)
Tomes's Rice Rat (*Nephelomys albigularis*)
Boquete Rice Rat (*N.devius*)
Grey-bellied Nephelomys (*N.moerex*)
Bicolored Arboreal Rice Rat (*Oecomys bicolor*)
Foothill Arboreal Rice Rat (*O.superans*)

Elegant Rice Rat (*Euryoryzomys nitidus*)
Bolivar Rice Rat (*Transandinomys bolivaris*)
Alfaro's Rice Rat (*Handleyomys alfaro*)
Western Amazonian oryzomys (*Hylaeamys perenensis*)
Yungas Rice Rat (*H.yunganus*)
Destructive Pygmy Rice Rat (*Oligoryzomys destructor*)
Fulvous Pygmy Rice Rat (*O.fulvescens*)
Black-footed Pygmy Rice Rat (*O.nigripes*)
Marsh Rice Rat (*Oryzomys palustris*)
Texas Marsh Rice Rat (*O.texensis*)
Harris's Rice Water Rat (*Tanyuromys aphrastus*)
Black-and-Yellow Rice Rat (*Melanomys chrysomelas*)
Red Hociendo (*Oxymycterus rufus*)
Kemp's Grass Mouse (*Deltamys kemp*)
Highland Grass Mouse (*Akodon aerosus*)
White-bellied Grass Mouse (*A.albiventer*)
Azara's Grass Mouse (*A.azarae*)
White-footed Climbing Mouse (*Rhipidomys leucodactylus*)
Splendid Climbing Mouse (*R.nitela*)
Strong-tailed Oldfield Mouse (*Thomasomys ischyrus*)
Taczanowski's Oldfield Mouse (*T.taczanowskii*) (?)
Andean Akodont (*Abrothrix andina*)
Hairy Soft-haired Mouse (*A.hirta*)
Olive Grass Mouse (*A.olivacea*)
Sanborn's Grass Mouse (*A.sanborni*)
Crafty Vesper Mouse (*Calomys callidus*)
Large Vesper Mouse (*C.callosus*)
Small Vesper Mouse (*C.laucha*)
Chaco Leaf-eared Mouse (*Graomys chacoensis*)
Gray Leaf-eared Mouse (*G.griseoflavus*)
Yellow-rumped Leaf-eared Mouse (*Phyllotis xanthopygus*)
Vesper Rat (*Nyctomys sumichrasti*)
Big-eared Climbing Rat (*Ototylomys phyllotis*)

OLD WORLD MICE AND RATS (MURIDAE) (159/858)

Cairo Spiny Mouse (*Acomys cahirinus*)

Johan's Spiny Mouse (*A.johannis*)

Wilson's Spiny Mouse (*A.wilsoni*)

Short-tailed Brush-furred Rat (*Lophuromys brevicaudus*) (?)

Black-clawed Brush-furred Rat (*L.melanonyx*)

Indian Gerbil (*Tatera indica*)

Kemp's Gerbil (*Gerbilliscus kempii*)

Bushveld Gerbil (*G.leucogaster*)

Hairy-footed Gerbil (*G.paeba*)

Fringe-tailed Gerbil (*G.robustus*)

Congo Gerbil (*Taterillus congicus*)

Cape Short-eared Gerbil (*Desmodillus auricularis*)

Pleasant Gerbil (*Gerbillus amoenus*)

Cheesman's Gerbil (*G.cheesmani*)

Lesser Egyptian Gerbil (*G.gerbillus*)

Pygmy Gerbil (*G.henleyi*)

Dwarf Gerbil (*G.nanus*)

Nigerian Gerbil (*G.nigeriae*)

Least Gerbil (*G.pusillus*)

Tarabul's Gerbil (*G.tarabuli*)

Pouched Gerbil (*Desmodilliscus braueri*)

Arabian Jird (*Meriones arimalius*)

Indian Desert Gerbil (*M.hurrianae*)

Eastern Midday Jird (*M.psammophilus*)

Mongolian Gerbil (*M.unguiculatus*)

Great Gerbil (*Rhombomys opimus*)

Crested Rat (*Lophiomys imhausi*)

Pencil-tailed Tree Mouse (*Chiropodomys gliroides*)

Greater Pencil-tailed Tree Mouse (*C.major*)

Sundaic Haeromys (*Haeromys pusillus*)

Broad-headed Tree Mouse (*Chiruromys lamia*)

Common Water Rat (*Hydromys chrysogaster*)

Long-footed Tree Mouse (*Lorentzimys nouhuysii*)
Grassland Melomys (*Melomys burtoni*)
Cape York Melomys (*M.capensis*)
Fawn-footed Melomys (*M.cervinipes*)
Black-tailed Melomys (*M.rufescens*)
Common Lowland Paramelomys (*Paramelomys platyops*)
Bruijn's Pogonomelomys (*Pogonomelomys bruijnii*)
Loria's Pogonomys (*Pogonomys loriae*)
Chestnut Tree Mouse (*P.macrourus*)
Australian Tree Mouse (*P.mollipilosus*)
Gray-bellied Tree Mouse (*P.sylvestris*)
White-tailed Giant Rat (*Uromys caudimaculatus*)
Brush-tailed Rabbit Rat (*Conilurus penicillatus*)
False Water Rat (*Xeromys myoides*)
Central Short-tailed Mouse (*Leggadina forresti*)
Broad-toothed Mouse (*Mastacomys fuscus*)
Black-footed Tree Rat (*Mesembriomys gouldii*)
Golden-backed Tree Rat (*M.macrurus*)
Spinifex Hopping Mouse (*Notomys alexis*)
Mitchell's Hopping Mouse (*N.mitchellii*)
Ash-grey Mouse (*Pseudomys albocinereus*)
Silky Mouse (*P.apodemoides*)
Plains Mouse (*P.australis*)
Bolam's Mouse (*P.bolami*)
Western Pebble Mouse (*P.chapmani*)
Delicate Mouse (*P.delicatulus*)
Desert Mouse (*P.desertor*)
Smoky Mouse (*P.fumeus*)
Eastern Chestnut Mouse (*P.gracilicaudatus*)
Sandy Inland Mouse (*P.hermannsburgensis*)
Central Pebble Mouse (*P.johnsoni*)
Western Chestnut Mouse (*P.nanus*)
New Holland Mouse (*P.novaehollandiae*)

Western Mouse (*P.occidentalis*)
Hastings River Mouse (*P.oralis*)
Eastern Pebble Mouse (*P.patrius*)
Heath Mouse (*P.shortridgei*)
Common Rock Rat (*Zyzomys argurus*)
Arnhem Land Rock Rat (*Z.maini*)
Kimberley Rock Rat (*Z.woodwardi*)
White-tailed Wood Rat (*Madromys blanfordi*)
Sand-coloured Metad (*Millardia gleadowi*)
Southern African Vlei Rat (*Otomys irroratus*)
Typical Vlei Rat (*O.typus*)
Bush Vlei Rat (*O.unisulcatus*)
Indian Bush-rat (*Golunda ellioti*)
Abyssinian Grass Rat (*Arvicanthis abyssinicus*)
Blick's Grass Rat (*A.blicki*)
Somali Grass Rat (*A.neumanni*)
African Grass Rat (*A.niloticus*)
Liberian Forest Hybomys (*Typomys planifrons*)
Bioko Hybomys (*Hybomys basillii*)
Ruwenzori Thicket Rat (*Grammomys ibeanus*)
Western Rainforest Thicket Rat (*G.poensis*) (?)
Typical Lemniscomys (*Lemniscomys striatus*)
Heuglin's Lemniscomys (*L.zebra*)
Namaqua Rock Rat (*Micaelamys namaquensis*)
West-Central South African Four-striped Grass Rat (*Rhabdomys bechuanae*)
Mesic Four-striped Grass Mouse (*R.dilectus*)
Four-striped Grass Mouse (*R.pumilio*)
Black-tailed Tree Rat (*Thallomys nigricauda*)
Asiatic Long-tailed Climbing Mouse (*Vandeleuria oleraceus*)
Striped Field Mouse (*Apodemus agrarius*)
Small Japanese Field Mouse (*A.argenteus*)
Chevrier's Field Mouse (*A.chevrieri*)
South China Field Mouse (*A.draco*)

Western Broad-toothed Field Mouse (*A.epimelas*)
Yellow-necked Field Mouse (*A.flavicollis*)
Large-eared Field Mouse (*A.latronum*) (?)
Korean Field Mouse (*A.peninsulae*)
Taiwan Field Mouse (*A.semotus*)
Large Japanese Field Mouse (*A.speciosus*)
Long-tailed Field Mouse (*A.sylvaticus*)
Herb Field Mouse (*A.uralensis*)
Common Indian Field Mouse (*Mus booduga*)
Cook's Mouse (*M.cookii*)
Bonhote's Mouse (*M.famulus*)
Macedonian Mouse (*M.macedonicus*)
Pygmy Mouse (*M.minutoides*) (?)
House Mouse (*M.musculus*)
Brown Spiny Mouse (*M.platythrix*)
Mound-building Mouse (*M.spicilegus*)
Algerian Mouse (*M.spretus*)
Allen's Hylomyscus (*Hylomyscus alleni*)
Walter Verheyen's Mouse (*H.walterverheyeni*)
Southern African Mastomys (*Mastomys coucha*)
Natal Mastomys (*M.natalensis*)
De Graaff's Praomys (*Praomys degraaffi*)
Misonne's Praomys (*P.misonnei*)
Cameroon Praomys (*P.morio*)
Eurasian Harvest Mouse (*Micromys minutus*)
Ryukyus Islands Tree Rat (*Diplothrix legata*)
Lesser Bandicoot Rat (*Bandicota bengalensis*)
Bower's White-toothed Rat (*Berylmys bowersii*)
Anderson's Niviventer (*Niviventer andersoni*)
Cameron Highlands Niviventer (*N.cameroni*)
Confucian Niviventer (*N.confucianus*)
Sundaic Arboreal Niviventer (*N.cremoriventer*)
Soft-furred Taiwan Niviventer (*N.culturatus*)

South China White-bellied Rat (*N.huang*)
Montane Javan Niviventer (*N.lepturus*) (?)
Himalayan White-bellied Rat (*N.niviventer*)
Montane Bornean Niviventer (*N.rapit*)
Ricefield Rat (*Rattus argentiventer*)
Kinabalu Rat (*R.baluensis*)
Dusky Rat (*R.colletti*)
Polynesian Rat (*R.exulans*)
Bush Rat (*R.fuscipes*)
Hoffmann's Sulawesi Rat (*R.hoffmanni*)
Cape York Rat (*R.leucopus*) (?)
Losea Rat (*R.losea*)
Australian Swamp Rat (*R.lutreola*)
Brown Rat (*R.norvegicus*)
Large Spiny Rat (*R.praetor*)
Himalayan Rat (*R.pyctoris*)
House Rat (*R.rattus*)
Canefield Rat (*R.sordidus*)
Oriental House Rat (*R.tanezumi*)
Malaysian Field Rat (*R.tiomanicus*)
Pale Field Rat (*R.tunneyi*)
Long-haired Rat (*R.villosissimus*)
Northeastern Xanthurus Rat (*R.xanthurus*)
Long-tailed Giant Rat (*Leopoldamys sabanus*)
Sundaic Lenothrix (*Lenothrix cana*)
Bartels's Javan Maxomys (*Maxomys bartelsii*)
Hellwald's Sulawesi Maxomys (*M.hellwaldii*)
Musschenbroek's Sulawesi Maxomys (*M.musschenbroekii*)
Rajah Sundaic Maxomys (*M.rajah*)
Indomalayan Maxomys (*M.surifer*)
Whitehead's Sundaic Maxomys (*M.whiteheadi*)
Annandale's Sundaic Rat (*Sundamys annandalei*)
Müller's Sundamys (*S.muelleri*)

Long-tailed Taeromys (*Taeromys celebensis*)
PEN-TAILED TREESHREWS (PTILOLOCERCIDAE) (1/1)
Pen-tailed Treeshrew (*Ptilocercus lowii*)
TREESHREWS (TUPAIIDAE) (10/22)
Northern Smooth-tailed Treeshrew (*Dendrogale murina*)
Northern Treeshrew (*Tupaia belangeri*)
Sumatran Treeshrew (*T.ferruginea*)
Common Treeshrew (*T.glis*)
Slender Treeshrew (*T.gracilis*)
Horsfield's Treeshrew (*T.javanica*)
Long-footed Treeshrew (*T.longipes*)
Lesser Treeshrew (*T.minor*)
Mountain Treeshrew (*T.montana*)
Large Treeshrew (*T.tana*)
COLUGOS (CYNOCEPHALIDAE) (2/2)
Philippine Flying Lemur (*Cynocephalus volans*)
Sunda Flying Lemur (*Galeopterus variegatus*)
DWARF AND MOUSE LEMURS (CHEIROGALEIDAE) (22/41)
Arnhold's Mouse Lemur (*Microcebus arnholdi*)
Madame Berthe's Mouse Lemur (*M.berthae*)
Jolly's Mouse Lemur (*M.jollyae*)
Goodman's Mouse Lemur (*M.lehilahytsara*)
Nosy Be Mouse Lemur (*M.mamiratra*)
Mittermeier's Mouse Lemur (*M.mittermeieri*)
Grey Mouse-lemur (*M.murinus*)
Golden-brown Mouse Lemur (*M.ravelobensis*)
Rufous Mouse Lemur (*M.rufus*)
Sambirano Mouse Lemur (*M.sambiranensis*)
Tavaratra Mouse Lemur (*M.tavaratra*)
Northern Giant Mouse Lemur (*Mirza zaza*)
Montagne D'Ambre Dwarf Lemur (*Cheirogaleus andysabini*)
Furry-eared Dwarf Lemur (*C.crossleyi*)
Groves's Dwarf Lemur (*C.grovesi*)

Geoffroy's Dwarf Lemur (*C.major*)
Western Fat-tailed Dwarf Lemur (*C.medius*)
Ankarana Dwarf Lemur (*C.shethi*)
Sibree's Dwarf Lemur (*C.sibreei*)
Montagne D' Ambre Fork-marked Lemur (*Phaner electromontis*)
Pale Fork-marked Lemur (*P.pallescens*)
Sambirano Fork-marked Lemur (*P.parianti*)
SPORTIVE LEMURS (LEPILEMURIDAE) (6/26)
Ankarana Sportive Lemur (*Lepilemur ankaranensis*)
Gray's Sportive Lemur (*L.dorsalis*)
Milne-Edwards's Sportive Lemur (*L.edwardsi*)
Daraina Sportive Lemur (*L.milanoii*)
Red-tailed Sportive Lemur (*L.ruficaudatus*)
Nosy Be Sportive Lemur (*L.tymerlachsoni*)
TYPICAL LEMURS (LEMURIDAE) (15/21)
Golden Bamboo Lemur (*Hapalemur aureus*)
Eastern Lesser Bamboo Lemur (*H.griseus*)
Northern Bamboo Lemur (*H.occidentalis*)
Greater Bamboo Lemur (*Prolemur simus*)
Ring-tailed Lemur (*Lemur catta*)
White-fronted Lemur (*Eulemur albifrons*)
Crowned Lemur (*E.coronatus*)
Blue-eyed Black Lemur (*E.flavifrons*)
Brown Lemur (*E.fulvus*)
Black Lemur (*E.macaco*)
Mongoose Lemur (*E.mongoz*)
Red-bellied Lemur (*E.rubriventer*)
Red-fronted Brown Lemur (*E.rufifrons*)
Sanford's Brown Lemur (*E.sanfordi*)
Black-and-white Ruffed Lemur (*Varecia variegata*)
INDRIS, SIFAKAS, AND WOOLLY LEMURS (INDRIIDAE) (12/19)
Eastern Woolly Lemur (*Avahi laniger*)
Lorenz Von Liburnau's Woolly Lemur (*A.occidentalis*)

Peyrieras' Woolly Lemur (*A.peyrierasi*)
Silky Sifaka (*Propithecus candidus*)
Coquerel's Sifaka (*P.coquereli*)
Crowned Sifaka (*P.coronatus*)
Diademed Sifaka (*P.diadema*)
Milne-edward's Sifaka (*P.edwardsi*)
Perrier's Sifaka (*P.perrieri*)
Golden-crowned Sifaka (*P.tattersalli*)
Verreaux's Sifaka (*P.verreauxi*)
Indri (*Indri indri*)
AYE-AYES (DAUBENTONIIDAE) (1/1)
Aye-aye (*Daubentonia madagascariensis*)
GALAGOS (GALAGIDAE) (12/19)
Demidoff's Dwarf Galago (*Galagoides demidoff*)
Thomas's Dwarf Galago (*G.thomasi*)
Spectacled Lesser Galago (*Galago matschiei*)
Southern Lesser Galago (*G.moholi*)
Northern Lesser Galago (*G.senegalensis*)
Kenya Coast Galago (*Paragalago cocos*)
Zanzibar Bushbaby (*P.zanzibaricus*)
Makandé Squirrel Galago (*Sciurocheirus makandensis*)
Southern Needle-clawed Galago (*Euoticus elegantulus*)
Northern Needle-clawed Galago (*E.pallidus*)
Thick-tailed Greater Galago (*Otolemur crassicaudatus*)
Small-eared Greater Galago (*O.garnettii*)
LORISES AND POTTOS (LORISIDAE) (8/16)
Milne-Edwards's Potto (*Perodicticus edwardsi*)
East African Potto (*P.ibeatus*)
Potto (*P.potto*)
Gray Slender Loris (*Loris lydekkerianus*)
Bengal Slow Loris (*Nycticebus bengalensis*)
Greater Slow Loris (*N.cougang*)
Hiller's Slow Loris (*N.hillieri*)

Bornean Slow Loris (*N. menagensis*)
TARSIERS (TARSIIDAE) (2/14)
Philippine Tarsier (*Carlito syrichta*)
Gursky's Spectral Tarsier (*Tarsius spectrumgurskyae*)
MARMOSETS AND TAMARINS (CALLITRICHIDAE) (33/52)
Western Pygmy Marmoset (*Cebuella pygmaea*)
Black-crowned Dwarf Marmoset (*Calibella humilis*)
Golden-white Tassel-ear Marmoset (*Mico chrysoleucos*)
Black-and-white Tassel-ear Marmoset (*M. humeralifer*)
Marca's Marmoset (*M. marcai*)
Maués Marmoset (*M. mauesi*)
Black-tailed Marmoset (*M. melanurus*)
Sateré Marmoset (*M. saterei*)
Goeldi's Monkey (*Callimico goeldii*)
Buffy-tufted-ear Marmoset (*Callithrix aurita*)
Buffy-headed Marmoset (*C. flaviceps*)
Geoffroy's Tufted-ear Marmoset (*C. geoffroyi*)
Common Marmoset (*C. jacchus*)
Wied's Black-tufted-ear Marmoset (*C. kuhlii*)
Black-pencilled Marmoset (*C. penicillata*)
Brazilian Bare-faced Tamarin (*Saguinus bicolor*)
Geoffroy's Tamarin (*S. geoffroyi*)
Emperor Tamarin (*S. imperator*)
Mottled-face Tamarin (*S. inustus*)
Silvery-brown Tamarin (*S. leucopus*)
Golden-handed Tamarin (*S. midas*)
Moustached Tamarin (*S. mystax*)
Cotton-headed Tamarin (*S. oedipus*)
Saddleback Tamarin (*Leontocebus fuscicollis*)
Lesson's Saddle-back Tamarin (*L. fuscus*)
Illiger's Saddle-back Tamarin (*L. illigeri*)
Black Mantle Tamarin (*L. nigricollis*)
Golden-mantled Saddleback Tamarin (*L. tripartitus*)

Weddell's Saddle-back Tamarin (*L.weddelli*)
Black-faced Lion Tamarin (*Leontopithecus caissara*)
Golden-headed Lion Tamarin (*L.chrysomelas*)
Black Lion Tamarin (*L.chrysopygus*)
Golden Lion Tamarin (*L.rosalia*)
CEBID MONKEYS (CEBIDAE) (19/32)
Colombian Squirrel Monkey (*Saimiri albigena*)
Bolivian Squirrel Monkey (*S.boliviensis*)
Humboldt's Squirrel Monkey (*S.cassiquiarensis*)
Ecuadorean Squirrel Monkey (*S.macrodon*)
Black-crowned Central American Squirrel Monkey (*S.oerstedii*)
Guianan Squirrel Monkey (*S.sciureus*)
Golden-backed Squirrel Monkey (*S.ustus*)
Guianan Brown Capuchin (*Sapajus apella*)
Azaras's Capuchin (*S.cay*)
Southern Black-horned Capuchin (*S.cucullatus*)
Black-horned Capuchin (*S.nigritus*)
Crested Capuchin (*S.robustus*)
Buff-headed Capuchin (*S.xanthosternos*)
White-fronted Capuchin (*Cebus albifrons*)
Panamanian White-throated Capuchin (*C.imitator*)
Guianan Weeper Capuchin (*C.olivaceus*)
Spix's White-fronted Capuchin (*C.unicolor*)
Varied White-fronted Capuchin (*C.versicolor*)
Marañón White-fronted Capuchin (*C.yuracus*)
NIGHT MONKEYS (AOTIDAE) (9/11)
Azara's Night Monkey (*Aotus azarae*)
Brumback's Night Monkey (*A.brumbacki*)
Grey-handed Night Monkey (*A.griseimembra*)
Grey-bellied Night Monkey (*A.lemurinus*)
Andean Night Monkey (*A.miconax*)
Nancy Ma's Night Monkey (*A.nancymai*)
Black-headed Night Monkey (*A.nigriceps*)

Night Monkey (*A.vociferans*)

Panamanian Night Monkey (*A.zonalis*)

SAKIS, TITIS, AND UAKARIS (PITHECIIDAE) (28/64)

Coastal Black-handed Titi (*Callicebus melanochir*)

Black-fronted Titi Monkey (*C.nigrifrons*)

Atlantic Titi (*C.personatus*)

Widow Monkey (*Cheracebus lucifer*)

Collared Titi (*C.lugens*)

Colombian Black-handed Titi (*C.medemi*)

Baptista Lake Titi Monkey (*Plecturocebus baptista*)

Prince Bernhard's Titi Monkey (*P.bernhardi*)

Caquetá Tití Monkey (*P.caquetensis*)

Ashy Black Titi Monkey (*P.cinerascens*)

Coppery Titi Monkey (*P.cupreus*)

White-tailed Titi Monkey (*P.discolor*)

Hoffmann's Titi Monkey (*P.hoffmannsi*)

Red-bellied Titi Monkey (*P.moloch*)

San Martin Titi Monkey (*P.oenanthé*)

Ornate Tití Monkey (*P.ornatus*)

Chacoan Titi Monkey (*P.pallescens*)

Toppin's Titi Monkey (*P.toppini*)

Golden-faced Saki (*Pithecia chrysocephala*)

Gray's Bald-faced Saki (*P.irrorata*)

Geoffroy's Monk Saki (*P.monachus*)

Napo Saki (*P.napensis*)

Golden-faced Saki (*P.pithecia*)

Rylands' Bald-faced Saki (*P.rylandsi*)

Red-nosed Bearded Saki (*Chiropotes albinasus*)

Guianan Bearded Saki (*C.sagulatus*)

Golden-backed Uacari (*Cacajao melanocephalus*)

Peruvian Red Bald-headed Uacari|Ucayali Bald Uakari|Ucayali Bald-headed Uacari
(*C.ucayalii*)

SPIDER, HOWLER, AND WOOLLY MONKEYS (ATELIDAE) (21/25)

Black-and-gold Howler Monkey (*Alouatta caraya*)
Spix's Red-handed Howler Monkey (*A. discolor*)
Brown Howler Monkey (*A. guariba*)
Juruá Red Howler (*A. juara*)
Guianan Red Howler Monkey (*A. macconnelli*)
Black Howler Monkey (*A. nigerrima*)
Mantled Howler Monkey (*A. palliata*)
Yucatán Black Howler Monkey (*A. pigra*)
Bolivian Red Howler Monkey (*A. sara*)
Venezuelan Red Howler Monkey (*A. seniculus*)
White-bellied Spider Monkey (*Ateles belzebuth*)
Black-faced Black Spider Monkey (*A. chamek*)
Brown-headed Spider Monkey (*A. fusciceps*)
Geoffroy's Spider Monkey (*A. geoffroyi*)
Variegated Spider Monkey (*A. hybridus*)
White-cheeked Spider Monkey (*A. marginatus*)
Guiana Spider Monkey (*A. paniscus*)
Peruvian Yellow-tailed Woolly Monkey (*Lagothrix flavicauda*)
Common Woolly Monkey (*L. lagotherichia*)
Muriqui (*Brachyteles arachnoides*)
Northern Muriqui (*B. hypoxanthus*)
OLD WORLD MONKEYS (CERCOPITHECIDAE) (93/162)
Stump-tailed Macaque (*Macaca arctoides*)
Assam Macaque (*M. assamensis*)
Formosan Rock Macaque (*M. cyclopis*)
Crab-eating Macaque (*M. fascicularis*)
Japanese Macaque (*M. fuscata*)
Heck's Macaque (*M. hecki*)
Northern Pig-tailed Macaque (*M. leonina*)
Rhesus Monkey (*M. mulatta*)
Southern Pig-tailed Macaque (*M. nemestrina*)
Celebes Crested Macaque (*M. nigra*)
Bonnet Macaque (*M. radiata*)

Lion-tailed Macaque (*M.silenus*)
Toque Macaque (*M.sinica*)
Barbary Macaque (*M.sylvanus*)
Milne-edwards' Macaque (*M.thibetana*)
Agile Mangabey (*Cercocebus agilis*)
White-naped Mangabey (*C.atys*)
Tana River Crested Mangabey (*C.galeritus*)
Sanje Mangabey (*C.sanjei*)
White-collared Mangabey (*C.torquatus*)
Drill (*Mandrillus leucophaeus*)
Mandrill (*M.sphinx*)
Grey-cheeked Mangabey (*Lophocebus albigena*)
Olive Baboon (*Papio anubis*)
Yellow Baboon (*P.cynocephalus*)
Hamadryas Baboon (*P.hamadryas*)
Kinda Baboon (*P.kindae*)
Chacma Baboon (*P.ursinus*)
Gelada Baboon (*Theropithecus gelada*)
Northern Talapoin Monkey (*Miopithecus ogouensis*)
Common Patas Monkey (*Erythrocebus patas*)
Grivet Monkey (*Chlorocebus aethiops*)
Malbrouck Monkey (*C.cynosuros*)
Vervet (*C.pygerythrus*)
Green Monkey (*C.sabaeus*)
Tantalus Monkey (*C.tantalus*)
L'hoest's Monkey (*Allochrocebus lhoesti*)
Preuss's Monkey (*A.preussi*)
Sun-tailed Monkey (*A.solatus*)
Red-tailed Monkey (*Cercopithecus ascanius*)
Campbell's Monkey (*C.campbelli*)
Moustached Monkey (*C.cephus*)
Dent's Monkey (*C.denti*)
Roloway Monkey (*C.diana*)

Red-eared Monkey (*C.erythrotis*)
Lowe's Monkey (*C.lowei*)
Blue Monkey (*C.mitis*)
Mona Monkey (*C.mona*)
De Brazza's Monkey (*C.neglectus*)
Putty-nosed Monkey (*C.nictitans*)
Lesser Spot-nosed Monkey (*C.petaurista*)
Crowned Monkey (*C.pogonias*)
Angola Colobus (*Colobus angolensis*)
Mt. Kilimanjaro Colobus (*C.caudatus*)
Guereza (*C.guereza*)
King Colobus (*C.polykomos*)
Black Colobus (*C.satanas*)
West African Red Colobus (*Piliocolobus badius*)
Udzungwa Red Colobus (*P.gordonorum*)
Zanzibar Red Colobus (*P.kirkii*)
Pennant's Red Colobus (*P.pennantii*)
Eastern Red Colobus (*P.rufomitatus*)
Semliki Red Colobus (*P.semlikiensis*)
Ashy Red Colobus (*P.tephrosceles*)
Olive Colobus (*Procolobus verus*)
Javan Surili (*Presbytis comata*)
Mitered Langur (*P.mitrata*)
Maroon Leaf Monkey (*P.rubicunda*)
Sabah Grizzled Langur (*P.sabana*)
White-thighed Surili (*P.siamensis*)
Thomas's Langur (*P.thomasi*)
Grey-shanked Douc Langur (*Pygathrix cinerea*)
Red-shanked Douc Langur (*P.nemaeus*)
Black-shanked Douc Langur (*P.nigripes*)
Golden Snub-nosed Monkey (*Rhinopithecus roxellana*)
Proboscis Monkey (*Nasalis larvatus*)
Northern Plains Gray Langur (*Semnopithecus entellus*)

Tarai Gray Langur (*S.hector*)
Black-footed Gray Langur (*S.hypoleucos*)
Nilgiri Langur (*S.johnii*)
Tufted Gray Langur (*S.priam*)
Nepal Gray Langur (*S.schistaceus*)
Purple-faced Langur (*S.vetulus*)
Indochinese Gray Langur (*Trachypithecus crepusculus*)
Silvery Lutung (*T.cristatus*)
Delacour's Langur (*T.delacouri*)
Gee's Golden Langur (*T.geei*)
Hatinh Langur (*T.hatinhensis*)
Annamese Langur (*T.margarita*)
West Javan Langur (*T.mauritius*)
Dusky Leaf-monkey (*T.obscurus*)
Capped Langur (*T.pileatus*)
Selangor Silvered Langur (*T.selangorensis*)
GIBBONS (HYLOBATIDAE) (9/20)
Western Hoolock Gibbon (*Hoolock hoolock*)
Agile Gibbon (*Hylobates agilis*)
Northern Gray Gibbon (*H.funereus*)
Lar Gibbon (*H.lar*)
Silvery Javan Gibbon (*H.moloch*)
Pileated Gibbon (*H.pileatus*)
Black Crested Gibbon (*Nomascus concolor*)
Red-cheeked Gibbon (*N.gabriellae*)
Siamang (*Symphalangus syndactylus*)
GREAT APES (HOMINIDAE) (6/8)
Sumatran Orangutan (*Pongo abelii*)
Bornean Orangutan (*P.pygmaeus*)
Eastern Gorilla (*Gorilla beringei*)
Western Gorilla (*G.gorilla*)
Chimpanzee (*Pan troglodytes*)
Human (*Homo sapiens*)

HEDGEHOGS AND GYMNURES (ERINACEIDAE) (10/26)

Southern White-breasted Hedgehog (*Erinaceus concolor*)

Western European Hedgehog (*E.europaeus*)

Northern White-breasted Hedgehog (*E.roumanicus*)

Four-toed Hedgehog (*Atelerix albiventris*)

Algerian Hedgehog (*A.algirus*)

Desert Hedgehog (*Paraechinus aethiopicus*)

Indian Hedgehog (*P.micropus*)

Long-eared Hedgehog (*Hemiechinus auritus*)

Short-tailed Gymnure (*Hylomys suillus*)

Moonrat (*Echinosorex gymnurus*)

SHREWS (SORICIDAE) (22/478)

Common Shrew (*Sorex araneus*)

Lesser Stripe-backed Shrew (*S.bedfordiae*)

Smoky Shrew (*S.fumeus*)

American Pygmy Shrew (*S.hoyi*) (?)

Eurasian Pygmy Shrew (*S.minutus*)

Montane Shrew (*S.monticola*) (†)

American Water Shrew (*S.palustris*)

Radde's Shrew (*S.raddei*)

Trowbridge's Shrew (*S.trowbridgii*)

Ecuadorean Small-eared Shrew (*Cryptotis equatoris*)

Northern Short-tailed Shrew (*Blarina brevicauda*)

Chinese Mole Shrew (*Anourosorex squamipes*)

Eurasian Water Shrew (*Neomys fodiens*) (?)

Miller's Water Shrew (*N.milleri*)

Transcaucasian Water Shrew (*N.teres*)

House Shrew (*Suncus murinus*)

Nilgri Highland Shrew (*S.niger*)

Bioko Forest Shrew (*Sylvisorex isabellae*)

Greater Red Musk Shrew (*Crocidura flavescens*)

Guldenstadt's White-toothed Shrew (*C.guldenstaedtii*)

Olivier's Shrew (*C.olivieri*)

Fraser's Musk Shrew (*C.poensis*)
White-toothed Shrew (*C.russula*)
Lesser Shrew (*C.suaveolens*)
Thalia Shrew (*C.thalia*) (?)
Voi Shrew (*C.voi*)
MOLES AND DESMANS (TALPIDAE) (3/60)
Japanese Shrew Mole (*Urotrichus talpoides*)
Pyrenean Desman (*Galemys pyrenaicus*)
European Mole (*Talpa europaea*)
SOLENODONS (SOLENODONTIDAE) (1/2)
Haitian Solenodon (*Solenodon paradoxus*)
OLD WORLD FRUIT BATS (PTEROPODIDAE) (48/194)
White-collared Fruit Bat (*Megaerops albicollis*)
Ratanaworabhan's Fruit Bat (*M.niphanae*)
Sunda Short-nosed Fruit Bat (*Cynopterus brachyotis*)
Horsfield's Fruit Bat (*C.horsfieldii*)
Peters's Fruit Bat (*C.luzoniensis*)
Forest Short-nosed Fruit Bat (*C.minutus*)
Greater Shortnosed Fruit Bat (*C.sphinx*)
Greater Musky Fruit Bat (*Ptenochirus jagorii*)
Dayak Fruit Bat (*Dyacopterus spadiceus*)
Lucas's Short-nosed Fruit Bat (*Penthetor lucasii*) (?)
Dawn Bat (*Eonycteris spelaea*)
Egyptian Fruit Bat (*Rousettus aegyptiacus*)
Geoffroy's Rousette (*R.amplexicaudatus*)
Leschenault's Rousette (*R.leschenaultii*)
Madagascan Rousette (*R.madagascariensis*)
Sulawesi Rousette (*Pilonycteris celebensis*)
Angolan Fruit Bat (*Myonycteris angolensis*)
Hammer-headed Fruit Bat (*Hypsignathus monstrosus*)
Buettikofer's Epauletted Fruit Bat (*Epomops buettikoferi*)
Franquet's Epauletted Fruit Bat (*E.franqueti*)
Peters's Epauletted Fruit Bat (*Epomophorus crypturus*) (?)

Ethiopian Epauletted Fruit Bat (*E.labiatus*)
Peter's Dwarf Epauletted Fruit Bat (*E.pusillus*)
Wahlberg's Epauletted Fruit Bat (*E.wahlbergi*)
Dagger-toothed Long-nosed Fruit Bat (*Macroglossus minimus*)
Common Blossom Bat (*Syconycteris australis*)
Sulawesi Naked-backed Fruit Bat (*Dobsonia exoleta*)
Lesser Bare-backed Fruit Bat (*D.minor*)
Moluccan Naked-backed Fruit Bat (*D.moluccensis*)
Madagascan Fruit Bat (*Eidolon dupreanum*)
African Straw-coloured Fruit-bat (*E.helvum*)
Unstriped Tube-nosed Bat (*Paranyctimene raptor*)
Greater Tube-nosed Bat (*Nyctimene aello*)
Common Tube-nosed Bat (*N.albiventer*)
Round-eared Tube-nosed Bat (*N.cyclotis*)
Eastern Tube-nosed Bat (*N.robinsoni*)
Sulawesi Fruit Bat (*Acerodon celebensis*)
Golden-capped Fruit Bat (*A.jubatus*)
Black Flying Fox (*Pteropus alecto*)
Spectacled Flying Fox (*P.conspicillatus*)
Ryukyu Flying Fox (*P.dasymallus*)
Island Flying Fox (*P.hypomelanus*)
Lyle's Flying Fox (*P.lylei*)
Large-eared Flying Fox (*P.macrotis*)
Indian Flying Fox (*P.medius*)
Great Flying Fox (*P.neohibernicus*)
Ornate Flying Fox (*P.ornatus*)
Grey-headed Flying Fox (*P.poliocephalus*)
Little Red Flying Fox (*P.scapulatus*)
Large Flying-fox (*P.vampyrus*)
MOUSE-TAILED BATS (RHINOPOMATIDAE) (4/6)
Egyptian Mouse-tailed Bat (*Rhinopoma cystops*)
Lesser Mouse-tailed Bat (*R.hardwickii*)
Greater Mouse-tailed Bat (*R.microphyllum*)

Small Mouse-tailed Bat (*R. muscatellum*)
HOG-NOSED BATS (CRASEONYCTERIDAE) (1/1)
Hog-nosed Bat (*Craseonycteris thonglongyai*)
FALSE VAMPIRE BATS (MEGADERMATIDAE) (5/6)
Yellow-winged Bat (*Lavia frons*)
Heart-nosed Bat (*Cardioderma cor*)
Lesser False Vampire (*Megaderma spasma*)
Greater False Vampire (*Lyroderma lyra*)
Ghost Bat (*Macroderma gigas*)
TRIDENT BATS (RHINONYCTERIDAE) (4/9)
Orange Leaf-nosed Bat (*Rhinonicteris aurantia*)
African Trident Bat (*Triaenops afer*)
Rufous Trident Bat (*T. menamena*)
Persian Trident Bat (*T. persicus*)
OLD WORLD LEAF-NOSED BATS (HIPPOSIDERIDAE) (29/91)
Cyclops Roundleaf Bat (*Doryrhina cyclops*)
Semon's Leaf-nosed Bat (*D. semoni*)
Commerson's Leaf-nosed Bat (*Macronycteris commersonii*)
Giant Leaf-nosed Bat (*M. gigas*)
Commerson's Leafnosed Bat (*M. vittatus*)
Stoliczka's Asian Trident Bat (*Aselliscus stoliczkanus*)
Trident Leaf-nosed Bat (*A. tricuspidatus*)
Philippine Dusky Leaf-nosed Bat (*Hipposideros antricola*)
Great Himalayan Leaf-nosed Bat (*H. armiger*)
Dusky Leaf-nosed Bat (*H. ater*)
Benito Roundleaf Bat (*H. beatus*)
Bicolored Leaf-nosed Bat (*H. bicolor*)
Sundevall's Roundleaf Bat (*H. caffer*)
Fawn-colored Leaf-nosed Bat (*H. cervinus*)
Diadem Leaf-nosed Bat (*H. diadema*)
Dayak Leaf-nosed Bat (*H. dyacorum*)
Fulvus Leaf-nosed Bat (*H. fulvus*)
Cantor's Leaf-nosed Bat (*H. galeritus*)

Andersen's Leaf-nosed Bat (*H.gentilis*)
Arnhem Leaf-nosed Bat (*H.inornatus*)
Horsfield's Leaf-nosed Bat (*H.larvatus*)
Shield-faced Leaf-nosed Bat (*H.lylei*)
Maggie Taylor's Leaf-nosed Bat (*H.maggietaylorae*)
Orbicular Leaf-nosed Bat (*H.orbicularis*)
Biak Leaf-nosed Bat (*H.papua*)
Philippine Pygmy Leaf-nosed Bat (*H.pygmaeus*)
Noack's Roundleaf Bat (*H.ruber*)
Schneider's Leaf-nosed Bat (*H.speoris*)
Mahgreb Leaf-nosed Bat (*H.tephrus*)
HORSESHOE BATS (RHINOLOPHIDAE) (35/108)
Queensland Horseshoe Bat (*Rhinolophus achilles*)
Accuminate Horseshoe Bat (*R.acuminatus*)
Intermediate Horseshoe Bat (*R.affinis*)
Beddome's Horseshoe Bat (*R.beddomei*)
Cape Horseshoe Bat (*R.capensis*)
Sulawesi Horseshoe Bat (*R.celebensis*)
Arabian Horseshoe Bat (*R.clivosus*)
Little Japanese Horseshoe Bat (*R.cornutus*)
Creagh's Horseshoe Bat (*R.creaghi*)
Damara Horseshoe Bat (*R.damarensis*)
Dent's Horseshoe Bat (*R.denti*)
Eloquent Horseshoe Bat (*R.eloquens*)
Mediterranean Horseshoe Bat (*R.euryale*)
New Guinea Horseshoe Bat (*R.euryotis*)
Greater Horseshoe Bat (*R.ferrumequinum*)
Andersen's Woolly Horseshoe Bat (*R.foetidus*)
Formosan Woolly Horseshoe Bat (*R.formosae*)
Lesser Horseshoe Bat (*R.hipposideros*)
Lander's Horseshoe Bat (*R.landeri*)
Great Woolly Horseshoe Bat (*R.luctus*)
Big-eared Horseshoe Bat (*R.macrotis*)

Malayan Horseshoe Bat (*R.malayanus*)
Eastern Horseshoe Bat (*R.megaphyllus*)
Mehely's Horseshoe Bat (*R.mehelyi*)
Indo-Chinese Lesser Brown Horseshoe Bat (*R.microglobosus*)
Formosan Horseshoe Bat (*R.monoceros*)
Greater Japanese Horseshoe Bat (*R.nippon*)
Pearson's Horseshoe Bat (*R.pearsonii*)
Least Horseshoe Bat (*R.pusillus*)
Glossy Horseshoe Bat (*R.refulgens*)
Rufous Horseshoe Bat (*R.rouxii*)
Ruwenzori Horseshoe Bat (*R.ruwenzorii*)
Shamel's Horseshoe Bat (*R.shameli*)
Bushveld Horseshoe Bat (*R.simulator*)
Trefoil Horseshoe Bat (*R.trifoliatus*)
SHEATH-TAILED BATS (EMBALLONURIDAE) (33/55)
Coastal Sheath-tailed Bat (*Taphozous australis*)
Common Sheath-tailed Bat (*T.georgianus*)
Hildegarde's Tomb Bat (*T.hildegardeae*)
Hill's Sheath-tailed Bat (*T.hilli*)
Longed-winged Tomb Bat (*T.longimanus*)
Mauritian Tomb Bat (*T.mauritanus*)
Black-bearded Tomb Bat (*T.melanopogon*)
Naked-rumped Tomb Bat (*T.nudiventris*)
Egyptian Tomb Bat (*T.perforatus*)
Troughton's Sheath-tailed Bat (*T.troughtoni*)
Yellow-bellied Sheath-tailed Bat (*Saccolaimus flaviventris*)
Small Asian Sheath-tailed Bat (*Emballonura alecto*)
Lesser Sheath-tailed Bat (*E.monticola*)
Raffray's Sheath-tailed Bat (*E.raffrayana*)
Peter's Sheath-tailed Bat (*Paremballonura atrata*)
Western Sheath-tailed Bat (*P.tiavato*)
African Sheath-tailed Bat (*Coleura afra*)
Lesser Sheath-tailed Bat (*Mosia nigrescens*)

Chestnut Sac-winged Bat (*Cormura brevirostris*)
Thomas's Sac-winged Bat (*Balantiopteryx io*)
Gray Sac-winged Bat (*B.plicata*)
Short-eared Bat (*Cyttarops alecto*)
Northern Ghost Bat (*Diclidurus albus*)
Greater Dog-like Bat (*Peropteryx kappleri*)
White-winged Dog-like Bat (*P.leucoptera*)
Lesser Dog-like Bat (*P.macrotis*)
Pallid-winged Dog-like Bat (*P.pallidoptera*)
Thomas's Shaggy Bat (*Centronycteris centralis*)
Proboscis Bat (*Rhynchonycteris naso*)
Greater Sac-winged Bat (*Saccopteryx bilineata*)
Frosted Sac-winged Bat (*S.canescens*)
Amazonian Sac-winged Bat (*S.gymnura*)
Lesser Sac-winged Bat (*S.leptura*)
SLIT-FACED BATS (NYCTERIDAE) (6/14)
Bate's Slit-faced Bat (*Nycteris arge*)
Andersen's Slit-faced Bat (*N.aurita*) (?)
Hairy Slit-faced Bat (*N.hispida*)
Javan Slit-faced Bat (*N.javanica*)
Large-eared Slit-faced Bat (*N.macrotis*)
Egyptian Slit-faced Bat (*N.thebaica*)
Malayan Slit-faced Bat (*N.tragata*)
SUCKER-FOOTED BATS (MYZOPODIDAE) (1/2)
Eastern Sucker-footed Bat (*Myzopoda aurita*)
NEW ZEALAND SHORT-TAILED BATS (MYSTACINIDAE) (1/2)
New Zealand Lesser Short-tailed Bat (*Mystacina tuberculata*)
BULLDOG BATS (NOCTILIONIDAE) (2/2)
Lesser Bulldog Bat (*Noctilio albiventris*)
Greater Bulldog Bat (*N.leporinus*)
THUMBLESS AND SMOKY BATS (FURIPTERIDAE) (1/2)
Thumbless Bat (*Furipterus horrens*)
DISC-WINGED BATS (THYROPTERIDAE) (2/5)

Peter's Disk-winged Bat (*Thyroptera discifera*)
Spix's Disk-winged Bat (*T.tricolor*)
GHOST-FACED AND MOUSTACHED BATS (MORMOOPIDAE) (11/18)
Antillean Ghost-faced Bat (*Mormoops blainvillei*)
Ghost-faced Bat (*M.megalophylla*)
Davy's Naked-backed Bat (*Pteronotus davyi*)
Thomas's Naked-backed Bat (*P.fulvus*)
Big Naked-backed Bat (*P.gymnonotus*)
Mesoamerican Mustached Bat (*P.mesoamericanus*)
Common Mustached Bat (*P.parnellii*)
Lesser Mustached Bat (*P.personatus*)
Puerto Rican Common Mustached Bat (*P.portoricensis*)
Sooty Mustached Bat (*P.quadridens*)
Wagner's Common Mustached Bat (*P.rubiginosus*)
NEW WORLD LEAF-NOSED BATS (PHYLLOSTOMIDAE) (89/226)
California Leaf-nosed Bat (*Macrotus californicus*)
Waterhouse's Leaf-nosed Bat (*M.waterhousii*)
Orange-throated Bat (*Lamproncycteris brachyotis*)
Hairy Big-eared Bat (*Micronycteris hirsuta*)
Little Big-eared Bat (*M.megalotis*)
Common Big-eared Bat (*M.microtis*)
Tiny Big-eared Bat (*M.minuta*)
Schmidts's Big-eared Bat (*M.schmidtorum*)
Common Vampire Bat (*Desmodus rotundus*)
White-winged Vampire Bat (*Diaemus youngii*)
Hairy-legged Vampire Bat (*Diphylla ecaudata*)
Long-legged Bat (*Macrophyllum macrophyllum*)
Fringe-lipped Bat (*Trachops cirrhosus*)
Striped Hairy-nosed Bat (*Gardnerycteris crenulatum*)
Pygmy Round-eared Bat (*Lophostoma brasiliense*)
White-throated Round-eared Bat (*L.silvicola*)
Northern Stripe-headed Round-eared Bat (*Tonatia bakeri*)
Southern Stripe-headed Round-eared Bat (*T.maresi*)

Pale-faced Bat (*Phylloderma stenops*)
Pale Spear-nosed Bat (*Phyllostomus discolor*)
Lesser Spear-nosed Bat (*P.elongatus*)
Greater Spear-nosed Bat (*P.hastatus*)
Guianan Spear-nosed Bat (*P.latifolius*)
Big-eared Woolly Bat (*Chrotopterus auritus*)
Cozumelan Golden Bat (*Mimon cozumelae*)
Spectral Bat (*Vampyrus spectrum*)
Leach's Single-leaf Bat (*Monophyllus redmani*)
Baker's Long-tongued Bat (*Glossophaga bakeri*)
Brown Long-tongued Bat (*G.commissarisi*)
Gray Long-tongued Bat (*G.leachii*)
Miller's Long-tongued Bat (*G.longirostris*)
Western Long-tongued Bat (*G.morenoi*)
Merriam's Long-tongued Bat (*G.mutica*)
Common Long-tongued Bat (*G.soricina*)
Greater Long-nosed Bat (*Leptonycteris nivalis*)
Lesser Long-nosed Bat (*L.yerbabuenae*)
Antillean Fruit-eating Bat (*Brachyphylla cavernarum*)
Brown Flower Bat (*Erophylla bombifrons*)
Tailed Tailless Bat (*Anoura caudifer*)
Handley's Tailless Bat (*A.cultrata*)
Tube-lipped Tailless Bat (*A.fistulata*)
Geoffroy's Tailless Bat (*A.geoffroyi*)
Underwood's Long-tongued Bat (*Hylonycteris underwoodi*)
Godman's Long-tailed Bat (*Choeroniscus godmani*)
Mexican Long-tongued Bat (*Choeronycteris mexicana*)
Orange Nectar Bat (*Lonchophylla robusta*)
Benkeith's Short-tailed Bat (*Carollia benkeithi*)
Silky Short-tailed Bat (*C.brevicaudum*)
Chestnut Short-tailed Bat (*C.castanea*)
Seba's Short-tailed Bat (*C.perspicillata*)
Sowell's Short-tailed Bat (*C.sowellii*)

Gray Short-tailed Bat (*C.subrufa*)
Niceforo's Big-eared Bat (*Trinycteris nicefori*)
Fischer's Little Fruit Bat (*Rhinophylla fischerae*)
Dwarf Little Fruit Bat (*R.pumilio*)
Hairy Yellow-shouldered Bat (*Sturnira erythromos*)
Honduras Yellow-shouldered Bat (*S.hondurensis*)
Little Yellow-shouldered Bat (*S.lilium*)
Northern Yellow-shouldered Bat (*S.parvidens*)
Tilda Yellow-shouldered Bat (*S.tildae*)
Hairy Big-eyed Bat (*Chiroderma villosum*)
Bedentate Yellow-eared Bat (*Vampyriscus bidens*)
Brock's Yellow-eared Bat (*V.brocki*)
Striped Yellow-eared Bat (*V.nymphaea*)
Common Tent-making Bat (*Uroderma bilobatum*)
Pacific Tent-making Bat (*U.convexum*)
Brown Tent-making Bat (*U.magnirostrum*)
Northern Little Yellow-eared Bat (*Vampyressa thuyne*)
Macconnell's Bat (*Mesophylla macconnelli*)
Short-headed Broad-nosed Bat (*Platyrrhinus brachycephalus*)
Heller's Broad-nosed Bat (*P.helleri*)
Inca Broad-nosed Bat (*P.incarum*)
Buffy Broad-nosed Bat (*P.infuscus*)
Honduran White Bat (*Ectophylla alba*)
Hairy Fruit-eating Bat (*Artibeus hirsutus*)
Intermediate Fruit-eating Bat (*A.intermedius*)
Jamaican Fruit-eating Bat (*A.jamaicensis*)
Great Fruit-eating Bat (*A.liturgatus*)
Dark Fruit-eating Bat (*A.obscurus*)
Flat-faced Fruit-eating Bat (*A.planirostris*)
Andersen's Fruit-eating Bat (*Dermanura anderseni*)
Aztec Fruit-eating Bat (*D.azteca*)
Gervais's Fruit-eating Bat (*D.cinerea*)
Dwarf Fruit-eating Bat (*D.gnoma*)

Pygmy Fruit-eating Bat (*D.phaeotis*)
Toltec Fruit-eating Bat (*D.tolteca*)
Thomas's Fruit-eating Bat (*D.watsoni*)
Brown Fruit-eating Bat (*Koopmania concolor*)
Cuban Fig-eating Bat (*Phyllops falcatus*)
FUNNEL-EARED BATS (*NATALIDAE*) (3/12)
Cuban Funnel-eared Bat (*Chilonatalus micropus*)
Woolly Funnel-eared Bat (*Natalus lanatus*)
Mexican Greater Funnel-eared Bat (*N.mexicanus*)
FREE-TAILED BATS (*MOLOSSIDAE*) (34/131)
Greater Naked Bat (*Cheiromeles torquatus*)
Alvarez's Mastiff Bat (*Molossus alvarezi*)
Bonda Mastiff Bat (*M.bondae*)
Pallas's Mastiff Bat (*M.molossus*)
Northern Black Mastiff Bat (*M.nigricans*)
Miller's Mastiff Bat (*M.pretiosus*)
Big Crested Mastiff Bat (*Promops centralis*)
Pocketed Free-tailed Bat (*Nyctinomops femorosaccus*)
Broad-eared Bat (*N.laticaudatus*)
Big Free-tailed Bat (*N.macrotis*)
Dwarf Dog-faced Bat (*Molossops temminckii*)
Cinnamon Dog-faced Bat (*Cynomops abrasus*)
Greenhall's Dog-faced Bat (*C.greenhalli*)
Dwarf Bonneted Bat (*Eumops bonariensis*)
Fierce Bonneted Bat (*E.ferox*)
Florida Bonneted Bat (*E.floridanus*)
Greater Bonneted Bat (*E.perotis*)
Harrison's Large-eared Giant Mastiff Bat (*Otomops harrisoni*)
Wrinkle-lipped Mastiff Bat (*Mops jobensis*)
Wrinkle-lipped Bat (*M.plicatus*)
Little Free-tailed Bat (*M.pumilus*)
Sierra Leone Mops Bat (*M.brachypterus*)
Angolan Mops Bat (*M.condylurus*)

Midas Mops Bat (*M.midas*)
Malayan Free-tailed Bat (*M.mops*)
Egyptian Free-tailed Bat (*Tadarida aegyptiaca*)
Brazilian Free-tailed Bat (*T.brasiliensis*)
European Free-tailed Bat (*T.teniotis*)
White-striped Free-tailed Bat (*Austronomus australis*)
East-coast Free-tailed Bat (*Micronomus norfolkensis*)
Little Northern Free-tailed Bat (*Ozimops lumsdenae*)
Inland Freetail (*O.petersi*)
Southern Free-tailed Bat (*O.planiceps*)
Eastern Freetail Bat (*O.ridei*)
BENT-WINGED BATS (MINIOPTERIDAE) (14/41)
Aellen's Long-fingered Bat (*Miniopterus aelleni*)
African Long-fingered Bat (*M.africanus*)
Little Long-fingered Bat (*M.australis*)
Madagascan Long-fingered Bat (*M.brachytragos*) (?)
Eastern Bentwinged Bat (*M.fuliginosus*)
Glen's Long-fingered Bat (*M.gleni*)
Griveaud's long-fingered bat (*M.griveaudi*)
Greater Long-fingered Bat (*M.inflatus*)
Small Melanesian Bent-winged Bat (*M.macrocneme*)
Major's Long-fingered Bat (*M.majori*)
Medium Bent-winged Bat (*M.medius*)
Least Long-fingered Bat (*M.minor*)
Natal Clinging Bat (*M.natalensis*)
Large Bent-winged Bat (*M.orianae*)
Schreiber's Bent-winged Bat (*M.schreibersii*)
WING-GLAND BATS (CISTUGIDAE) (1/2)
Lesueur's Hairy Bat (*Cistugo lesueuri*)
EVENING BATS (VESPERTILIONIDAE) (129/525)
Giant Noctule (*Nyctalus lasiopterus*)
Lesser Noctule (*N.leisleri*)
Noctule (*N.noctula*)

Japanese Pipistrelle (*Pipistrellus abramus*)
Kelaart's Pipistrelle (*P. ceylonicus*)
Coromandel Pipistrelle (*P. coromandra*)
Javan Pipistrelle (*P. javanicus*)
Kuhl's Pipistrelle (*P. kuhlii*)
Nathusius' Pipistrelle (*P. nathusii*)
Common Pipistrelle (*P. pipistrellus*)
Pygmy Pipistrelle (*P. pygmaeus*)
Least Pipistrelle (*P. tenuis*)
Northern Pipistrelle (*P. westralis*)
Asian Particolored Bat (*Vespertilio sinensis*)
Malayan Greater Bamboo Bat (*Tylonycteris malayana*)
Eastern False Pipistrelle (*Falsistrellus tasmaniensis*)
Northern Cave Bat (*Vespadelus caurinus*)
Large Forest Bat (*V. darlingtoni*)
Finlayson's Cave Bat (*V. finlaysoni*)
Eastern Forest Bat (*V. pumilus*)
Southern Forest Bat (*V. regulus*)
Eastern Cave Bat (*V. troughtoni*)
Little Forest Bat (*V. vulturinus*)
Large-eared Pied Bat (*Chalinolobus dwyeri*)
Gould's Wattled Bat (*C. gouldii*)
Chocolate Wattled Bat (*C. morio*)
Hoary Wattled Bat (*C. nigrogriseus*) (?)
Little Pied Bat (*C. picatus*)
New Zealand Long-tailed Bat (*C. tuberculatus*) (?)
Northern Long-eared Bat (*Nyctophilus arnhemensis*)
Eastern Long-eared Bat (*N. bifax*)
Lesser Long-eared Bat (*N. geoffroyi*)
Gould's Long-eared Bat (*N. gouldi*)
Shirley's Long-eared Bat (*N. shirleyae*) (?)
Pygmy Long-eared Bat (*N. walkeri*)
Alashanian Pipistrelle (*Hypsugo alaschanicus*)

Savi's Pipistrelle (*H.savii*)
Cape Serotine (*Laephotis capensis*)
Schlieffen's Bat (*Nycticeinops schlieffenii*)
Beatrix's Bat (*Glauconycteris beatrix*)
Inland Broad-nosed Bat (*Scotorepens balstoni*)
Little Broad-nosed Bat (*S.greyii*)
Northern Broad-nosed Bat (*S.sanborni*)
Silver-haired Bat (*Lasionycteris noctivagans*)
Brazilian Brown Bat (*Eptesicus brasiliensis*)
Diminutive Serotine (*E.diminutus*)
Argentine Brown Bat (*E.furinalis*)
Big Brown Bat (*E.fuscus*)
Hottentot bat (*E.hottentotus*) (?)
Northern Bat (*E.nilssonii*)
Serotine (*E.serotinus*)
Western Pipistrelle (*Parastrellus hesperus*)
Eastern Pipistrelle (*Perimyotis subflavus*)
Van Gelder's Bat (*Bauerus dubiaquercus*)
Pallid Bat (*Antrozous pallidus*)
Yucatan Yellow Bat (*Rhogeessa aenea*)
Allen's Yellow Bat (*R.alleni*)
Bickham's Yellow Bat (*R.bickhami*)
Little Yellow Bat (*R.parvula*)
Western Barbastelle (*Barbastella barbastellus*)
Eastern Barbastelle (*B.darjelingensis*)
Brown Big-eared Bat (*Plecotus auritus*)
Gray Big-eared Bat (*P.austriacus*)
Mountain Long-eared Bat (*P.macrobullaris*)
Taiwan Long-eared Bat (*P.taivanus*)
Mexican Big-eared Bat (*Corynorhinus mexicanus*)
Rafinesque's Big-eared Bat (*C.rafinesquii*)
Townsend's Big-eared Bat (*C.townsendii*)
Allen's Big-eared Bat (*Idionycteris phyllotis*)

Spotted Bat (*Euderma maculatum*)
Hoary Bat (*Aeorestes cinereus*)
Western Yellow Bat (*Dasypterus xanthinus*)
Eastern Red Bat (*Lasiurus borealis*)
Desert Red Bat (*L.frantzii*)
Seminole Bat (*L.seminolus*)
African Yellow Bat (*Scotophilus dinganii*)
Greater Asiatic Yellow House Bat (*S.heathii*)
Lesser Asiatic Yellow House Bat (*S.kuhlii*)
Evening Bat (*Nycticeius humeralis*)
Golden-tipped Bat (*Phoniscus papuensis*)
Common Woolly Bat (*Kerivoula hardwickii*)
Least Woolly Bat (*K.minuta*)
Fly River Woolly Bat (*K.muscina*)
Clear-winged Woolly Bat (*K.pellucida*)
Painted Bat (*K.picta*)
Flute-nosed Bat (*Murina florum*)
Greater Tube-nosed Bat (*M.hilgendorfi*)
Taiwan Broad-muzzled Mouse-eared Bat (*Submyotodon latirostris*)
Silver-tipped Myotis (*Myotis albescens*)
Southwestern Myotis (*M.auriculus*)
Southeastern Myotis (*M.austoriparius*)
Bechstein's Myotis (*M.bechsteinii*)
Lesser Mouse-eared Bat (*M.blythii*)
Brandt's Myotis (*M.brandtii*)
California Myotis (*M.californicus*)
Long-fingered Bat (*M.capaccinii*)
Western Small-footed Myotis (*M.ciliolabrum*)
Pond Bat (*M.dasychneme*)
Daubenton's Myotis (*M.daubentonii*)
Elegant Myotis (*M.elegans*)
Geoffroy's Bat (*M.emarginatus*)
Long-eared Myotis (*M.evotis*)

Hodgson's Bat (*M.formosus*)
Malagasy Mouse-eared Bat (*M.goudotii*)
Gray Myotis (*M.grisescens*)
Lesser Large-footed Myotis (*M.hasseltii*)
Horsfield's Myotis (*M.horsfieldii*)
Eastern Small-footed Myotis (*M.leibii*)
Little Brown Bat (*M.lucifugus*)
Big-footed Myotis (*M.macrodactylus*)
Large-footed Myotis (*M.macropus*)
Maluku Myotis (*M.moluccarum*)
Nepalese Whiskered Bat (*M.muricola*)
Greater Mouse-eared Bat (*M.myotis*)
Whiskered Myotis (*M.mystacinus*)
Natterer's Bat (*M.nattereri*)
Black Myotis (*M.nigricans*)
Arizona Myotis (*M.occultus*)
Montane Myotis (*M.oxyotus*)
Northern Hairy-legged Myotis (*M.pilosatibialis*)
Flat-headed Myotis (*M.planiceps*)
Maghreb Mouse-eared Bat (*M.punicus*)
Ridley's Myotis (*M.ridleyi*)
Riparian Myotis (*M.riparius*)
Taiwan Long-toed Myotis (*M.secundus*)
Northern Myotis (*M.septentrionalis*)
Himalayan Whiskered Bat (*M.siligorensis*)
Indiana Bat (*M.sodalis*)
Fringed Myotis (*M.thysanodes*)
Cave Myotis (*M.velifer*)
Fish-eating Bat (*M.vivesi*)
Long-legged Myotis (*M.volans*)
Yuma Myotis (*M.yumanensis*)
PANGOLINS (MANIDAE) (2/8)
Black-bellied Pangolin (*Phataginus tetradactyla*)

Giant Ground Pangolin (*Smutsia gigantea*)
AFRICAN PALM-CIVETS (NANDINIIDAE) (1/1)
African Palm Civet (*Nandinia binotata*)
FELIDS (FELIDAE) (32/46)
Sunda Clouded Leopard (*Neofelis diardi*)
Lion (*Panthera leo*)
Jaguar (*P.onca*)
Leopard (*P.pardus*)
Tiger (*P.tigris*)
Snow Leopard (*P.uncia*)
Borneo Bay Cat (*Catopuma badia*)
Asiatic Golden Cat (*C.temminckii*)
Serval (*Leptailurus serval*)
Caracal (*Caracal caracal*)
Garlepp's Colocolo (*Leopardus garleppi*)
Geoffroy's Cat (*L.geoffroyi*)
Andean Cat (*L.jacobita*)
Ocelot (*L.pardalis*)
Canada Lynx (*Lynx canadensis*)
Eurasian Lynx (*L.lynx*)
Iberian Lynx (*L.pardinus*)
Bobcat (*L.rufus*)
Cheetah (*Acinonyx jubatus*)
Puma (*Puma concolor*)
Jaguarundi (*Herpailurus yagouaroundi*)
Pallas's Cat (*Otocolobus manul*)
Leopard Cat (*Prionailurus bengalensis*)
Sunda Leopard Cat (*P.javanensis*)
Flat-headed Cat (*P.planiceps*)
Rusty-spotted Cat (*P.rubiginosus*)
Domestic Cat (*Felis catus*)
Jungle Cat (*F.chaus*)
African Wild Cat (*F.lybica*)

Sand Cat (*F.margarita*)
Black-footed Cat (*F.nigripes*)
European Wild Cat (*F.silvestris*)
CIVETS, GENETS, AND OYANS (VIVERRIDAE) (19/37)
Small Indian Civet (*Viverricula indica*)
African Civet (*Civettictis civetta*)
Malay Civet (*Viverra zibetha*)
Large Indian Civet (*V.zibetha*)
Miombo Genet (*Genetta angolensis*) (?)
Feline Genet (*G.felina*)
Common Genet (*G.genetta*)
Central African Large-spotted Genet (*G.maculata*)
Servaline Genet (*G.servalina*)
South African Large-spotted Genet (*G.tigrina*)
Bornean Striped Palm Civet (*Arctogalidia stigmatica*)
Small-toothed Palm Civet (*A.trivirgata*)
Binturong (*Arctictis binturong*)
Masked Palm Civet (*Paguma larvata*)
Common Indian Palm Civet (*Paradoxurus hermaphroditus*)
Brown Palm Civet (*P.jerdoni*)
Sunda Palm Civet (*P.musangus*)
Bornean Palm Civet (*P.philippinensis*)
Golden Palm Civet (*P.zeylonensis*)
Banded Civet (*Hemigalus derbyanus*)
HYAENAS (HYAENIDAE) (5/5)
Spotted Hyaena (*Crocuta crocuta*)
Striped Hyaena (*Hyaena hyaena*)
Brown Hyaena (*Parahyaena brunnea*)
Southern Aardwolf (*Proteles cristatus*)
Eastern Aardwolf (*P.septentrionalis*)
MONGOOSES (HERPESTIDAE) (23/35)
Yellow Mongoose (*Cynictis penicillata*)
Selous' Mongoose (*Paracynictis selousi*)

Meller's Mongoose (*Rhynchogale melleri*)
White-tailed Mongoose (*Ichneumia albicauda*)
Kaokoveld Slender Mongoose (*Herpestes flavescens*)
Egyptian Mongoose (*H. ichneumon*)
Cape Grey Mongoose (*H. pulverulentus*)
Slender Mongoose (*H. sanguineus*)
Marsh Mongoose (*Atilax paludinosus*)
Long-nosed Mongoose (*Xenogale naso*)
Short-tailed Mongoose (*Urva brachyura*)
Indian Grey Mongoose (*U. edwardsii*)
Indian Brown Mongoose (*U. fusca*)
Small Asian Mongoose (*U. javanica*)
Ruddy Mongoose (*U. smithii*)
Crab-eating Mongoose (*U. urva*)
Stripe-necked Mongoose (*U. vitticollis*)
Meerkat (*Suricata suricatta*)
Common Cusimanse (*Crossarchus obscurus*)
Somali Dwarf Mongoose (*Helogale hirtula*)
Common Dwarf Mongoose (*H. parvula*)
Pousargues' Mongoose (*Dologale dybowskii*)
Banded Mongoose (*Mungos mungo*)
EUPLERIDS (EUPLERIDAE) (3/7)
Fanaloka (*Fossa fossana*)
Malagasy Ring-tailed Mongoose (*Galidia elegans*)
Malagasy Narrow-striped Mongoose (*Mungotictis decemlineata*)
CANIDS (CANIDAE) (37/39)
Grey Fox (*Urocyon cinereoargenteus*)
Island Fox (*U. littoralis*)
Bat-eared Fox (*Otocyon megalotis*)
Raccoon Dog (*Nyctereutes procyonoides*)
Japanese Raccoon Dog (*N. viverrinus*)
Bengal Fox (*Vulpes bengalensis*)
Blanford's Fox (*V. cana*)

Cape Fox (*V.chama*)
Corsac Fox (*V.corsac*)
Tibetan Fox (*V.ferrilata*)
Arctic Fox (*V.lagopus*)
Kit Fox (*V.macrotis*)
Pale Fox (*V.pallida*)
Rüppel's Fox (*V.rueppellii*)
Swift Fox (*V.velox*)
Red Fox (*V.vulpes*)
Fennec Fox (*V.zerda*)
Maned Wolf (*Chrysocyon brachyurus*)
Short-eared Dog (*Atelocynus microtis*)
Crab-eating Fox (*Cerdocyon thous*)
Culpeo (*Lycalopex culpaeus*)
Darwin's Fox (*L.fulvipes*)
South American Grey Fox (*L.griseus*)
Pampas Fox (*L.gymnocercus*)
Sechura Fox (*L.sechurae*)
Side-striped Jackal (*Lupulella adustus*)
Black-backed Jackal (*L.mesomelas*)
African Wild Dog (*Lycaon pictus*)
Dhole (*Cuon alpinus*)
Golden Jackal (*Canis aureus*)
Domestic Dog (*C.familiaris*)
Coyote (*C.latrans*)
African Golden Wolf (*C.lupaster*)
Gray Wolf (*C.lupus*)
Eastern Wolf (*C.lycaon*)
Red Wolf (*C.rufus*)
Ethiopian Wolf (*C.simensis*)
BEARS (URSIDAE) (8/8)
Giant Panda (*Ailuropoda melanoleuca*)
Spectacled Bear (*Tremarctos ornatus*)

Sun Bear (*Helarctos malayanus*)
Sloth Bear (*Melursus ursinus*)
American Black Bear (*Ursus americanus*)
Brown Bear (*U. arctos*)
Polar Bear (*U. maritimus*)
Asiatic Black Bear (*U. thibetanus*)
EARED SEALS (OTARIIDAE) (10/16)
Northern Fur Seal (*Callorhinus ursinus*)
Antipodean Fur Seal (*Arctocephalus forsteri*)
Brown Fur Seal (*A. pusillus*)
Guadalupe Fur Seal (*A. townsendi*)
Australian Sea Lion (*Neophoca cinerea*)
New Zealand Sea Lion (*Phocarctos hookeri*)
South American Sea Lion (*Otaria flavescens*)
Steller Sea Lion (*Eumetopias jubatus*)
Californian Sea Lion (*Zalophus californianus*)
Galápagos Sea Lion (*Z. wolfebaeki*)
WALRUSES (ODOBENIDAE) (1/1)
Walrus (*Odobenus rosmarus*)
EARLESS SEALS (PHOCIDAE) (9/19)
Mediterranean Monk Seal (*Monachus monachus*)
Northern Elephant Seal (*Mirounga angustirostris*)
Southern Elephant Seal (*M. leonina*)
Bearded Seal (*Erignathus barbatus*)
Grey Seal (*Halichoerus grypus*)
Harp Seal (*Pagophilus groenlandicus*)
Spotted Seal (*Phoca largha*)
Harbour Seal (*P. vitulina*)
Ringed Seal (*Pusa hispida*)
RED PANDAS (AILURIDAE) (1/2)
Red Panda (*Ailurus fulgens*)
RACCOONS, COATIS, AND ALLIES (PROCYONIDAE) (12/13)
Eastern Lowland Olingo (*Bassaricyon alleni*)

Northern Olingo (*B.gabbii*)
Western Lowland Olingo (*B.medius*)
Olinguito (*B.neblina*)
Ringtail (*Bassariscus astutus*)
Cacomistle (*B.sumichrasti*)
White-nosed Coati (*Nasua narica*)
South American Coati (*N.nasua*)
Kinkajou (*Potos flavus*)
Crab-eating Raccoon (*Procyon cancrivorus*)
Northern Raccoon (*P.lotor*)
Pygmy Raccoon (*P.pygmaeus*)
SKUNKS AND STINK-BADGERS (MEPHITIDAE) (9/14)
Sunda Stink-badger (*Mydaus javanensis*)
Molina's Hog-nosed Skunk (*Conepatus chinga*)
American Hog-nosed Skunk (*C.leuconotus*)
Striped Hog-nosed Skunk (*C.semistriatus*)
Hooded Skunk (*Mephitis macroura*)
Striped Skunk (*M.mephitis*)
Southern Spotted Skunk (*Spilogale angustifrons*)
Western Spotted Skunk (*S.gracilis*)
Plains Spotted Skunk (*S.interrupta*)
MUSTELIDS (MUSTELIDAE) (41/66)
American Badger (*Taxidea taxus*)
Honey Badger (*Mellivora capensis*)
Eurasian Badger (*Meles meles*)
Fisher (*Pekania pennanti*)
Tayra (*Eira barbara*)
Wolverine (*Gulo gulo*)
American Marten (*Martes americana*)
Yellow-throated Marten (*M.flavigula*)
Stone Marten (*M.foina*)
European Pine Marten (*M.martes*)
Japanese Marten (*M.melampus*)

Small-toothed Ferret-badger (*Melogale moschata*)
Javan Ferret Badger (*M.orientalis*)
Formosan Ferret-badger (*M.subaurantiaca*)
Lesser Grison (*Galictis cuja*)
European Marbled Polecat (*Vormela peregusna*)
Zorilla (*Ichonyx striatus*)
Giant Otter (*Pteronura brasiliensis*)
North American Otter (*Lontra canadensis*)
Marine Otter (*L.felina*)
Neotropical Otter (*L.longicaudis*)
Southern River Otter (*L.provocax*)
Sea Otter (*Enhydra lutris*)
Spotted-necked Otter (*Hydrictis maculicollis*)
African Clawless Otter (*Lutra capensis*)
Asian Small-clawed Otter (*L.cinereus*)
Congo Clawless Otter (*L.congicus*)
Eurasian Otter (*L.lutra*)
Hairy-nosed Otter (*L.sumatrana*)
Smooth-coated Otter (*Luta perspicillata*)
Altai Weasel (*Mustela altaica*)
Ermine (*M.erminea*)
Steppe Polecat (*M.eversmanii*)
European Mink (*M.lutreola*)
Black-footed Ferret (*M.nigripes*)
Least Weasel (*M.nivalis*)
Malay Weasel (*M.nudipes*)
European Polecat (*M.putorius*)
Siberian Weasel (*M.sibirica*)
Long-tailed Weasel (*Neogale frenata*)
American Mink (*N.vison*)
EQUINES (EQUIDAE) (8/9)
Domestic Donkey (*Equus asinus*)
Domestic Horse (*E.caballus*)

Przewalski's Horse (*E.ferus*)
Grevy's Zebra (*E.grevyi*)
Asiatic Wild Ass (*E.hemionus*)
Kiang (*E.kiang*)
Plains Zebra (*E.quagga*)
Mountain Zebra (*E.zebra*)
RHINOCEROSES (RHINOCEROTIDAE) (3/5)
White Rhinoceros (*Ceratotherium simum*)
Black Rhinoceros (*Diceros bicornis*)
Indian Rhinoceros (*Rhinoceros unicornis*)
TAPIRS (TAPIRIDAE) (4/4)
Baird's Tapir (*Tapirus bairdii*)
Asian Tapir (*T.indicus*)
Mountain Tapir (*T.pinchaque*)
Lowland Tapir (*T.terrestris*)
CAMELIDS (CAMELIDAE) (5/7)
Guanaco (*Lama guanicoe*)
Vicuna (*L.vicugna*)
Domestic Bactrian Camel (*Camelus bactrianus*)
Dromedary (*C.dromedarius*)
Bactrian Camel (*C.ferus*)
SUIDS (SUIDAE) (10/18)
Sulawesi Babirusa (*Babyrousa celebensis*)
Desert Warthog (*Phacochoerus aethiopicus*)
Common Warthog (*P.africanus*)
Forest Hog (*Hylochoerus meinertzhageni*)
Bushpig (*Potamochoerus larvatus*)
Red River Hog (*P.porcus*)
Bearded Pig (*Sus barbatus*)
Sulawesi Warty Pig (*S.celebensis*)
Domestic Pig (*S.domesticus*)
Wild Boar (*S.scrofa*)
PECCARIES (TAYASSUIDAE) (3/3)

Chacoan Peccary (*Catagonus wagneri*)
Collared Peccary (*Dicotyles tajacu*)
White-lipped Peccary (*Tayassu pecari*)
HIPPOPOTAMUSES (HIPPOPOTAMIDAE) (2/2)
Hippopotamus (*Hippopotamus amphibius*)
Pygmy Hippopotamus (*Choeropsis liberiensis*)
CHEVROTAINS (TRAGULIDAE) (5/10)
Indian Chevrotain (*Moschiola indica*)
White-spotted Chevrotain (*M. meminna*)
Lesser Oriental Chevrotain (*Tragulus kanchil*)
Greater Oriental Chevrotain (*T. napu*)
Water Chevrotain (*Hyemoschus aquaticus*)
MUSK DEER (MOSCHIDAE) (1/7)
Alpine Musk Deer (*Moschus chrysogaster*)
DEER (CERVIDAE) (32/55)
Tufted Deer (*Elaphodus cephalophus*)
Bornean Yellow Muntjac (*Muntiacus atherodes*)
Malabar Red Muntjak (*M. malabaricus*)
Southern Red Muntjac (*M. muntjak*)
Reeves' Muntjac (*M. reevesi*)
Northern Red Muntjac (*M. vaginalis*)
Chital (*Axis axis*)
Hog Deer (*A. porcinus*)
Fallow Deer (*Dama dama*)
Javan Rusa (*Rusa timorensis*)
Sambar (*R. unicolor*)
White-lipped Deer (*Cervus albirostris*)
Wapiti (*C. canadensis*)
Red Deer (*C. elaphus*)
Sika Deer (*C. nippon*)
Barasingha (*Rucervus duvaucelii*)
Water Deer (*Hydropotes inermis*)
European Roe Deer (*Capreolus capreolus*)

Siberian Roe Deer (*C. pygargus*)
Moose (*Alces alces*)
Caribou (*Rangifer tarandus*)
Mule Deer (*Odocoileus hemionus*)
White-tailed Deer (*O. virginianus*)
Marsh Deer (*Blastocerus dichotomus*)
Pampas Deer (*Ozotoceros bezoarticus*)
Taruca (*Hippocamelus antisensis*)
Patagonian Huemul (*H. bisulcus*)
Southern Pudu (*Pudu puda*)
Red Brocket (*Mazama americana*)
Gray Brocket (*M. gouazoubira*)
Amazonian Brown Brocket (*M. nemorivaga*)
Central American Red Brocket (*M. temama*)
BOVIDS (BOVIDAE) (118/156)
American Bison (*Bos bison*)
European Bison (*B. bonasus*)
Gaur (*B. gaurus*)
Banteng (*B. javanicus*)
Wild Yak (*B. mutus*)
Domestic Cattle (*B. taurus*)
Asian Buffalo (*Bubalus arnee*)
Domestic Water Buffalo (*B. bubalis*)
Tamaraw (*B. mindorensis*)
African Buffalo (*Syncerus caffer*)
Nilgai (*Boselaphus tragocamelus*)
Four-horned Antelope (*Tetracerus quadricornis*)
Nyala (*Tragelaphus angasii*)
Mountain Nyala (*T. buxtoni*)
Sitatunga (*T. spekii*)
Cape Bushbuck (*T. sylvaticus*)
Lesser Kudu (*T. imberbis*)
Greater Kudu (*T. strepsiceros*)

Common Eland (*T.oryx*)
Western Bushbuck (*T.scriptus*)
Suni (*Nesotragus moschatus*)
Royal Antelope (*Neotragus pygmaeus*)
Impala (*Aepyceros melampus*)
Steenbok (*Raphiceros campestris*)
Cape Grysbok (*R.melanotis*)
Sharpe's Grysbok (*R.sharpei*)
Springbok (*Antidorcas marsupialis*)
Gerenuk (*Litocranius walleri*)
Mongolian Saiga (*Saiga tatarica*)
Blackbuck (*Antilope cervicapra*)
Dama Gazelle (*Nanger dama*)
Grant's Gazelle (*N.granti*)
Bright's Gazelle (*N.notatus*)
Peters's Gazelle (*N.petersii*)
Soemmerring's Gazelle (*N.soemmerringii*)
Arabian Gazelle (*Gazella arabica*)
Chinkara (*G.bennettii*)
Cuvier's Gazelle (*G.cuvieri*)
Dorcas Gazelle (*G.dorcas*)
Mountain Gazelle (*G.gazella*)
Slender-horned Gazelle (*G.leptoceros*)
Arabian Sand Gazelle (*G.marica*)
Goitered Gazelle (*G.subgutturosa*)
Red-fronted Gazelle (*Eudorcas rufifrons*)
Thomson's Gazelle (*E.thomsonii*)
Cavendish's Dik-dik (*Madoqua cavendishi*)
Damara Dik-dik (*M.damarensis*)
Guenther's Dik-dik (*M.guentheri*)
Hinde's Dik-dik (*M.hindei*)
Kirk's Dik-dik (*M.kirkii*)
Salt's Dik-dik (*M.saltiana*)

Thomas's Dik-dik (*M.thomasi*)
Oribi (*Ourebia ourebi*)
Mongolian Gazelle (*Procapra gutturosa*)
Tibetan Gazelle (*P.picticaudata*)
Przewalski's Gazelle (*P.przewalskii*)
Southern Reedbuck (*Redunca arundinum*)
Mountain Reedbuck (*R.fulvorufula*)
Bohor Reedbuck (*R.redunca*)
Waterbuck (*Kobus ellipsiprymnus*)
Kob (*K.kob*)
Southern Lechwe (*K.leche*)
Puku (*K.vardonii*)
Grey Rhebok (*Pelea capreolus*)
Roan Antelope (*Hippotragus equinus*)
Sable Antelope (*H.niger*)
Addax (*Addax nasomaculatus*)
Beisa Oryx (*Oryx beisa*)
Scimitar-horned Oryx (*O.dammah*)
Gemsbok (*O.gazella*)
Hartebeest (*Alcelaphus buselaphus*)
Hirola (*Beatragus hunteri*)
Topi (*Damaliscus lunatus*)
Blesbok (*D.pygargus*)
Black Wildebeest (*Connochaetes gnou*)
Common Wildebeest (*C.taurinus*)
Chiru (*Pantholops hodgsonii*)
Mountain Goat (*Oreamnos americanus*)
Golden Takin (*Budorcas tibetana*)
Aoudad (*Ammotragus lervia*)
Arabian Tahr (*Arabitragus jayakari*)
Blue Sheep (*Pseudois nayaur*)
Bezoar (*Capra aegagrus*)
Western Tur (*C.caucasica*)

Eastern Tur (C.cylindricornis)
Markhor (C.falconeri)
Domestic Goat (C.hircus)
Alpine Ibex (C.ibex)
Nubian Ibex (C.nubiana)
Spanish Ibex (C.pyrenaica)
Siberian Ibex (C.sibirica)
Walia Ibex (C.walie)
Nilgiri Tahr (Nilgiritragus hylocrius)
Argali (Ovis ammon)
Mouflon (O.aries)
Bighorn Sheep (O.canadensis)
Dall's Sheep (O.dalli)
Urial (O.vignei)
Pyrenean Chamois (Rupicapra pyrenaica)
Northern Chamois (R.rupicapra)
Himalayan Goral (Naemorhedus goral)
Eastern Gray Goral (N.griseus)
Japanese Serow (Capricornis crispus)
Serow (C.sumatraensis)
Formosan Serow (C.swinhoei)
Muskox (Ovibos moschatus)
Common Duiker (Sylvicapra grimmia)
Maxwell's Duiker (Philantomba maxwellii)
Blue Duiker (P.monticola)
Aders' Duiker (Leucocephalophus adersi)
Peters' Duiker (Cephalophus callipygus)
Bay Duiker (C.dorsalis)
Kivu Duiker (C.kivuensis)
Natal Red Duiker (C.natalensis)
Ogilby's Duiker (C.ogilbyi)
Yellow-backed Duiker (C.silvicultor)
Weyns' Duiker (C.weynsi)

Klipspringer (*Oreotragus oreotragus*)
PRONGHORNS (ANTILOCAPRIDAE) (1/1)
Pronghorn (*Antilocapra americana*)
GIRAFFES AND OKAPI (GIRAFFIDAE) (4/5)
Giraffe (*Giraffa camelopardalis*)
Southern Giraffe (*G.giraffa*)
Reticulated Giraffe (*G.reticulata*)
Masai Giraffe (*G.tippelskirchi*)
BOWHEAD AND RIGHT WHALES (BALAENIDAE) (2/4)
Southern Right Whale (*Eubalaena australis*)
North Atlantic Right Whale (*E.glacialis*)
GREY WHALES (ESCHRICHTIIDAE) (1/1)
Gray Whale (*Eschrichtius robustus*)
RORQUALS (BALAENOPTERIDAE) (8/10)
Common Minke Whale (*Balaenoptera acutorostrata*)
Sei Whale (*B.borealis*)
Bryde's Whale (*B.brydei*)
Eden's Whale (*B.edeni*)
Blue Whale (*B.musculus*)
Omura's Whale (*B.omurai*)
Fin Whale (*B.physalus*)
Humpback Whale (*Megaptera novaeangliae*)
SPERM WHALES (PHYSETERIDAE) (1/1)
Sperm Whale (*Physeter macrocephalus*)
BEAKED WHALES (ZIPHIIDAE) (3/24)
Cuvier's Beaked Whale (*Ziphius cavirostris*)
North Atlantic Bottlenose Whale (*Hyperoodon ampullatus*)
Gervais' Beaked Whale (*Mesoplodon europaeus*)
SOUTH ASIAN RIVER DOLPHINS (PLATANISTIDAE) (1/2)
Ganges River Dolphin (*Platanista gangetica*)
SOUTH AMERICAN RIVER DOLPHINS (INIIDAE) (2/4)
Boto (*Inia geoffrensis*)
Boto (*I.humboldtiana*)

NARWHALS AND BELUGAS (MONODONTIDAE) (2/2)

Narwhal (*Monodon monoceros*)

Beluga (*Delphinapterus leucas*)

OCEANIC DOLPHINS (DELPHINIDAE) (32/37)

Atlantic White-sided Dolphin (*Leucopleurus acutus*)

White-beaked Dolphin (*Lagenorhynchus albirostris*)

Peale's Dolphin (*Sagmatias australis*)

Pacific White-sided Dolphin (*S.obliquidens*)

Dusky Dolphin (*S.obscurus*)

Irrawaddy Dolphin (*Orcaella brevirostris*)

Australian Snubfin Dolphin (*O.heinsohni*)

Orca (*Orcinus orca*)

Short-beaked Common Dolphin (*Delphinus delphis*)

Fraser's Dolphin (*Lagenodelphis hosei*)

Tucuxi (*Sotalia fluviatilis*)

Guiana Dolphin (*S.guianensis*)

Indo-pacific Hump-backed Dolphin (*Sousa chinensis*)

Indian Ocean Humpback Dolphin (*S.plumbea*)

Sahul Humpback Dolphin (*S.sahulensis*)

Pantropical Spotted Dolphin (*Stenella attenuata*)

Striped Dolphin (*S.coeruleoalba*)

Atlantic Spotted Dolphin (*S.frontalis*)

Spinner Dolphin (*S.longirostris*)

Indo-pacific Bottlenose Dolphin (*Tursiops aduncus*)

Common Bottlenose Dolphin (*T.truncatus*)

Short-finned Pilot Whale (*Globicephala macrorhynchus*)

Long-finned Pilot Whale (*G.melas*)

Pygmy Killer Whale (*Feresa attenuata*)

Risso's Dolphin (*Grampus griseus*)

Melon-headed Whale (*Peponocephala electra*)

False Killer Whale (*Pseudorca crassidens*)

Northern Right Whale Dolphin (*Lissodelphis borealis*)

Commerson's Dolphin (*Cephalorhynchus commersonii*)

Chilean Dolphin (*C.eutropia*)

Heaviside's Dolphin (*C.heavisidii*)

Hector's Dolphin (*C.hectori*)

PORPOISES (PHOCOENIDAE) (4/8)

East Asian Finless Porpoise (*Neophocaena sunameri*)

Harbour Porpoise (*Phocoena phocoena*)

Burmeister's Porpoise (*P.spinipinnis*)

Dall's Porpoise (*Phocoenoides dalli*)

2176 Species