

PLATYPUSES (ORNITHORHYNCHIDAE) (1/1)

Platypus (*Ornithorhynchus anatinus*)

ECHIDNAS (TACHYGLOSSIDAE) (2/4)

Short-beaked Echidna (*Tachyglossus aculeatus*)

Western Long-beaked Echidna (*Zaglossus bruijnii*)

OPOSSUMS (DIDELPHIDAE) (25/128)

Derby's Woolly Opossum (*Caluromys derbianus*)

Brown-eared Woolly Opossum (*C.lanatus*)

Bare-tailed Woolly Opossum (*C.philander*)

Water Opossum (*Chironectes minimus*)

Brazilian White-eared Opossum (*Didelphis albiventris*)

Southern Black-eared Opossum (*D.aurita*)

Northern Black-eared Opossum (*D.marsupialis*)

Andean White-eared Opossum (*D.pernigra*)

Southern White-eared Opossum (*D.poecilotus*)

Virginia Opossum (*D.virginiana*)

Common Four-eyed Opossum (*Philander canus*)

Dark Four-eyed Opossum (*P.melanurus*)

Pebas Four-eyed Opossum (*P.pebas*)

Northern Four-eyed Opossum (*P.vossi*)

Northeastern Woolly Mouse Opossum (*Marmosa demerarae*)

Panama Mouse Opossum (*M.isthmica*)

Rufous Mouse Opossum (*M.lepida*)

Linnaeus's Mouse Opossum (*M.murina*)

Robinson's Mouse Opossum (*M.robinsoni*)

Amazonian Red-sided Opossum (*Monodelphis glirina*)

Tehuantepec Gray Mouse Opossum (*Tlacuatzin canescens*)
Common Brown Four-eyed Opossum (*Metachirus myosuroides*)
Agricola's Opossum (*Cryptonanus agricolai*)
Agile Opossum (*Gracilinanus agilis*)
Chacoan Fat-tailed Opossum (*Thylamys pusillus*)
MONITOS DEL MONTE (MICROBIOTHERIIDAE) (1/2)
Southern Monito del Monte (*Dromiciops gliroides*)
DASYURES (DASYURIDAE) (36/86)
Kaluta (*Dasykaluta rosamondae*)
Western Quoll (*Dasyurus geoffroii*)
Northern Quoll (*D. hallucatus*)
Spotted-tailed Quoll (*D. maculatus*)
Eastern Quoll (*D. viverrinus*)
Müller's Three-striped Dasyure (*Myoictis melas*)
Dibbler (*Parantechinus apicalis*)
Sandstone Pseudantechinus (*Pseudantechinus bilarni*)
Fat-tailed Pseudantechinus (*P. macdonnellensis*)
Ningbing Pseudantechinus (*P. ningbing*) (?)
Woolley's Pseudantechinus (*P. woolleyae*)
Tasmanian Devil (*Sarcophilus harrisi*)
Rusty Antechinus (*Antechinus adustus*)
Agile Antechinus (*A. agilis*)
Fawn Antechinus (*A. bellus*)
Yellow-footed Antechinus (*A. flavipes*)
Atherton Antechinus (*A. godmani*)
Mainland Dusky Antechinus (*A. mimetes*)

Swamp Antechinus (*A.minimus*)
Brown Antechinus (*A.stuartii*)
Subtropical Antechinus (*A.subtropicus*)
Black-tailed Dasyure (*Murexia melanura*)
Red-tailed Phascogale (*Phascogale calurus*)
Northern Brush-tailed Phascogale (*P.pirata*)
Common Brush-tailed Phascogale (*P.tapoatafa*)
Long-tailed Planigale (*Planigale ingrami*)
Orange-headed Pilbara Planigale (*P.kendricki*)
Common Planigale (*P.maculata*)
Eastern Kultarr (*Antechinomys laniger*)
Pilbara Ningau (Ningau *timealeyi*)
Southern Ningau (*N.yvonneae*)
Fat-tailed Dunnart (*Sminthopsis crassicaudata*)
Gray-bellied Dunnart (*S.fuliginosa*)
Gilbert's Dunnart (*S.gilberti*)
White-footed Dunnart (*S.leucopus*)
Stripe-faced Dunnart (*S.macroura*)
Common Dunnart (*S.murina*)
Eastern Red-cheeked Dunnart (*S.virginiae*) (?)
Lesser Hairy-footed Dunnart (*S.youngsoni*) (?)
NUMBATS (MYRMECOBIIDAE) (1/1)
Numbat (*Myrmecobius fasciatus*)
BANDICOOTS (PERAMELIDAE) (10/22)
Common Spiny Bandicoot (*Echymipera kalubu*)
Long-nosed Spiny Bandicoot (*E.rufescens*)

Golden Bandicoot (*Isoodon auratus*)

Western Brown Bandicoot (*I.fusciventer*)

Northern Brown Bandicoot (*I.macrourus*)

Southern Brown Bandicoot (*I.obesulus*)

Eastern Barred Bandicoot (*Perameles gunnii*)

Long-nosed Bandicoot (*P.nasuta*)

Queensland Barred Bandicoot (*P.pallescens*)

Raffray's Bandicoot (*Peroryctes raffrayanus*)

BILBIES (THYLACOMYIDAE) (1/1)

Greater Bilby (*Macrotis lagotis*)

PYGMY POSSUMS (BURRAMYIDAE) (5/5)

Mountain Pygmy Possum (*Burramys parvus*)

Long-tailed Pygmy Possum (*Cercartetus caudatus*)

Western Pygmy Possum (*C.concinnus*)

Little Pygmy Possum (*C.lepidus*)

Eastern Pygmy Possum (*C.nana*)

MUSKY RAT-KANGAROOS (HYPSPRYMNODONTIDAE) (1/1)

Musky Rat Kangaroo (*Hypsiprymnodon moschatus*)

KANGAROOS, WALLABIES AND ALLIES (MACROPODIDAE) (42/63)

Bennett's Tree Kangaroo (*Dendrolagus bennettianus*)

Grizzled Tree Kangaroo (*D.inustus*)

Lumholtz's Tree Kangaroo (*D.lumholtzi*)

Vogelkop Tree Kangaroo (*D.ursinus*)

Allied Rock Wallaby (*Petrogale assimilis*)

Short-eared Rock Wallaby (*P.brachyotis*)

Monjon (*P.burbidgei*)

Cape York Rock Wallaby (*P.coenensis*)
Godman's Rock Wallaby (*P.godmani*)
Herbert's Rock Wallaby (*P.herberti*)
Unadorned Rock Wallaby (*P.inornata*)
Black-footed Rock Wallaby (*P.lateralis*)
Mareeba Rock Wallaby (*P.mareeba*)
Brush-tailed Rock Wallaby (*P.penicillata*)
Proserpine Rock Wallaby (*P.persephone*)
Purple-necked Rock Wallaby (*P.purpureicollis*)
Rothschild's Rock Wallaby (*P.rothschildi*)
Sharman's Rock Wallaby (*P.sharmani*)
Wilkins's Rock Wallaby (*P.wilkinsi*)
Yellow-footed Rock Wallaby (*P.xanthopus*)
Rufous-bellied Pademelon (*Thylogale billardieri*)
Red-legged Pademelon (*T.stigmatica*)
Red-necked Pademelon (*T.thetis*)
Brown Forest Wallaby (*Dorcopsis muelleri*)
Spectacled Hare Wallaby (*Lagorchestes conspicillatus*)
Western Gray Kangaroo (*Macropus fuliginosus*)
Eastern Gray Kangaroo (*M.giganteus*)
Agile Wallaby (*Notamacropus agilis*)
Black-striped Wallaby (*N.dorsalis*)
Tamar Wallaby (*N.eugenii*)
Western Brush Wallaby (*N.irma*)
Parma Wallaby (*N.parma*)
Whip-tailed Wallaby (*N.parryi*)

Red-necked Wallaby (*N.rufogriseus*)
Bridled Nail-tailed Wallaby (*Onychogalea frenata*)
Northern Nail-tailed Wallaby (*O.unguifera*)
Antilopine Wallaroo (*Osphranter antilopinus*)
Black Wallaroo (*O.bernardus*)
Common Wallaroo (*O.robustus*)
Red Kangaroo (*O.rufus*)
Quokka (*Setonix brachyurus*)
Swamp Wallaby (*Wallabia bicolor*)
POTOROOS AND BETTONGS (POTOROIDAE) (8/8)
Rufous Bettong (*Aepyprymnus rufescens*)
Eastern Bettong (*Bettongia gaimardi*)
Burrowing Bettong (*B.lesueur*)
Brush-tailed Bettong (*B.penicillata*)
Northern Bettong (*B.tropica*)
Gilbert's Potoroo (*Potorous gilbertii*)
Long-footed Potoroo (*P.longipes*)
Long-nosed Potoroo (*P.tridactylus*)
FEATHERTAILS (ACROBATIDAE) (3/3)
Broad-toed Feather-tailed Glider (*Acrobates frontalis*)
Narrow-toed Feather-tailed Glider (*A.pygmaeus*)
Feather-tailed Possum (*Distoechurus pennatus*)
GLIDERS, TRIOKS, AND ALLIES (PETAURIDAE) (10/15)
Arfak Striped Possum (*Dactylopsila kambuayai*)
Torresian Striped Possum (*D.trivirgata*)
Leadbeater's Possum (*Gymnobelideus leadbeateri*)

Savanna Glider (*Petaurus ariel*)

Yellow-bellied Glider (*P.australis*)

Sugar Glider (*P.breviceps*)

Mahogany Glider (*P.gracilis*)

Squirrel Glider (*P.norfolcensis*)

Kreffft's Glider (*P.notatus*)

New Guinea Glider (*P.papuanus*)

RINGTAIL POSSUMS (*PSEUDOCHEIRIDAE*) (14/20)

Lemuroid Ring-tailed Possum (*Hemibelideus lemuroides*)

Central Greater Glider (*Petauroides armillatus*)

Northern Greater Glider (*P.minor*)

Southern Greater Glider (*P.volans*)

Western Ring-tailed Possum (*Pseudocheirus occidentalis*)

Eastern Ring-tailed Possum (*P.peregrinus*)

Lowland Ring-tailed Possum (*Pseudochirulus canescens*)

Daintree River Ring-tailed Possum (*P.cinereus*)

Herbert River Ring-tailed Possum (*P.herbertensis*)

Arfak Ring-tailed Possum (*P.schlegelii*)

D'Albertis's Ring-tailed Possum (*Pseudochirops albertisii*)

Green Ring-tailed Possum (*P.archeri*)

Reclusive Ring-tailed Possum (*P.coronatus*)

Rock Ring-tailed Possum (*P.dahlia*)

HONEY POSSUMS (*TARSIPEDIDAE*) (1/1)

Honey Possum (*Tarsipes rostratus*)

CUSCUSES AND BRUSHTAIL POSSUMS (*PHALANGERIDAE*) (14/31)

Common Bear Cuscus (*Ailurops ursinus*)

Small Sulawesi Cuscus (*Strigocuscus celebensis*)
Ground Cuscus (*Phalanger gymnotis*)
Blue-eyed Cuscus (*P.matabiru*)
Northern Common Cuscus (*P.orientalis*)
Moluccan Cuscus (*P.ornatus*)
Peleng Cuscus (*P.pelengensis*)
Australian Spotted Cuscus (*Spilococus nudicaudatus*)
Waigeo Spotted Cuscus (*S.papuensis*)
Short-eared Brush-tailed Possum (*Trichosurus caninus*)
Mountain Brush-tailed Possum (*T.cunninghami*)
Coppery Brush-tailed Possum (*T.johnstonii*)
Common Brush-tailed Possum (*T.vulpecula*)
Scaly-tailed Possum (*Wyulda squamicaudata*)
KOALAS (PHASCOLARCTIDAE) (1/1)
Koala (*Phascolarctos cinereus*)
WOMBATS (VOMBATIDAE) (3/3)
Northern Hairy-nosed Wombat (*Lasiorhinus krefftii*)
Southern Hairy-nosed Wombat (*L.latifrons*)
Common Wombat (*Vombatus ursinus*)
SHORT-NOSED ARMADILLOS (CHLAMYPHORIDAE) (8/14)
Screaming Hairy Armadillo (*Chaetophractus vellerosus*)
Large Hairy Armadillo (*C.villosus*)
Six-banded Armadillo (*Euphractus sexcinctus*)
Pichi (*Zaedyus pichiy*)
Amazon Naked-tailed Armadillo (*Cabassous unicinctus*)
Giant Armadillo (*Priodontes maximus*)

Southern Three-banded Armadillo (*Tolypeutes matacus*)

Brazilian Three-banded Armadillo (*T.tricinctus*)

LONG-NOSED ARMADILLOS (*DASYPODIDAE*) (5/11)

Western Andean Long-nosed Armadillo (*Dasypus fenestratus*)

Guianan Greater Long-nosed Armadillo (*D.kappleri*)

Mexican Long-nosed Armadillo (*D.mexicanus*)

Southern Long-nosed Armadillo (*D.novemcinctus*)

Seven-banded Long-nosed Armadillo (*D.septemcinctus*)

THREE-TOED SLOTHS (*BRADYPODIDAE*) (5/5)

Southern Maned Three-toed Sloth (*Bradypus crinitus*)

Pygmy Three-toed Sloth (*B.pygmaeus*)

Northern Maned Three-toed Sloth (*B.torquatus*)

Pale-throated Three-toed Sloth (*B.tridactylus*)

Brown-throated Three-toed Sloth (*B.variegatus*)

TWO-TOED SLOTHS (*CHOLOEPODIDAE*) (2/2)

Linnaeus's Two-toed Sloth (*Choloepus didactylus*)

Hoffmann's Two-toed Sloth (*C.hoffmanni*)

SILKY ANTEATERS (*CYCLOPEDIDAE*) (1/7)

Central American Silky Anteater (*Cyclopes dorsalis*)

ANTEATERS (*MYRMECOPHAGIDAE*) (3/3)

Giant Anteater (*Myrmecophaga tridactyla*)

Northern Tamandua (*Tamandua mexicana*)

Southern Tamandua (*T.tetradactyla*)

SENGIS (*MACROSCOLIDIDAE*) (8/20)

Eastern Rock Sengi (*Elephantulus myurus*)

Western Rock Sengi (*E.rupestris*)

Somali Sengi (*Galegeeska revoilii*)

Rufous Sengi (*G.rufescens*)

Four-toed Sengi (*Petrodromus tetradactylus*)

North African Sengi (*Petrosaltator rozeti*)

Golden-rumped Sengi (*Rhynchocyon chrysopygus*)

Black-and-rufous Sengi (*R.petersi*)

GOLDEN MOLES (*CHRYSOCHLORIDAE*) (1/21)

Congo Golden Mole (*Huetia leucorhina*)

TENRECS (*TENRECIDAE*) (3/31)

Lowland Streaked Tenrec (*Hemicentetes semispinosus*)

Greater Hedgehog Tenrec (*Setifer setosus*)

Tailless Tenrec (*Tenrec ecaudatus*)

AARDVARKS (*ORYCTEROPODIDAE*) (1/1)

Aardvark (*Orycteropus afer*)

ELEPHANTS (*ELEPHANTIDAE*) (3/3)

Asian Elephant (*Elephas maximus*)

African Savanna Elephant (*Loxodonta africana*)

African Forest Elephant (*L.cyclotis*)

HYRAXES (*PROCAVIIDAE*) (5/6)

Southern Tree Hyrax (*Dendrohyrax arboreus*)

Western Tree Hyrax (*D.dorsalis*)

Eastern Tree Hyrax (*D.validus*)

Bush Hyrax (*Heterohyrax brucei*)

Rock Hyrax (*Procavia capensis*)

DUGONGS (*DUGONGIDAE*) (1/1)

Dugong (*Dugong dugon*)

MANATEES (TRICHECHIDAE) (2/3)

Amazonian Manatee (*Trichechus inunguis*)

West Indian Manatee (*T.manatus*)

COLUGOS (CYNOCEPHALIDAE) (2/2)

Philippine Colugo (*Cynocephalus volans*)

Sunda Colugo (*Galeopterus variegatus*)

PEN-TAILED TREESHREWS (PTILOLOCERCIDAE) (1/1)

Pen-tailed Treeshrew (*Ptilocercus lowii*)

TREESHREWS (TUPAIIDAE) (10/22)

Northern Smooth-tailed Treeshrew (*Dendrogale murina*)

Northern Treeshrew (*Tupaia belangeri*)

Sumatran Treeshrew (*T.ferruginea*)

Common Treeshrew (*T.glis*)

Slender Treeshrew (*T.gracilis*)

Horsfield's Treeshrew (*T.javanica*)

Long-footed Treeshrew (*T.longipes*)

Lesser Treeshrew (*T.minor*)

Mountain Treeshrew (*T.montana*)

Large Treeshrew (*T.tana*)

OLD WORLD MONKEYS (CERCOPITHECIDAE) (107/165)

L'Hoest's Monkey (*Allochrocebus lhoesti*)

Preuss's Monkey (*A.preussi*)

Sun-tailed Monkey (*A.solatus*)

Red-tailed Monkey (*Cercopithecus ascanius*)

Campbell's Monkey (*C.campbelli*)

Mustached Monkey (*C.cephus*)

Dent's Monkey (*C.denti*)
Diana Monkey (*C.diana*)
Red-eared Monkey (*C.erythrotis*)
Lowe's Monkey (*C.loweii*)
Blue Monkey (*C.mitis*)
Mona Monkey (*C.mona*)
De Brazza's Monkey (*C.neglectus*)
Putty-nosed Monkey (*C.nictitans*)
Spot-nosed Monkey (*C.petaurista*)
Crowned Monkey (*C.pogonias*)
Givet Monkey (*Chlorocebus aethiops*)
Malbrouck Monkey (*C.cynosuros*)
Bale Mountains Monkey (*C.djamdjamensis*)
Vervet Monkey (*C.pygerythrus*)
Green Monkey (*C.sabaeus*)
Tantalus Monkey (*C.tantalus*)
Common Patas Monkey (*Erythrocebus patas*)
Northern Talapoin Monkey (*Miopithecus ogouensis*)
Agile Mangabey (*Cercocebus agilis*)
Sooty Mangabey (*C.atys*)
Tana River Mangabey (*C.galeritus*)
Sanje River Mangabey (*C.sanjei*)
Red-capped Mangabey (*C.torquatus*)
Gray-cheeked Mangabey (*Lophocebus albigena*)
Johnston's Mangabey (*L.johnstoni*)
Ugandan Crested Mangabey (*L.ugandae*)

Stump-tailed Macaque (*Macaca arctoides*)
Assamese Macaque (*M. assamensis*)
Taiwanese Macaque (*M. cyclopis*)
Long-tailed Macaque (*M. fascicularis*)
Japanese Macaque (*M. fuscata*)
Heck's Macaque (*M. hecki*)
Northern Pig-tailed Macaque (*M. leonina*)
Moor Macaque (*M. maura*)
Rhesus Macaque (*M. mulatta*)
Southern Pig-tailed Macaque (*M. nemestrina*)
Crested Macaque (*M. nigra*)
Booted Macaque (*M. ochreata*)
Bonnet Macaque (*M. radiata*)
Lion-tailed Macaque (*M. silenus*)
Toque Macaque (*M. sinica*)
Barbary Macaque (*M. sylvanus*)
Tibetan Macaque (*M. thibetana*)
Tonkean Macaque (*M. tonkeana*)
Drill (*Mandrillus leucophaeus*)
Mandrill (*M. sphinx*)
Olive Baboon (*Papio anubis*)
Yellow Baboon (*P. cynocephalus*)
Hamadryas Baboon (*P. hamadryas*)
Kinda Baboon (*P. kindae*)
Chacma Baboon (*P. ursinus*)
Gelada (*Theropithecus gelada*)

Angolan Colobus (*Colobus angolensis*)
Guereza (*C.guereza*)
King Colobus (*C.polykomos*)
Black Colobus (*C.satanas*)
Upper Guinea Red Colobus (*Piliocolobus badius*)
Udzungwa Red Colobus (*P.gordonorum*)
Zanzibar Red Colobus (*P.kirkii*)
Pennant's Red Colobus (*P.pennantii*)
Tana River Red Colobus (*P.rufomitratu*s)
Semliki Red Colobus (*P.semlikiensis*)
Ashy Red Colobus (*P.tephrosceles*)
Olive Colobus (*Procolobus verus*)
Proboscis Monkey (*Nasalis larvatus*)
Javan Grizzled Langur (*Presbytis comata*)
Raffles's Banded Langur (*P.femoralis*)
Black-crested Sumatran Langur (*P.melalophos*)
Mitered Langur (*P.mitrata*)
Robinson's Banded Langur (*P.robinsoni*)
Maroon Langur (*P.rubicunda*)
Sabah Grizzled Langur (*P.sabana*)
Pale-thighed Langur (*P.siamensis*)
Thomas's Langur (*P.thomasi*)
Gray-shanked Douc (*Pygathrix cinerea*)
Red-shanked Douc (*P.nemaeus*)
Black-shanked Douc (*P.nigripes*)
Yunnan Snub-nosed Monkey (*Rhinopithecus bieti*)

Golden Snub-nosed Monkey (*R. roxellana*)
Bengal Sacred Langur (*Semnopithecus entellus*)
Terai Sacred Langur (*S. hector*)
Malabar Sacred Langur (*S. hypoleucos*)
Nilgiri Langur (*S. johnii*)
Tufted Gray Langur (*S. priam*)
Nepal Sacred Langur (*S. schistaceus*)
Purple-faced Langur (*S. vetulus*)
East Javan Langur (*Trachypithecus auratus*)
Indochinese Gray Langur (*T. crepusculus*)
Sunda Silvery Langur (*T. cristatus*)
Delacour's Langur (*T. delacouri*)
Golden Langur (*T. geei*)
Germain's Langur (*T. germaini*)
Hatinh Langur (*T. hatinhensis*)
White-headed Langur (*T. leucocephalus*)
Annamese Langur (*T. margarita*)
West Javan Langur (*T. mauritius*)
Shan Langur (*T. melamera*)
Dusky Langur (*T. obscurus*)
Capped Langur (*T. pileatus*)
Selangor Silvery Langur (*T. selangorensis*)
Shortridge's Langur (*T. shortridgei*)
GREAT APES (HOMINIDAE) (6/8)
Eastern Gorilla (*Gorilla beringei*)
Western Gorilla (*G. gorilla*)

Human (*Homo sapiens*)

Chimpanzee (*Pan troglodytes*)

Sumatran Orangutan (*Pongo abelii*)

Bornean Orangutan (*P. pygmaeus*)

GIBBONS (HYLOBATIDAE) (10/20)

Western Hoolock Gibbon (*Hoolock hoolock*)

Skywalker Hoolock Gibbon (*H. tianxing*)

Agile Gibbon (*Hylobates agilis*)

Eastern Gray Gibbon (*H. funereus*)

Lar Gibbon (*H. lar*)

Moloch Gibbon (*H. moloch*)

Pileated Gibbon (*H. pileatus*)

Western Black Crested Gibbon (*Nomascus concolor*)

Southern Yellow-cheeked Crested Gibbon (*N. gabriellae*)

Siamang (*Symphalangus syndactylus*)

NIGHT MONKEYS (AOTIDAE) (9/11)

Azara's Night Monkey (*Aotus azarae*)

Brumback's Night Monkey (*A. brumbacki*)

Gray-legged Night Monkey (*A. griseimembra*)

Lemurine Night Monkey (*A. lemurinus*)

Andean Night Monkey (*A. miconax*)

Ma's Night Monkey (*A. nancymai*)

Black-headed Night Monkey (*A. nigriceps*)

Spix's Night Monkey (*A. vociferans*)

Panamanian Night Monkey (*A. zonalis*)

SPIDER, HOWLER, AND WOOLLY MONKEYS (ATELIDAE) (21/23)

Eastern Red-handed Howler (*Alouatta belzebul*)

Black-and-gold Howler (*A.caraya*)

Spix's Red-handed Howler (*A.discolor*)

Brown Howler (*A.guariba*)

Guianan Red Howler (*A.macconnelli*)

Amazon Black Howler (*A.nigerrima*)

Mantled Howler (*A.palliata*)

Central American Black Howler (*A.pigra*)

Bolivian Red Howler (*A.sara*)

Colombian Red Howler (*A.seneculus*)

White-bellied Spider Monkey (*Ateles belzebuth*)

Black Spider Monkey (*A.chamek*)

Brown-headed Spider Monkey (*A.fusciceps*)

Central American Spider Monkey (*A.geoffroyi*)

Variegated Spider Monkey (*A.hybridus*)

White-whiskered Spider Monkey (*A.marginatus*)

Red-faced Black Spider Monkey (*A.paniscus*)

Southern Muriqui (*Brachyteles arachnoides*)

Northern Muriqui (*B.hypoxanthus*)

Yellow-tailed Woolly Monkey (*Lagothrix flavicauda*)

Common Woolly Monkey (*L.lagothricha*)

MARMOSETS AND TAMARINS (CALLITRICHIDAE) (36/54)

Goeldi's Monkey (*Callimico goeldii*)

Buffy-tufted-ear Marmoset (*Callithrix aurita*)

Buffy-headed Marmoset (*C.flaviceps*)

Geoffroy's Tufted-ear Marmoset (*C.geoffroyi*)

Common Marmoset (*C.jacchus*)
Wied's Marmoset (*C.kuhlii*)
Black-tufted-ear Marmoset (*C.penicillata*)
Northern Pygmy Marmoset (*Cebuella pygmaea*)
Black-faced Lion Tamarin (*Leontopithecus caissara*)
Golden-headed Lion Tamarin (*L.chrysomelas*)
Black Lion Tamarin (*L.chrysopygus*)
Golden Lion Tamarin (*L.rosalia*)
Silvery Marmoset (*Mico argentatus*)
Golden-white Tassel-ear Marmoset (*M.chrysoleucos*)
Santarém Marmoset (*M.humeralifer*)
Black-crowned Dwarf Marmoset (*M.humilis*)
Marca's Marmoset (*M.marcai*)
Maués Marmoset (*M.mauesi*)
Black-tailed Marmoset (*M.melanurus*)
Sateré Marmoset (*M.saterei*)
Pied Bare-faced Tamarin (*Saguinus bicolor*)
Spix's Saddle-back Tamarin (*S.fuscicollis*)
Lesson's Saddle-back Tamarin (*S.fuscus*)
Geoffroy's Tamarin (*S.geoffroyi*)
Illiger's Saddle-back Tamarin (*S.illigeri*)
Mottled-face Tamarin (*S.inustus*)
Red-bellied Tamarin (*S.labiatus*)
White-footed Tamarin (*S.leucopus*)
Midas Tamarin (*S.midas*)
Spix's Mustached Tamarin (*S.mystax*)

Black-mantled Tamarin (*S.nigricollis*)

Cotton-top Tamarin (*S.oedipus*)

Bearded Emperor Tamarin (*S.subgriseus*)

Golden-mantled Saddle-back Tamarin (*S.tripartitus*)

Eastern Black-handed Tamarin (*S.ursula*)

Weddell's Saddle-back Tamarin (*S.weddellii*)

CEBID MONKEYS (CEBIDAE) (16/19)

White-fronted Capuchin (*Cebus albifrons*)

White-faced Capuchin (*C.capucinus*)

Weeper Capuchin (*C.olivaceus*)

Brown Capuchin (*Sapajus apella*)

Hooded Capuchin (*S.cay*)

Blond Capuchin (*S.flavius*)

Black-horned Capuchin (*S.nigrurus*)

Crested Capuchin (*S.robustus*)

Yellow-breasted Capuchin (*S.xanthosternus*)

Black-capped Squirrel Monkey (*Saimiri boliviensis*)

Humboldt's Squirrel Monkey (*S.cassiquiarensis*)

Collins's Squirrel Monkey (*S.collinsi*)

Ecuadorian Squirrel Monkey (*S.macrodon*)

Central American Squirrel Monkey (*S.oerstedii*)

Guianan Squirrel Monkey (*S.sciureus*)

Golden-backed Squirrel Monkey (*S.ustus*)

SAKIS, TITIS, AND UAKARIS (PITHECIIDAE) (33/60)

Blond Titi (*Callicebus barbarabrownae*)

Coimbra-Filho's Titi (*C.coimbrai*)

Southern Bahian Titi (*C.melanochir*)
Black-fronted Titi (*C.nigrifrons*)
Masked Titi (*C.personatus*)
Yellow-handed Titi (*Cheracebus lucifer*)
White-chested Titi (*C.lugens*)
Medem's Titi (*C.medemi*)
Madidi Titi (*Plecturocebus aureipalatii*)
Lake Baptista Titi (*P.baptista*)
Prince Bernhard's Titi (*P.bernhardi*)
Caquetá Titi (*P.caquetensis*)
Ashy Titi (*P.cinerascens*)
Coppery Titi (*P.cupreus*)
Red-crowned Titi (*P.discolor*)
White-eared Titi (*P.donacophilus*)
Hoffmanns's Titi (*P.hoffmannsi*)
Río Beni Titi (*P.modestus*)
Red-bellied Titi (*P.moloch*)
San Martín Titi (*P.oenanthe*)
Olallas' Titi (*P.olallae*)
Ornate Titi (*P.ornatus*)
Pale Titi (*P.pallescens*)
Toppin's Titi (*P.toppini*)
Golden-brown Uacari (*Cacajao melanocephalus*)
Ucayali Bald Uacari (*C.ucayalii*)
Red-nosed Bearded Saki (*Chiropotes albinasus*)
Guianan Bearded Saki (*C.sagulatus*)

Golden-faced Saki (*Pithecia chrysocephala*)

Gray's Bald-faced Saki (*P.irrorata*)

Monk Saki (*P.monachus*)

Napo Saki (*P.napensis*)

White-faced Saki (*P.pithecia*)

TARSIERS (TARSIIDAE) (10/16)

Philippine Tarsier (*Carlito syrichta*)

Western Tarsier (*Cephalopachus bancanus*)

Dian's Tarsier (*Tarsius dentatus*)

Makassar Tarsier (*T.fuscus*)

Niemitz's Tarsier (*T.niemitzi*)

Peleng Tarsier (*T.pelengensis*)

Pygmy Tarsier (*T.pumilus*)

Gursky's Spectral Tarsier (*T.spectrumgurskyae*)

'Tompotika' Tarsier (*T.sp.nov.a*)

'Lompobattang' Tarsier (*T.sp.nov.b*)

AYE-AYES (DAUBENTONIIDAE) (1/1)

Aye-aye (*Daubentonia madagascariensis*)

DWARF AND MOUSE LEMURS (CHEIROGALEIDAE) (21/36)

Montagne d'Ambre Dwarf Lemur (*Cheirogaleus andysabini*)

Crossley's Dwarf Lemur (*C.crossleyi*)

Groves's Dwarf Lemur (*C.grovesi*)

Greater Dwarf Lemur (*C.major*)

Fat-tailed Dwarf Lemur (*C.medius*)

Ankarana Dwarf Lemur (*C.shethi*)

Sibree's Dwarf Lemur (*C.sibreei*)

Montagne d'Ambre Mouse Lemur (*Microcebus arnholdi*)
Madame Berthe's Mouse Lemur (*M.berthae*)
Jolly's Mouse Lemur (*M.jollyae*)
Goodman's Mouse Lemur (*M.lehilahytsara*)
Nosy Be Mouse Lemur (*M.mamiratra*)
Gray Mouse Lemur (*M.murinus*)
Golden-brown Mouse Lemur (*M.ravelobensis*)
Rufous Mouse Lemur (*M.rufus*)
Sambirano Mouse Lemur (*M.sambiranensis*)
Tavaratra Mouse Lemur (*M.tavaratra*)
Northern Giant Mouse Lemur (*Mirza zaza*)
Montagne d'Ambre Fork-marked Lemur (*Phaner electromontis*)
Pale Fork-marked Lemur (*P.pallescens*)
Sambirano Fork-marked Lemur (*P.parianti*)
INDRIS, SIFAKAS, AND WOOLLY LEMURS (INDRIIDAE) (12/19)
Eastern Woolly Lemur (*Avahi laniger*)
Western Woolly Lemur (*A.occidentalis*)
Peyrieras's Woolly Lemur (*A.peyrierasi*)
Indri (*Indri indri*)
Silky Sifaka (*Propithecus candidus*)
Coquerel's Sifaka (*P.coquereli*)
Crowned Sifaka (*P.coronatus*)
Diademed Sifaka (*P.diadema*)
Milne-Edwards's Sifaka (*P.edwardsi*)
Perrier's Sifaka (*P.perrieri*)
Tattersall's Sifaka (*P.tattersalli*)

Verreaux's Sifaka (*P.verreauxi*)

TYPICAL LEMURS (LEMURIDAE) (15/21)

White-fronted Brown Lemur (*Eulemur albifrons*)

Crowned Lemur (*E.coronatus*)

Blue-eyed Black Lemur (*E.flavifrons*)

Brown Lemur (*E.fulvus*)

Black Lemur (*E.macaco*)

Mongoose Lemur (*E.mongoz*)

Red-bellied Lemur (*E.rubriventer*)

Red-fronted Brown Lemur (*E.rufifrons*)

Sanford's Brown Lemur (*E.sanfordi*)

Golden Bamboo Lemur (*Hapalemur aureus*)

Gray Bamboo Lemur (*H.griseus*)

Northern Bamboo Lemur (*H.occidentalis*)

Ring-tailed Lemur (*Lemur catta*)

Greater Bamboo Lemur (*Prolemur simus*)

Black-and-white Ruffed Lemur (*Varecia variegata*)

SPORTIVE LEMURS (LEPILEMURIDAE) (6/25)

Ankarana Sportive Lemur (*Lepilemur ankaranensis*)

Gray's Sportive Lemur (*L.dorsalis*)

Milne-Edwards's Sportive Lemur (*L.edwardsi*)

Daraina Sportive Lemur (*L.milanoii*)

Red-tailed Sportive Lemur (*L.ruficaudatus*)

Nosy Be Sportive Lemur (*L.tymerlachsoni*)

GALAGOS (GALAGIDAE) (12/19)

Southern Needle-clawed Galago (*Euoticus elegantulus*)

Northern Needle-clawed Galago (*E.pallidus*)
Spectacled Lesser Galago (*Galago matschiei*)
Southern Lesser Galago (*G.moholi*)
Northern Lesser Galago (*G.senegalensis*)
Demidoff's Dwarf Galago (*Galagoides demidoff*)
Thomas's Dwarf Galago (*G.thomasi*)
Thick-tailed Greater Galago (*Otolemur crassicaudatus*)
Garnett's Greater Galago (*O.garnettii*)
Kenya Coast Dwarf Galago (*Paragalago cocos*)
Tanzania Coast Dwarf Galago (*P.zanzibaricus*)
Makande Squirrel Galago (*Sciurocheirus makandensis*)
LORISES AND POTTOS (LORISIDAE) (9/17)
Gray Slender Loris (*Loris lydekkerianus*)
Bengal Slow Loris (*Nycticebus bengalensis*)
Malaysian Slow Loris (*N.coucang*)
Hiller's Slow Loris (*N.hilleri*)
Philippine Slow Loris (*N.menagensis*)
Northern Pygmy Slow Loris (*Xanthonycticebus intermedius*)
Central African Potto (*Perodicticus edwardsi*)
East African Potto (*P.ibeanus*)
West African Potto (*P.potto*)
HARES AND RABBITS (LEPORIDAE) (52/77)
Riverine Rabbit (*Bunolagus monticularis*)
Antelope Jackrabbit (*Lepus alleni*)
Snowshoe Hare (*L.americanus*)
Arctic Hare (*L.arcticus*)

Japanese Hare (*L.brachyurus*)
Black-tailed Jackrabbit (*L.californicus*)
White-sided Jackrabbit (*L.callotis*)
Cape Hare (*L.capensis*)
Broom Hare (*L.castroviejoi*)
Korean Hare (*L.coreanus*)
Corsican Hare (*L.corsicanus*)
European Hare (*L.europaeus*)
Ethiopian Hare (*L.fagani*)
Tehuantepec Jackrabbit (*L.flavigularis*)
Iberian Hare (*L.granatensis*)
Abyssinian Hare (*L.habessinicus*)
Mediterranean Hare (*L.mediterraneus*)
African Savanna Hare (*L.microtis*)
Indian Hare (*L.nigricollis*)
Woolly Hare (*L.oiostolus*)
Burmese Hare (*L.peguensis*)
West Sahara Hare (*L.saharae*)
Scrub Hare (*L.saxatilis*)
Moroccan Hare (*L.schlumbergeri*)
Chinese Hare (*L.sinensis*)
Ethiopian Highland Hare (*L.starcki*)
Mountain Hare (*L.timidus*)
Tolai Hare (*L.tolai*)
White-tailed Jackrabbit (*L.townsendii*)
European Rabbit (*Oryctolagus cuniculus*)

Amami Rabbit (*Pentalagus furnessi*)
Bunoro Rabbit (*Poelagus marjorita*)
Jameson's Red Rock Hare (*Pronolagus randensis*)
Smith's Red Rock Hare (*P.rupestris*)
Hewitt's Red Rock Hare (*P.saundersiae*)
Volcano Rabbit (*Romerolagus diazi*)
Andean Tapeti (*Sylvilagus andinus*)
Swamp Rabbit (*S.aquaticus*)
Desert Cottontail (*S.audubonii*)
Brush Rabbit (*S.bachmani*)
Common Tapeti (*S.brasiliensis*)
Mexican Cottontail (*S.cunicularius*)
Dice's Cottontail (*S.dicei*)
Eastern Cottontail (*S.floridanus*)
Central American Tapeti (*S.gabbi*)
Robust Cottontail (*S.holzneri*)
Pygmy Rabbit (*S.idahoensis*)
Mountain Cottontail (*S.nuttallii*)
Appalachian Cottontail (*S.obscurus*)
Marsh Rabbit (*S.palustris*)
New England Cottontail (*S.transitionalis*)
Yucatán Cottontail (*S.yucatanicus*)
PIKAS (OCHOTONIDAE) (10/36)
Gansu Pika (*Ochotona cansus*)
Collared Pika (*O.collaris*)
Plateau Pika (*O.curzoniae*)

Chinese Red Pika (*O.erythrotis*)

Northern Pika (*O.hyperborea*)

Large-eared Pika (*O.macrotis*)

Nubra Pika (*O.nubrica*)

Pallas's Pika (*O.pallasii*)

American Pika (*O.princeps*)

Sijin Pika (*O.sikimaria*)

GUNDIS (CTENODACTYLIDAE) (2/5)

Common Gundi (*Ctenodactylus gundi*)

Speke's Gundi (*Pectinator spekei*)

CAVIES (CAVIIDAE) (9/25)

Brazilian Guinea Pig (*Cavia aperea*)

Lowland Yellow-toothed Cavy (*Galea leucoblephara*)

Spix's Yellow-toothed Cavy (*G.spixii*)

Southern Mountain Cavy (*Microcavia australis*)

Patagonian Mara (*Dolichotis patagonum*)

Chacoan Mara (*D.salinicola*)

Greater Capybara (*Hydrochoerus hydrochaeris*)

Lesser Capybara (*H.isthmus*)

Rock Cavy (*Kerodon rupestris*)

PACAS (CUNICULIDAE) (2/2)

Lowland Paca (*Cuniculus paca*)

Mountain Paca (*C.taczanowskii*)

AGOUTIS AND ACOUCHIS (DASYPROCTIDAE) (10/15)

Azara's Agouti (*Dasyprocta azarae*)

Coiban Agouti (*D.coibae*)

Orange Agouti (*D.croconota*)

Black Agouti (*D.fuliginosa*)

Jack's Red-rumped Agouti (*D.iacki*)

Common Red-rumped Agouti (*D.leporina*)

Mexican Agouti (*D.mexicana*)

Black-rumped Agouti (*D.prymnolopha*)

Central American Agouti (*D.punctata*)

Brown Agouti (*D.variegata*)

CHINCHILLAS AND VISCACHAS (CHINCHILLIDAE) (4/8)

Chilean Chinchilla (*Chinchilla laniger*)

Southern Mountain Viscacha (*Lagidium moreni*)

Common Mountain Viscacha (*L.viscacia*)

Common Plains Viscacha (*Lagostomus maximus*)

NEW WORLD PORCUPINES (ERETHIZONTIDAE) (12/20)

Broomstraw-spined Porcupine (*Chaetomys subspinosus*)

Baturité Porcupine (*Coendou baturitensis*)

Bicolor-spined Porcupine (*C.bicolor*)

Bahian Hairy Dwarf Porcupine (*C.insidiosus*)

Amazonian Long-tailed Porcupine (*C.longicaudatus*)

Black-tailed Porcupine (*C.melanurus*)

Mexican Hairy Porcupine (*C.mexicanus*)

Yellow Quill-tipped Porcupine (*C.prehensilis*)

Rothschild's Porcupine (*C.rothschildi*)

Stump-tailed Porcupine (*C.rufescens*)

Pernambuco Dwarf Porcupine (*C.speratus*)

North American Porcupine (*Erethizon dorsatum*)

CHINCHILLA RATS (ABROCOMIDAE) (1/8)

Bennett's Chinchilla Rat (*Abrocoma bennettii*)

TUCO-TUCOS (CTENOMYIDAE) (4/69)

Dune Tuco-tuco (*Ctenomys australis*)

Magellanic Tuco-tuco (*C. magellanicus*)

Andean Tuco-tuco (*C. opimus*)

Talas Tuco-tuco (*C. talarum*)

SPINY RATS AND HUTIAS (ECHIMYIDAE) (15/102)

Hispaniolan Hutia (*Plagiodontia aedium*)

Amazon Bamboo Rat (*Dactylomys dactylinus*)

Colombian Rufous Tree-rat (*Diplomys caniceps*)

Central American Rufous Tree-rat (*D. labilis*)

Red-nosed Armored Tree-rat (*Makalata didelphoides*)

Ferreira's Spiny Tree-rat (*Mesomys hispidus*)

Black Toro (*Tromys grandis*)

Armored Rat (*Hoplomys gymnurus*)

Coypu (*Myocastor coypus*)

Short-tailed Spiny-rat (*Proechimys brevicauda*)

O'Connell's Spiny-rat (*P. oconnelli*)

Robert's Spiny-rat (*P. roberti*) (?)

Tomes's Spiny-rat (*P. semispinosus*)

Simons's Spiny-rat (*P. simonsi*)

Lagoa Santa Punare (*Thrichomys apereoides*)

Sao Lourenço Punare (*T. laurentius*)

OCTODONTS AND DEGUS (OCTODONTIDAE) (2/15)

Common Degu (*Octodon degus*)

Coruro (*Spalacopus cyanus*)

OLD WORLD PORCUPINES (HYSTRICIDAE) (6/11)

African Brush-tailed Porcupine (*Atherurus africanus*)

Cape Porcupine (*Hystrix africaeaustralis*)

Malayan Porcupine (*H.brachyura*)

Crested Porcupine (*H.cristata*)

Indian Crested Porcupine (*H.indica*)

Asian Long-tailed Porcupine (*Trichys fasciculata*)

NAKED MOLERATS (HETEROCEPHALIDAE) (1/1)

Naked Mole-rat (*Heterocephalus glaber*)

DASSIE RATS (PETROMURIDAE) (1/1)

Noki (*Petromus typicus*)

CANE RATS (THRYONOMYIDAE) (1/2)

Greater Cane Rat (*Thryonomys swinderianus*)

MOUNTAIN BEAVERS (APLODONTIIDAE) (1/1)

Mountain Beaver (*Aplodontia rufa*)

DORMICE (GLIRIDAE) (10/30)

Japanese Dormouse (*Glirulus japonicus*)

European Fat Dormouse (*Glis glis*)

Lorraine's African Dormouse (*Graphiurus lorraineus*)

Nagtglas's African Dormouse (*G.nagtglasii*)

Spectacled African Dormouse (*G.ocularis*)

Rupicolous African Dormouse (*G.rupicola*)

Eurasian Forest Dormouse (*Dryomys nitedula*)

European Garden Dormouse (*Eliomys quercinus*)

Hazel Dormouse (*Muscardinus avellanarius*)

Roach's Mouse-tailed Dormouse (*Myomimus roachi*)

SQUIRRELS (SCIURIDAE) (199/323)

Least Pygmy Squirrel (*Exilisciurus exilis*)

Tufted Pygmy Squirrel (*E.whiteheadi*)

Layard's Palm Squirrel (*Funambulus layardi*)

Indian Palm Squirrel (*F.palmarum*)

Northern Palm Squirrel (*F.pennantii*)

Pygmy Striped Squirrel (*F.sublineatus*)

Jungle Palm Squirrel (*F.tristriatus*)

Alston's Squirrel (*Prosciurillus alstoni*)

Whitish Dwarf Squirrel (*P.leucomus*)

Celebes Dwarf Squirrel (*P.murinus*)

Mount Topapu Squirrel (*P.topapuensis*)

Weber's Dwarf Squirrel (*P.weberi*)

Ear-spot Squirrel (*Callosciurus adamsi*)

Northern Gray-bellied Squirrel (*C.caniceps*)

Southern Gray-bellied Squirrel (*C.concolor*)

Pallas's Squirrel (*C.erythraeus*)

Finlayson's Squirrel (*C.finlaysonii*)

Black-striped Squirrel (*C.nigrovittatus*)

Plantain Squirrel (*C.notatus*)

Borneo Black-banded Squirrel (*C.orestes*)

Phayre's Squirrel (*C.phayrei*)

Prevost's Squirrel (*C.prevostii*)

Irrawaddy Squirrel (*C.pygerythrus*)

Anderson's Squirrel (*C.quinquestriatus*)

Orange-bellied Himalayan Squirrel (*Dremomys lokriah*)
Perny's Long-nosed Squirrel (*D. pernyi*)
Asian Red-cheeked Squirrel (*D. rufigenis*)
Sculptor Squirrel (*Glyphotes simus*)
Three-striped Ground Squirrel (*Lariscus insignis*)
Indochinese Ground Squirrel (*Menetes berdmorei*)
Black-eared Squirrel (*Nannosciurus melanotis*)
Brooke's Squirrel (*Sundasciurus brookei*)
Bornean Mountain Ground Squirrel (*S. everetti*)
Horse-tailed Squirrel (*S. hippurus*)
Jentink's Squirrel (*S. jentinki*)
Low's Squirrel (*S. lowii*)
Robinson's Squirrel (*S. robinsoni*)
Slender Squirrel (*S. tenuis*)
Southeast Asian Striped Squirrel (*Tamiops barbei*)
Maritime Striped Squirrel (*T. maritimus*)
Himalayan Striped Squirrel (*T. maclellandii*)
Cambodian Striped Squirrel (*T. rodolphii*)
Swinhoe's Striped Squirrel (*T. swinhoei*)
Pale Giant Squirrel (*Ratufa affinis*)
Black Giant Squirrel (*R. bicolor*)
Indian Giant Squirrel (*R. indica*)
Sri Lankan Giant Squirrel (*R. macroura*)
Neotropical Pygmy Squirrel (*Sciurillus pusillus*)
Humboldt's Flying Squirrel (*Glaucomys oregonensis*)
Northern Flying Squirrel (*G. sabrinus*)

Southern Flying Squirrel (*G.volans*)
Particolored Flying Squirrel (*Hylopetes alboniger*)
Red-cheeked Flying Squirrel (*H.spadiceus*)
Javanese Flying Squirrel (*Iomys horsfieldii*)
Morris's Flying Squirrel (*Olisthomys morrisoni*)
Whiskered Flying Squirrel (*Petinomys genibarbis*)
Black Flying Squirrel (*Aeromys tephromelas*)
Thomas's Flying Squirrel (*A.thomasi*)
Red-and-white Giant Flying Squirrel (*Petaurista alborufus*)
Spotted Giant Flying Squirrel (*P.elegans*)
Formosan Giant Flying Squirrel (*P.grandis*)
Taiwan Giant Flying Squirrel (*P.lena*)
Japanese Giant Flying Squirrel (*P.leucogenys*)
Bhutan Giant Flying Squirrel (*P.nobilis*)
Red Giant Flying Squirrel (*P.petaurista*)
Indian Giant Flying Squirrel (*P.philippensis*)
Chindwin Giant Flying Squirrel (*P.sybilla*)
Chinese Giant Flying Squirrel (*P.xanthotis*)
Yunnan Giant Flying Squirrel (*Pyunanensis*)
Japanese Flying Squirrel (*Pteromys momonga*)
Siberian Flying Squirrel (*P.volans*)
Smoky Flying Squirrel (*Pteromyscus pulverulentus*)
Central American Dwarf Squirrel (*Microsciurus alfari*)
Amazon Dwarf Squirrel (*M.flaviventer*)
Santander Dwarf Squirrel (*M.santanderensis*)
Abert's Squirrel (*Sciurus aberti*)

Guianan Squirrel (*S.aestuans*)
Allen's Squirrel (*S.alleni*)
Caucasian Squirrel (*S.anomalus*)
Arizona Gray Squirrel (*S.arizonensis*)
Red-bellied Squirrel (*S.aureogaster*)
Brazilian Squirrel (*S.brasiliensis*)
Eastern Gray Squirrel (*S.carolinensis*)
Collie's Squirrel (*S.colliaei*)
Deppe's Squirrel (*S.deppei*)
Red-tailed Squirrel (*S.granatensis*)
Western Gray Squirrel (*S.griseus*)
Bolivian Squirrel (*S.ignitus*)
Northern Amazon Red Squirrel (*S.igniventris*)
Japanese Squirrel (*S.lis*)
Mexican Fox Squirrel (*S.nayaritensis*)
Eastern Fox Squirrel (*S.niger*)
Peters's Squirrel (*S.oculatus*)
Andean Squirrel (*S.pucheranii*)
Richmond's Squirrel (*S.richmondi*)
Southern Amazon Red Squirrel (*S.spadiceus*)
Guayaquil Squirrel (*S.stramineus*)
Variegated Squirrel (*S.variegatoides*)
Eurasian Red Squirrel (*S.vulgaris*)
Yucatán Squirrel (*S.yucatanensis*)
Bangs's Mountain Squirrel (*Syntheosciurus brochus*)
Douglas's Squirrel (*Tamiasciurus douglasii*)

Fremont's Squirrel (*T.fremonti*)
North American Red Squirrel (*T.hudsonicus*)
Harris's Antelope Squirrel (*Ammospermophilus harrisi*)
Texas Antelope Squirrel (*A.interpres*)
White-tailed Antelope Squirrel (*A.leucurus*)
Nelson's Antelope Squirrel (*A.nelsoni*)
Alaska Marmot (*Marmota broweri*)
Hoary Marmot (*M.caligata*)
Yellow-bellied Marmot (*M.flaviventris*)
Himalayan Marmot (*M.himalayana*)
Alpine Marmot (*M.marmota*)
Woodchuck (*M.monax*)
Olympic Marmot (*M.olympus*)
Tarbagan Marmot (*M.sibirica*)
Vancouver Island Marmot (*M.vancouverensis*)
Common Golden-mantled Ground Squirrel (*Callospermophilus lateralis*)
Cascade Golden-mantled Ground Squirrel (*C.saturatus*)
California Ground Squirrel (*Otospermophilus beecheyi*)
Common Rock Squirrel (*O.variegatus*)
Gunnison's Prairie Dog (*Cynomys gunnisoni*)
White-tailed Prairie Dog (*C.leucurus*)
Black-tailed Prairie Dog (*C.ludovicianus*)
Mexican Prairie Dog (*C.mexicanus*)
Utah Prairie Dog (*C.parvidens*)
Mexican Ground Squirrel (*Ictidomys mexicanus*)
Rio Grande Ground Squirrel (*I.parvidens*)

Thirteen-lined Ground Squirrel (*I.tridecemlineatus*)
Franklin's Ground Squirrel (*Poliocitellus franklinii*)
Alashan Ground Squirrel (*Spermophilus alaschanicus*)
European Ground Squirrel (*S.citellus*)
Pallid Ground Squirrel (*S.pallidicauda*)
Asia Minor Ground Squirrel (*S.xanthoprymnus*)
Uinta Ground Squirrel (*Urocitellus armatus*)
Belding's Ground Squirrel (*U.beldingi*)
Idaho Ground Squirrel (*U.brunneus*)
Merriam's Ground Squirrel (*U.canus*)
Columbian Ground Squirrel (*U.columbianus*)
Wyoming Ground Squirrel (*U.elegans*)
Piute Ground Squirrel (*U.mollis*)
Arctic Ground Squirrel (*U.parryii*)
Richardson's Ground Squirrel (*U.richardsonii*)
Townsend's Ground Squirrel (*U.townsendii*)
Long-tailed Ground Squirrel (*U.undulatus*)
Washington Ground Squirrel (*U.washingtoni*)
Mohave Ground Squirrel (*Xerospermophilus mohavensis*)
Perote Ground Squirrel (*X.perotensis*)
Spotted Ground Squirrel (*X.spilosoma*)
Round-tailed Ground Squirrel (*X.tereticaudus*)
African Palm Squirrel (*Epixerus ebii*)
Carruther's Mountain Squirrel (*Funisciurus carruthersi*)
Congo Rope Squirrel (*F.congicus*)
Lady Burton's Rope Squirrel (*F.isabella*)

Red-cheeked Rope Squirrel (*F.leucogenys*)
Fire-footed Rope Squirrel (*F.pyrropus*)
Gambian Sun Squirrel (*Heliosciurus gambianus*)
Red-legged Sun Squirrel (*H.rufobrachium*)
Ruwenzori Sun Squirrel (*H.ruwenzorii*)
Zanj Sun Squirrel (*H.undulatus*)
Alexander's Bush Squirrel (*Paraxerus alexandri*)
Boehm's Bush Squirrel (*P.boehmi*)
Smith's Bush Squirrel (*P.cepapi*)
Ochre Bush Squirrel (*P.ochraceus*)
Red Bush Squirrel (*P.palliatu*s)
Green Bush Squirrel (*P.poensis*)
Swynnerton's Bush Squirrel (*P.vexillarius*)
Slender-tailed Squirrel (*Protoxerus aubinnii*)
Forest Giant Squirrel (*P.stangeri*)
Pere David's Rock Squirrel (*Sciurotamias davidianus*)
Siberian Chipmunk (*Eutamias sibiricus*)
Alpine Chipmunk (*Neotamias alpinus*)
Yellow-pine Chipmunk (*N.amoenus*)
Gray-footed Chipmunk (*N.canipes*)
Gray-collared Chipmunk (*N.cinereicollis*)
Crater Chipmunk (*N.cratericus*)
Cliff Chipmunk (*N.dorsalis*)
Merriam's Chipmunk (*N.merriami*)
Least Chipmunk (*N.minimus*)
California Chipmunk (*N.obscurus*)

Yellow-cheeked Chipmunk (*N. ochrogenys*)
Palmer's Chipmunk (*N. palmeri*)
Panamint Chipmunk (*N. panamintinus*)
Long-eared Chipmunk (*N. quadrimaculatus*)
Colorado Chipmunk (*N. quadrivittatus*)
Red-tailed Chipmunk (*N. ruficaudus*)
Hopi Chipmunk (*N. rufus*)
Shadow Chipmunk (*N. senex*)
Siskiyou Chipmunk (*N. siskiyou*)
Sonoma Chipmunk (*N. sonomae*)
Lodgepole Chipmunk (*N. speciosus*)
Townsend's Chipmunk (*N. townsendii*)
Uinta Chipmunk (*N. umbrinus*)
Eastern Chipmunk (*Tamias striatus*)
Barbary Ground Squirrel (*Atlantoxerus getulus*)
Striped Ground Squirrel (*Euxerus erythropus*)
South African Ground Squirrel (*Geosciurus inauris*)
Damara Ground Squirrel (*G. princeps*)
Unstriped Ground Squirrel (*Xerus rutilus*)
ANOMALURES (ANOMALURIDAE) (4/6)
Beecroft's Anomalure (*Anomalurus beecrofti*)
Lord Derby's Anomalure (*A. derbianus*)
Lesser Anomalure (*A. pusillus*)
Long-eared Pygmy Anomalure (*Idiurus macrotis*)
FLIGHTLESS ANOMALURES (ZENKERELLIDAE) (1/1)
Zenkerella (*Zenkerella insignis*)

SPRINGHARES (PEDETIDAE) (2/2)

Southern African Springhare (*Pedetes capensis*)

East African Springhare (*P.surdaster*)

BEAVERS (CASTORIDAE) (2/2)

North American Beaver (*Castor canadensis*)

Eurasian Beaver (*C.fiber*)

POCKET GOPHERS (GEOMYIDAE) (21/49)

Yellow-faced Pocket Gopher (*Cratogeomys castanops*)

Oriental Basin Pocket Gopher (*C.fulvescens*)

Smoky Pocket Gopher (*C.fumosus*)

Merriam's Pocket Gopher (*C.merriami*)

Desert Pocket Gopher (*Geomys arenarius*)

Attwater's Pocket Gopher (*G.attwateri*)

Baird's Pocket Gopher (*G.breviceps*)

Plains Pocket Gopher (*G.bursarius*)

Hall's Pocket Gopher (*G.jugossicularis*)

Jones's Pocket Gopher (*G.knoxjonesi*)

Texas Pocket Gopher (*G.personatus*)

Southeastern Pocket Gopher (*G.pinetis*) - signs only

Strecker's Pocket Gopher (*G.streckeri*)

Llano Pocket Gopher (*G.texensis*)

Botta's Pocket Gopher (*Megascapheus bottae*)

Camas Pocket Gopher (*M.bulbivorus*)

Fulvous Pocket Gopher (*M.fulvus*)

Northern California Pocket Gopher (*M.laticeps*)

Townsend's Pocket Gopher (*M.townsendii*)

Western Pocket Gopher (*Thomomys mazama*)
Mountain Pocket Gopher (*T. monticolus*)
Northern Pocket Gopher (*T. talpoides*)
KANGAROO RATS AND POCKET MICE (HETEROMYIDAE) (43/70)
Agile Kangaroo Rat (*Dipodomys agilis*)
California Kangaroo Rat (*D. californicus*)
Gulf Coast Kangaroo Rat (*D. compactus*)
Desert Kangaroo Rat (*D. deserti*)
Texas Kangaroo Rat (*D. elator*)
Heermann's Kangaroo Rat (*D. heermanni*)
Giant Kangaroo Rat (*D. ingens*)
Merriam's Kangaroo Rat (*D. merriami*)
Chisel-toothed Kangaroo Rat (*D. microps*)
San Joaquin Kangaroo Rat (*D. nitratoides*)
Ord's Kangaroo Rat (*D. ordii*)
Panamint Kangaroo Rat (*D. panamintinus*)
Phillips's Kangaroo Rat (*D. phillipsii*)
Dulzura Kangaroo Rat (*D. simulans*)
Banner-tailed Kangaroo Rat (*D. spectabilis*)
Stephens's Kangaroo Rat (*D. stephensi*)
Narrow-faced Kangaroo Rat (*D. venustus*)
Dark Kangaroo Mouse (*Microdipodops megacephalus*)
Pallid Kangaroo Mouse (*M. pallidus*)
Desmarest's Spiny Pocket Mouse (*Heteromys desmarestianus*)
Gaumer's Spiny Pocket Mouse (*H. gaumeri*) - not by me
Mexican Spiny Pocket Mouse (*H. irroratus*)

Mountain Spiny Pocket Mouse (*H.oresterus*)
Painted Spiny Pocket Mouse (*H.pictus*)
Salvin's Spiny Pocket Mouse (*H.salvini*)
Dalquest's Pocket Mouse (*Chaetodipus ammophilus*)
Little Desert Pocket Mouse (*C.arenarius*)
Bailey's Pocket Mouse (*C.baileyi*)
California Pocket Mouse (*C.californicus*)
San Diego Pocket Mouse (*C.fallax*)
Long-tailed Pocket Mouse (*C.formosus*)
Hispid Pocket Mouse (*C.hispidus*)
Rock Pocket Mouse (*C.intermedius*)
Nelson's Coarse-haired Pocket Mouse (*C.nelsoni*)
Desert Pocket Mouse (*C.penicillatus*)
Southern Sinaloan Pocket Mouse (*C.pernix*)
Peninsular Pocket Mouse (*C.rudinoris*)
Cerralvo Island Pocket Mouse (*C.siccus*)
Spiny Pocket Mouse (*C.spinatus*)
Arizona Pocket Mouse (*Perognathus amplus*) (?)
Silky Pocket Mouse (*P.flavus*)
San Joaquin Pocket Mouse (*P.inornatus*)
Little Pocket Mouse (*P.longimembris*)
Merriam's Pocket Mouse (*P.merriami*)
Great Basin Pocket Mouse (*P.mollipilosus*)
JERBOAS (DIPODIDAE) (13/41)
Great Jerboa (*Allactaga major*)
Balikun Jerboa (*Orientallactaga balikunica*)

Gobi Jerboa (*O.bullata*)

Siberian Jerboa (*O.sibirica*)

Five-toed Pygmy Jerboa (*Cardiocranius paradoxus*)

Thick-tailed Pygmy Jerboa (*Salpingotus crassicauda*)

Kozlov's Pygmy Jerboa (*S.kozlovi*)

Northern Three-toed Jerboa (*Dipus sagitta*)

African Hammada Jerboa (*Jaculus hirtipes*)

Lesser Egyptian Jerboa (*J.jaculus*)

Arabian Jerboa (*J.loftusi*)

Mongolian Three-toed Jerboa (*Stylodipus andrewsi*)

Long-eared Jerboa (*Euchoreutes naso*)

BIRCH MICE (SMINTHIDAE) (1/24)

Northern Birch Mouse (*Sicista betulina*)

JUMPING MICE (ZAPODIDAE) (4/13)

Western Woodland Jumping Mouse (*Napaeozapus abietorum*)

Northern Meadow Jumping Mouse (*Zapus hudsonius*)

Northwestern Jumping Mouse (*Z.saltator*)

Northern Pacific Jumping Mouse (*Z.trinotatus*)

HAMSTERS, VOLES, LEMMINGS, AND ALLIES (CRICETIDAE) (189/871)

Eurasian Water Vole (*Arvicola amphibius*)

Southwestern Water Vole (*A.sapidus*)

Reed Vole (*Alexandromys fortis*)

Japanese Grass Vole (*A.montebelli*)

Root Vole (*A.oeconomus*)

European Snow Vole (*Chionomys nivalis*)

Brandt's Vole (*Lasiopodomys brandtii*)

Sagebrush Vole (*Lemmiscus curtatus*)
Short-tailed Field Vole (*Microtus agrestis*)
Common Vole (*M.arvalis*)
California Vole (*M.californicus*)
Gray-tailed Vole (*M.canicaudus*)
Western Meadow Vole (*M.drummondii*)
Guatemalan Vole (*M.guatemalensis*)
Harting's Vole (*M.hartingi*)
Mediterranean Field Vole (*M.lavernedii*)
Long-tailed Vole (*M.longicaudus*)
Mexican Vole (*M.mexicanus*)
Mogollon Vole (*M.mogollonensis*)
Montane Vole (*M.montanus*)
Eastern Meadow Vole (*M.pennsylvanicus*)
Woodland Vole (*M.pinetorum*)
East European Gray Vole (*M.rossiaemeridionalis*)
Common Pine Vole (*M.subterraneus*)
Townsend's Vole (*M.townsendii*)
Irene Mountain Vole (*Neodon irene*)
Blyth's Mountain Vole (*N.leucurus*)
Gobi Altai Mountain Vole (*Alticola barakshin*)
Mongolian Mountain Vole (*A.semicanus*)
Southern Red-backed Vole (*Clethrionomys gapperi*)
Bank Vole (*C.glareolus*)
Northern Red-backed Vole (*C.rutilus*)
Gray Red-backed Vole (*Craseomys rufocanus*)

Sichuan Red-backed Vole (*Antelomys chinensis*)
Pere David's Red-backed Vole (*Eothenomys melanogaster*)
Nearctic Collared Lemming (*Dicrostonyx groenlandicus*)
Nearctic Brown Lemming (*Lemmus trimucronatus*)
Southern Bog Lemming (*Synaptomys cooperi*)
Round-tailed Muskrat (*Neofiber alleni*)
Common Muskrat (*Ondatra zibethicus*)
Martino's Dinaric Vole (*Dinaromys bogdanovi*)
Striped Lesser Hamster (*Cricetulus barabensis*)
Long-tailed Lesser Hamster (*C.longicaudatus*)
Common Hamster (*Cricetus cricetus*)
Gray Hamster (*Nothocricetulus migratorius*)
Romanian Golden Hamster (*Mesocricetus newtoni*)
Desert Hamster (*Phodopus roborovskii*)
Ladakh Tibetan Hamster (*Urocricetus lama*)
Northern Pygmy Mouse (*Baiomys taylori*)
Short-tailed Singing Mouse (*Scotinomys teguina*)
Long-tailed Singing Mouse (*S.xerampelinus*)
White-throated Woodrat (*Neotoma albigula*)
Bryant's Woodrat (*N.bryanti*)
Bushy-tailed Woodrat (*N.cinerea*)
Guatemala Woodrat (*N.ferruginea*)
Eastern Woodrat (*N.floridana*)
Dusky-footed Woodrat (*N.fuscipes*)
Goldman's Woodrat (*N.goldmani*)
Desert Woodrat (*N.lepida*)

Big-eared Woodrat (*N.macrotis*)
Allegheny Woodrat (*N.magister*)
Mexican Woodrat (*N.mexicana*)
Southern Plains Woodrat (*N.micropus*)
Sonoran Woodrat (*N.phenax*)
Stephens's Woodrat (*N.stephensi*) (?)
Golden Mouse (*Ochrotomys nuttalli*)
Chihuahuan Grasshopper Mouse (*Onychomys arenicola*)
Northern Grasshopper Mouse (*O.leucogaster*)
Southern Grasshopper Mouse (*O.torridus*)
Nelson's Big-toothed Deermouse (*Megadontomys nelsoni*)
Volcano Deermouse (*Neotomodon alstoni*)
Osgood's Deermouse (*Osgoodomys banderanus*)
Oaxacan Rock Deermouse (*Peromyscus amplus*)
Texas Deermouse (*P.attwateri*)
Orizaba Deermouse (*P.beatae*)
Brush Deermouse (*P.boyllii*)
Perote Deermouse (*P.bullatus*)
California Deermouse (*P.californicus*)
Jalisco Deermouse (*P.chrysopus*)
Tamaulipas White-ankled Deermouse (*P.collinus*) (?)
Cordillera Deermouse (*P.cordillerae*)
Canyon Deermouse (*P.crinitus*)
Southern Rock Deermouse (*P.difficilis*)
Cactus Deermouse (*P.eremicus*)
Southern Baja Deermouse (*P.eva*)

Northern Baja Deermouse (*P.fraterculus*)
Blackish Deermouse (*P.furvus*)
Gambel's Deermouse (*P.gambelii*)
Gardner's Deermouse (*P.gardneri*)
Cotton Deermouse (*P.gossypinus*)
Large Deermouse (*P.grandis*)
Saxicoline Deermouse (*P.gratus*)
Guatemalan Deermouse (*P.guatemalensis*)
Hooper's Deermouse (*P.hooperi*)
Transvolcanic Deermouse (*P.hylocetes*)
Northwestern Deermouse (*P.keeni*)
Southern Deermouse (*P.labecula*)
Northern White-ankled Deermouse (*P.laceianus*)
White-footed Deermouse (*P.leucopus*)
Tehuantepec Deermouse (*P.leucurus*)
Nimble-footed Deermouse (*P.levipes*)
Eastern Deermouse (*P.maniculatus*)
Broad-faced Deermouse (*P.megalops*)
Black-eared Deermouse (*P.melanotis*)
Black-tailed Deermouse (*P.melanurus*)
Merriam's Deermouse (*P.merriami*)
Northern Rock Deermouse (*P.nasutus*)
Nicaraguan Deermouse (*P.nicaraguae*)
Talamancan Deermouse (*P.nudipes*)
Southern White-ankled Deermouse (*P.pectoralis*)
Oldfield Deermouse (*P.polionotus*)

Sinaloan Deermouse (*P.simulus*)
Western Deermouse (*P.sonoriensis*)
Gleaning Deermouse (*P.spicilegus*)
Stirton's Deermouse (*P.stirtoni*)
Totontepec Deermouse (*P.totontepecus*)
Pinyon Deermouse (*P.truei*)
Yucatán Deermouse (*P.yucatanicus*)
Florida Deermouse (*Podomys floridanus*)
Oaxacan Highlands Harvest Mouse (*Reithrodontomys albilabris*)
Southern Harvest Mouse (*R.australis*)
Short-nosed Harvest Mouse (*R.brevirostris*)
Volcano Harvest Mouse (*R.chrysopsis*)
Talamancan Harvest Mouse (*R.creper*)
Fulvous Harvest Mouse (*R.fulvescens*)
Chiriquian Harvest Mouse (*R.garichensis*)
Slender Harvest Mouse (*R.gracilis*)
Western Harvest Mouse (*R.megalotis*)
Mexican Harvest Mouse (*R.mexicanus*)
Small-toothed Harvest Mouse (*R.microdon*)
Plains Harvest Mouse (*R.montanus*)
Sumichrast's Harvest Mouse (*R.sumichrasti*)
Narrow-nosed Harvest Mouse (*R.tenuirostris*)
Andean Soft-haired Mouse (*Abrothrix andina*)
Hairy Soft-haired Mouse (*A.hirta*)
Olive Soft-haired Mouse (*A.olivacea*)
Sanborn's Soft-haired Mouse (*A.sanborni*)

Valdivian Long-clawed Mouse (*Geoxus valdivianus*)
Yungas Grass Mouse (*Akodon aerosus*)
White-bellied Grass Mouse (*A.albiventer*)
Azara's Grass Mouse (*A.azarae*)
Kemp's Grass Mouse (*Deltamys kempii*)
Red Hociudo (*Oxymycterus rufus*)
Chilean Climbing Mouse (*Irenomys tarsalis*)
Thomas's Water Mouse (*Rheomys thomasi*)
Alfaro's Rice Rat (*Casiomys alfaroii*)
Guerrero Rice Rat (*C.guerrerensis*)
Highland Rice Rat (*C.rhabdops*)
Cloud Forest Rice Rat (*C.saturationis*)
Elegant Rice Rat (*Euryoryzomys nitidus*)
Brazilian Marsh Rat (*Holochilus brasiliensis*)
Western Amazonian Rice Rat (*Hylaeamys perenensis*)
Yungas Rice Rat (*H.yunganus*)
Black-and-yellow Rice Rat (*Melanomys chrysomelas*)
White-throated Rice Rat (*Nephelomys albigularis*)
Boquete Rice Rat (*N.devius*)
Gray-bellied Rice Rat (*N.moerex*)
White-bellied Arboreal Rice Rat (*Oecomys bicolor*)
Foothill Arboreal Rice Rat (*O.superans*)
Tschudi's Pygmy Rice Rat (*Oligoryzomys destructor*)
Yellow Pygmy Rice Rat (*O.flavescens*) (†)
Fulvous Pygmy Rice Rat (*O.fulvescens*)
Long-tailed Pygmy Rice Rat (*O.longicaudatus*)

Black-footed Pygmy Rice Rat (*O.nigripes*)
Straw-colored Pygmy Rice Rat (*O.stramineus*)
Northeastern Marsh Rice Rat (*Oryzomys palustris*)
Northwestern Marsh Rice Rat (*O.texensis*)
Harris's Rice Rat (*Tanyuromys aphantus*)
Long-whiskered Rice Rat (*Transandinomys bolivaris*)
Crafty Vesper Mouse (*Calomys callidus*)
Large Vesper Mouse (*C.callosus*)
Small Vesper Mouse (*C.laucha*)
Drylands Vesper Mouse (*C.musculus*)
Chaco Pericote (*Graomys chacoensis*)
Common Pericote (*G.griseoflavus*)
Southern Big-eared Mouse (*Loxodontomys micropus*)
Yellow-rumped Leaf-eared Mouse (*Phyllotis xanthopygus*)
Arizona Cotton Rat (*Sigmodon arizonae*)
Tawny-bellied Cotton Rat (*S.fulviventris*)
Hispid Cotton Rat (*S.hispidus*)
Yellow-nosed Cotton Rat (*S.ochrognathus*)
Peruvian Cotton Rat (*S.peruanus*)
Montane Cotton Rat (*S.zanjonensis*)
Cariri Climbing Rat (*Rhipidomys cariri*)
Gardner's Climbing Rat (*R.gardneri*)
White-footed Climbing Rat (*R.leucodactylus*)
Splendid Climbing Rat (*R.nitela*)
Long-tailed Oldfield Mouse (*Thomasomys ischyurus*)
Taczanowski's Oldfield Mouse (*T.taczanowskii*) (?)

Sumichrast's Vesper Rat (*Nyctomys sumichrasti*)

Yucatán Vesper Rat (*Otonyctomys hatti*)

Big-eared Climbing Rat (*Otodylomys phyllotis*)

Peters's Climbing Rat (*Tylomys nudicaudus*)

OLD WORLD MICE AND RATS (MURIDAE) (183/856)

Northeast African Spiny Mouse (*Acomys cahirinus*)

John's Spiny Mouse (*A.johannis*)

Louise's Spiny Mouse (*A.louisae*)

Mullah Spiny Mouse (*A.mullah*)

Wilson's Spiny Mouse (*A.wilsoni*)

Short-tailed Brush-furred Rat (*Lophuromys brevicaudus*) (?)

Black-clawed Brush-furred Rat (*L.melanonyx*)

Ammodile (*Ammodillus imbellis*)

Pouched Gerbil (*Desmodilliscus braueri*)

Pleasant Gerbil (*Gerbillus amoenus*)

Cheesman's Gerbil (*G.cheesmani*)

Lesser Egyptian Gerbil (*G.gerbillus*)

Pygmy Gerbil (*G.henleyi*)

Balochistan Gerbil (*G.nanus*)

Nigerian Gerbil (*G.nigeriae*)

Least Gerbil (*G.pusillus*)

Tarabul Gerbil (*G.tarabuli*)

Arabian Jird (*Meriones arimalius*)

Indian Desert Jird (*M.hurrianae*)

Eastern Midday Jird (*M.psammophilus*)

Mongolian Jird (*M.unguiculatus*)

Great Gerbil (*Rhombomys opimus*)
Congo Tateril (*Taterillus congicus*)
Cape Short-tailed Gerbil (*Desmodillus auricularis*)
Kemp's Gerbil (*Gerbilliscus kempii*)
Bushveld Gerbil (*G.leucogaster*)
Paeba Hairy-footed Gerbil (*G.paeba*)
Fringe-tailed Gerbil (*G.robustus*)
Indian Gerbil (*Tatera indica*)
Maned Rat (*Lophiomys imhausii*)
Striped Field Mouse (*Apodemus agrarius*)
Small Japanese Field Mouse (*A.argenteus*)
Chevrier's Field Mouse (*A.chevrieri*)
South China Field Mouse (*A.draco*)
Western Broad-toothed Field Mouse (*A.epimelas*)
Yellow-necked Field Mouse (*A.flavicollis*)
Large-eared Field Mouse (*A.latronum*) (?)
Korean Field Mouse (*A.peninsulae*)
Taiwan Field Mouse (*A.semotus*)
Large Japanese Field Mouse (*A.speciosus*)
Long-tailed Field Mouse (*A.sylvaticus*)
Herb Field Mouse (*A.uralensis*)
Abyssinian Grass Rat (*Arvicanthis abyssinicus*)
Blick's Grass Rat (*A.blicki*)
Neumann's Grass Rat (*A.neumanni*)
African Grass Rat (*A.niloticus*)
Common Defua Rat (*Dephomys defua*)

Indian Bush Rat (*Golunda ellioti*)
East African Thicket Rat (*Grammomys ibeanus*)
Father Basilio's Striped Mouse (*Hybomys basilii*)
Typical Striped Grass Mouse (*Lemniscomys striatus*)
Heuglin's Striped Grass Mouse (*L.zebra*)
Namaqua Rock Rat (*Micaelamys namaquensis*)
West-central Four-striped Grass Rat (*Rhabdomys bechuanae*)
Mesic Four-striped Grass Rat (*R.dilectus*)
Xeric Four-striped Grass Rat (*R.pumilio*)
Black-tailed Thallomys (*Thallomys nigricauda*)
Western Rainforest Thicket Rat (*Thamnomys poensis*) (?)
Liberian Forest Striped Mouse (*Typomys planifrons*)
Indomalayan Pencil-tailed Tree Mouse (*Chiropodomys gliroides*)
Greater Pencil-tailed Tree Mouse (*C.major*)
Broad-headed Tree Mouse (*Chiruromys lamia*)
Brush-tailed Rabbit Rat (*Conilurus penicillatus*)
Lowland Sulawesi Rane Mouse (*Haeromys minahassae*)
Sundaic Rane Mouse (*H.pusillus*)
Common Water Rat (*Hydromys chrysogaster*)
Central Short-tailed Mouse (*Leggadina forresti*)
Long-footed Tree Mouse (*Lorentzimys nouhuysii*)
Australian Broad-toothed Rat (*Mastacomys fuscus*)
Grassland Mosaic-tailed Rat (*Melomys burtoni*)
Cape York Mosaic-tailed Rat (*M.capensis*)
Fawn-footed Mosaic-tailed Rat (*M.cervinipes*)
Black-tailed Mosaic-tailed Rat (*M.rufescens*)

Black-footed Tree Rat (*Mesembriomys gouldii*)
Golden-backed Tree Rat (*M. macrurus*)
Spinifex Hopping Mouse (*Notomys alexis*)
Mitchell's Hopping Mouse (*N. mitchellii*)
Common Lowland Mosaic-tailed Rat (*Paramelomys platyops*)
Bruijn's Brush Mouse (*Pogonomelomys bruijnii*)
Loria's Tree Mouse (*Pogonomys loriae*)
Chestnut Tree Mouse (*P. macrourus*)
Gray-bellied Tree Mouse (*P. sylvestris*)
Ash-gray Mouse (*Pseudomys albocinereus*)
Silky Mouse (*P. apodemoides*)
Plains Mouse (*P. australis*)
Bolam's Mouse (*P. bolami*)
Western Pebble Mouse (*P. chapmani*)
Northern Delicate Mouse (*P. delicatulus*)
Desert Mouse (*P. desertor*)
Australian Smoky Mouse (*P. fumeus*)
Eastern Chestnut Mouse (*P. gracilicaudatus*)
Sandy Inland Mouse (*P. hermannsburgensis*)
Central Pebble Mouse (*P. johnsoni*)
Eastern Delicate Mouse (*P. mimulus*)
Western Chestnut Mouse (*P. nanus*)
New Holland Mouse (*P. novaehollandiae*)
Western Mouse (*P. occidentalis*)
Hastings River Mouse (*P. oralis*)
Eastern Pebble Mouse (*P. patrius*)

Pilbara Delicate Mouse (*P.pilbarensis*)
Heath Mouse (*P.shortridgei*)
White-tailed Giant Rat (*Uromys caudimaculatus*)
False Water Rat (*Xeromys myoides*)
Common Australian Rock Rat (*Zyzomys argurus*)
Arnhem Land Rock Rat (*Z.maini*)
Kimberley Rock Rat (*Z.woodwardi*)
Eurasian Harvest Mouse (*Micromys minutus*)
Indomalayan Long-tailed Climbing Mouse (*Vandeleuria oleraceus*)
Edwards's Swamp Rat (*Malacomys edwardsi*)
White-tailed Wood Rat (*Madromys blanfordi*)
Sand-colored Soft-furred Rat (*Millardia gleadowi*)
Little Indian Field Mouse (*Mus booduga*)
Cook's Mouse (*M.cookii*)
Servant Mouse (*M.famulus*)
Macedonian Mouse (*M.macedonicus*)
Sub-Saharan Pygmy Mouse (*M.minutoides*) (?)
House Mouse (*M.musculus*)
Flat-haired Mouse (*M.platythrix*)
Mound-building Mouse (*M.spicilegus*)
Western Mediterranean Mouse (*M.spretus*)
Heller's Vlei Rat (*Otomys helleri*)
Southern African Vlei Rat (*O.irroratus*)
Ethiopian Vlei Rat (*O.typus*)
Karoo Vlei Rat (*O.unisulcatus*)
Allen's Wood Mouse (*Hylomyscus alleni*)

West African Wood Mouse (*H.simus*)
Walter Verheyen's Wood Mouse (*H.walterverheyeni*)
Southern African Multimammate Mouse (*Mastomys coucha*)
Natal Multimammate Mouse (*M.natalensis*)
De Graaff's Soft-furred Mouse (*Praomys degraaffi*)
Misonne's Soft-furred Mouse (*P.misonnei*)
Cameroon Soft-furred Mouse (*P.morio*)
West African Soft-furred Mouse (*P.rostratus*)
Lesser Bandicoot Rat (*Bandicota bengalensis*)
Bowers's White-toothed Rat (*Berylmys bowersii*)
Common Hill Rat (*Bunomys chrysocomus*)
Bartels's Javan Spiny Rat (*Crunomys bartelsii*)
Hellwald's Sulawesi Spiny Rat (*C.hellwaldii*)
Musschenbroek's Sulawesi Spiny Rat (*C.musschenbroekii*)
Rajah Sundaic Spiny Rat (*C.rajah*)
Indomalayan Spiny Rat (*C.surifer*)
Whitehead's Sundaic Spiny Rat (*C.whiteheadi*)
Ryukyu Islands Tree Rat (*Diplothrix legata*)
Sulawesi Soft-furred Rat (*Eropeplus canus*)
Meyer's Giant Rat (*Lenomys meyeri*)
Gray Tree Rat (*Lenothrix cana*)
Indomalayan Long-tailed Giant Rat (*Leopoldamys sabanus*)
Elegant Margareta Rat (*Margaretamys elegans*)
'Lompobattang' Margareta Rat (*M.sp.nov.a*)
'Guzman's' Margareta Rat (*M.sp.nov.b*)
Anderson's White-bellied Rat (*Niviventer andersoni*)

Cameron Highlands White-bellied Rat (*N.cameroni*)
Confucian White-bellied Rat (*N.confucianus*)
Sundaic Arboreal White-bellied Rat (*N.cremoriventer*)
Soft-furred Taiwan White-bellied Rat (*N.culturatus*)
Sichuan White-bellied Rat (*N.excelsior*) (?)
Indochinese White-bellied Rat (*N.fulvescens*) (?)
South China White-bellied Rat (*N.huang*) (?)
Montane Javan White-bellied Rat (*N.lepturus*) (?)
Hainan White-bellied Rat (*N.lotipes*)
Himalayan White-bellied Rat (*N.niviventer*)
Montane Bornean White-bellied Rat (*N.rapit*)
Ricefield Rat (*Rattus argentiventer*)
Kinabalu Rat (*R.baluensis*)
Southwestern Xanthurus Rat (*R.bontanus*)
Australian Dusky Rat (*R.colletti*)
Pacific Rat (*R.exulans*)
Lore Lindu Xanthurus Rat (*R.facetus*)
Australian Bush Rat (*R.fuscipes*)
Hoffmann's Sulawesi Rat (*R.hoffmanni*)
Koopman's Peleng Island Rat (*R.koopmani*)
Cape York Rat (*R.leucopus*) (?)
Losea Rat (*R.losea*)
Australian Swamp Rat (*R.lutreola*)
Lampobatang Sulawesi Rat (*R.mollicomulus*)
Brown Rat (*R.norvegicus*)
Peleng Island Xanthurus Rat (*R.pelurus*)

Large New Guinea Spiny Rat (*R.praetor*)
Himalayan Rat (*R.pyctoris*)
Roof Rat (*R.rattus*)
Southeastern Xanthurus Rat (*R.salocco*)
Canefield Rat (*R.sordidus*)
East Asian House Rat (*R.tanezumi*)
Malaysian Field Rat (*R.tiomanicus*)
Australian Pale Field Rat (*R.tunneyi*)
Australian Long-haired Rat (*R.villosissimus*)
Northeastern Xanthurus Rat (*R.xanthurus*)
Annandale's Sundaic Rat (*Sundamys annandalei*)
Müller's Rat (*S.muelleri*)
Celebes Rat (*Taeromys celebensis*)
Giant Sulawesi Rat (*T.dominator*)
Sulawesi Montane Rat (*T.hamatus*)
NESOMYIDS (NESOMYIDAE) (9/74)
Southern Giant Pouched Rat (*Cricetomys ansorgei*)
Forest Giant Pouched Rat (*C.emini*)
Long-eared Desert Mouse (*Malacothrix typica*)
Milne-Edwards's Tufted-tail Rat (*Eliurus myoxinus*)
Giant Jumping Rat (*Hypogeomys antimena*)
Bastard's Big-footed Mouse (*Macrotarsomys bastardi*)
Audebert's Forest Rat (*Nesomys audeberti*)
Red Forest Rat (*N.rufus*)
Common Pygmy Rock Mouse (*Petromyscus collinus*)
SPALACIDS (SPALACIDAE) (8/41)

Plateau Zokor (*Eospalax baileyi*)

Giant Root Rat (*Tachyoryctes macrocephalus*)

African Root Rat (*T.splendens*)

Bulgarian Blind Mole-rat (*Nannospalax bulgaricus*)

Hungarian Blind Mole-rat (*N.hungaricus*)

Lesser Blind Mole-rat (*N.leucodon*)

Mehely's Blind Mole-rat (*Spalax antiquus*)

Bukovina Blind Mole-rat (*S.graecus*)

HEDGEHOGS AND GYMNURES (ERINACEIDAE) (12/35)

Four-toed Hedgehog (*Atelerix albiventris*)

North African Hedgehog (*A.algirus*)

Amur Hedgehog (*Erinaceus amurensis*)

Southern White-breasted Hedgehog (*E.concolor*)

West European Hedgehog (*E.europaeus*)

Northern White-breasted Hedgehog (*E.roumanicus*)

Common Long-eared Hedgehog (*Hemiechinus auritus*)

Eastern Forest Hedgehog (*Mesechinus orientalis*)

Desert Hedgehog (*Paraechinus aethiopicus*)

Indian Hedgehog (*P.micropus*)

Moonrat (*Echinosorex gymnura*)

Javan Short-tailed Gymnure (*Hylomys suillus*)

SHREWS (SORICIDAE) (26/499)

South European White-toothed Shrew (*Crocidura fimbriata*)

Greater Red White-toothed Shrew (*C.flavescens*)

Glass's White-toothed Shrew (*C.glassi*) (?)

Iberian White-toothed Shrew (*C.iculisma*)

Bicolored White-toothed Shrew (*C.leucodon*)
Sunda White-toothed Shrew (*C.monticola*) - not by me
African Giant White-toothed Shrew (*C.olivieri*)
Fraser's White-toothed Shrew (*C.poensis*)
Greater White-toothed Shrew (*C.russula*)
Shantung White-toothed Shrew (*C.shantungensis*)
Lesser White-toothed Shrew (*C.suaveolens*)
Voi White-toothed Shrew (*C.voi*)
Asian House Shrew (*Suncus murinus*)
Nilgiri Highland Shrew (*S.niger*)
Bioko Forest Shrew (*Sylvisorex isabellae*)
Chinese Mole Shrew (*Anourosorex squamipes*)
Northern Short-tailed Shrew (*Blarina brevicauda*)
Ecuadorean Small-eared Shrew (*Cryptotis equatoris*)
Highland Broad-clawed Shrew (*C.oreoryctes*) (†)
Eurasian Water Shrew (*Neomys fodiens*) (?)
Mediterranean Water Shrew (*N.milleri*)
Transcaucasian Water Shrew (*N.teres*)
Common Shrew (*Sorex araneus*)
Lesser Striped Shrew (*S.bedfordiae*)
Crowned Shrew (*S.coronatus*)
Smoky Shrew (*S.fumeus*)
Eastern Pygmy Shrew (*S.hoyi*) (?)
Eurasian Pygmy Shrew (*S.minutus*)
Southern Montane Shrew (*S.monticolus*) (†)
American Water Shrew (*S.palustris*)

Radde's Shrew (*S.raddei*)
Salvin's Shrew (*S.salvini*) (†)
Trowbridge's Shrew (*S.trowbridgii*)
MOLES AND DESMANS (TALPIDAE) (4/68)
Pyrenean Desman (*Galemys pyrenaicus*)
European Mole (*Talpa europaea*)
Martin's Mole (*T.martinorum*)
Japanese Shrew Mole (*Urotrichus talpoides*)
SOLENODONS (SOLENODONTIDAE) (1/2)
Hispaniolan Solenodon (*Solenodon paradoxus*)
SHEATH-TAILED BATS (EMBALLONURIDAE) (33/55)
Thomas's Sac-winged Bat (*Balantiopteryx io*)
Gray Sac-winged Bat (*B.plicata*)
Thomas's Shaggy Bat (*Centronycteris centralis*)
Chestnut Sac-winged Bat (*Cormura brevirostris*)
Short-eared Bat (*Cyttarops alecto*)
Northern Ghost Bat (*Diclidurus albus*)
Greater Dog-like Bat (*Peropteryx kappleri*)
White-winged Dog-like Bat (*P.leucoptera*)
Lesser Dog-like Bat (*P.macrotis*)
Pale-winged Dog-like Bat (*P.pallidoptera*)
Proboscis Bat (*Rhynchonycteris naso*)
Greater Sac-winged Bat (*Saccopteryx bilineata*)
Frosted Sac-winged Bat (*S.canescens*)
Amazonian Sac-winged Bat (*S.gymnura*)
Lesser Sac-winged Bat (*S.leptura*)

African Sheath-tailed Bat (*Coleura afra*)
Small Asian Sheath-tailed Bat (*Emballonura alecto*)
Lesser Sheath-tailed Bat (*E. monticola*)
Raffray's Sheath-tailed Bat (*E. raffrayana*)
Dark Sheath-tailed Bat (*Mosia nigrescens*)
Peters's Sheath-tailed Bat (*Paremballonura atrata*)
Western Sheath-tailed Bat (*P. tiavato*)
Yellow-bellied Sheath-tailed Bat (*Saccolaimus flaviventris*)
Coastal Sheath-tailed Bat (*Taphozous australis*)
Common Sheath-tailed Bat (*T. georgianus*)
Hildegarde's Tomb Bat (*T. hildegardeae*)
Hill's Sheath-tailed Bat (*T. hilli*)
Long-winged Sheath-tailed Bat (*T. longimanus*)
Mauritian Tomb Bat (*T. mauritanus*)
Black-bearded Tomb Bat (*T. melanopogon*)
Naked-rumped Tomb Bat (*T. nudiventris*)
Egyptian Tomb Bat (*T. perforatus*)
Troughton's Sheath-tailed Bat (*T. trougtoni*)
SUCKER-FOOTED BATS (MYZOPODIDAE) (1/2)
Eastern Sucker-footed Bat (*Myzopoda aurita*)
SLIT-FACED BATS (NYCTERIDAE) (6/14)
Bates's Slit-faced Bat (*Nycteris arge*)
Andersen's Slit-faced Bat (*N. aurita*) (?)
Hairy Slit-faced Bat (*N. hispida*)
Javan Slit-faced Bat (*N. javanica*)
Large-eared Slit-faced Bat (*N. macrotis*)

Egyptian Slit-faced Bat (*N.thebaica*)

Malayan Slit-faced Bat (*N.tragata*)

THUMBLESS AND SMOKY BATS (FURIPTERIDAE) (1/2)

Thumbless Bat (*Furipterus horrens*)

GHOST-FACED AND MOUSTACHED BATS (MORMOOPIDAE) (12/18)

Antillean Ghost-faced Bat (*Mormoops blainvillei*)

Peters's Ghost-faced Bat (*M.megalophylla*)

Davy's Naked-backed Bat (*Pteronotus davyi*)

Thomas's Naked-backed Bat (*P.fulvus*)

Big Naked-backed Bat (*P.gymnonotus*)

Mesoamerican Common Mustached Bat (*P.mesoamericanus*)

Parnell's Common Mustached Bat (*P.parnellii*)

Wagner's Lesser Mustached Bat (*P.personatus*)

Puerto Rican Common Mustached Bat (*P.portoricensis*)

Dobson's Lesser Mustached Bat (*P.psilotis*)

Sooty Mustached Bat (*P.quadridens*)

Wagner's Common Mustached Bat (*P.rubiginosus*)

NEW ZEALAND SHORT-TAILED BATS (MYSTACINIDAE) (1/2)

Lesser New Zealand Short-tailed Bat (*Mystacina tuberculata*)

BULLDOG BATS (NOCTILIONIDAE) (2/2)

Lesser Bulldog Bat (*Noctilio albiventris*)

Greater Bulldog Bat (*N.leporinus*)

NEW WORLD LEAF-NOSED BATS (PHYLLOSTOMIDAE) (98/230)

Ben Keith's Short-tailed Bat (*Carollia benkeithi*)

Silky Short-tailed Bat (*C.brevicauda*)

Chestnut Short-tailed Bat (*C.castanea*)

Seba's Short-tailed Bat (*C.perspicillata*)
Sowell's Short-tailed Bat (*C.sowellii*)
Gray Short-tailed Bat (*C.subrufa*)
Common Vampire Bat (*Desmodus rotundus*)
White-winged Vampire Bat (*Diaemus youngii*)
Hairy-legged Vampire Bat (*Diphylla ecaudata*)
Eastern Antillean Fruit-eating Bat (*Brachyphylla cavernarum*)
Brown Flower Bat (*Erophylla bombifrons*)
Tailed Tailless Bat (*Anoura caudifer*)
Handley's Tailless Bat (*A.cultrata*)
Tube-lipped Tailless Bat (*A.fistulata*)
Geoffroy's Tailless Bat (*A.geoffroyi*)
Tschudi's Tailless Bat (*A.peruana*)
Godman's Long-tailed Bat (*Choeroniscus godmani*)
Mexican Long-tongued Bat (*Choeronycteris mexicana*)
Underwood's Long-tongued Bat (*Hylonycteris underwoodi*)
Baker's Long-tongued Bat (*Glossophaga bakeri*)
Commissaris's Long-tongued Bat (*G.commissarisi*)
Gray's Long-tongued Bat (*G.leachii*)
Miller's Long-tongued Bat (*G.longirostris*)
Western Long-tongued Bat (*G.morenoi*)
Merriam's Long-tongued Bat (*G.mutica*)
Pallas's Long-tongued Bat (*G.soricina*)
Greater Long-nosed Bat (*Leptonycteris nivalis*)
Lesser Long-nosed Bat (*L.yerbabuenae*)
Western Antillean Single-leaf Bat (*Monophyllus redmani*)

Niceforo's Big-eared Bat (*Trinycteris nicefori*)
Orange Nectar Bat (*Lonchophylla robusta*)
Common Sword-nosed Bat (*Lonchorhina aurita*)
Californian Leaf-nosed Bat (*Macrotus californicus*)
Waterhouse's Leaf-nosed Bat (*M.waterhousii*)
Orange-throated Bat (*Lamproncycteris brachyotis*)
Hairy Big-eared Bat (*Micronycteris hirsuta*)
Little Big-eared Bat (*M.megalotis*)
Common Big-eared Bat (*M.microtis*)
Tiny Big-eared Bat (*M.minuta*)
Schmidts' Big-eared Bat (*M.schmidtorum*)
Northern Big-eared Bat (*M.tresamici*)
Long-legged Bat (*Macrophyllum macrophyllum*)
Common Fringe-lipped Bat (*Trachops cirrhosus*)
Central American Fringe-lipped Bat (*T.coffini*)
Atlantic Forest Fringe-lipped Bat (*T.ehrhardti*)
Striped Hairy-nosed Bat (*Gardnerycteris crenulata*)
Keenan's Hairy-nosed Bat (*G.keenani*)
Mesoamerican Round-eared Bat (*Lophostoma nicaraguae*)
White-throated Round-eared Bat (*L.silvicola*)
Pale-faced Bat (*Phylloderma stenops*)
Pale Spear-nosed Bat (*Phyllostomus discolor*)
Lesser Spear-nosed Bat (*P.elongatus*)
Greater Spear-nosed Bat (*P.hastatus*)
Guianan Spear-nosed Bat (*P.latifolius*)
Northern Stripe-headed Round-eared Bat (*Tonatia bakeri*)

Southern Stripe-headed Round-eared Bat (*T. maresi*)
Woolly False Vampire Bat (*Chrotopterus auritus*)
Cozumelan Golden Bat (*Mimon cozumelae*)
Spectral Bat (*Vampyrus spectrum*)
Fischer's Little Fruit Bat (*Rhinophylla fischerae*)
Dwarf Little Fruit Bat (*R. pumilio*)
Brown Fruit-eating Bat (*Artibeus concolor*)
Fringed Fruit-eating Bat (*A. fimbriatus*)
Hairy Fruit-eating Bat (*A. hirsutus*)
Intermediate Fruit-eating Bat (*A. intermedius*)
Jamaican Fruit-eating Bat (*A. jamaicensis*)
Great Fruit-eating Bat (*A. lituratus*)
Dark Fruit-eating Bat (*A. obscurus*)
Flat-faced Fruit-eating Bat (*A. planirostris*)
Andersen's Fruit-eating Bat (*Dermanura anderseni*)
Aztec Fruit-eating Bat (*D. azteca*)
Gervais's Fruit-eating Bat (*D. cinerea*)
Dwarf Fruit-eating Bat (*D. gnomus*)
Pygmy Fruit-eating Bat (*D. phaeotis*)
Toltec Fruit-eating Bat (*D. tolteca*)
Thomas's Fruit-eating Bat (*D. watsoni*)
Honduran White Bat (*Ectophylla alba*)
Cuban Fig-eating Bat (*Phyllops falcatus*)
Hairy Big-eyed Bat (*Chiroderma villosum*)
MacConnell's Bat (*Mesophylla macconnelli*)
Short-headed Broad-nosed Bat (*Platyrrhinus brachycephalus*)

Heller's Broad-nosed Bat (*P.helleri*)
Incan Broad-nosed Bat (*P.incarum*)
Buffy Broad-nosed Bat (*P.infuscus*)
White-lined Broad-nosed Bat (*P.lineatus*)
Common Tent-making Bat (*Uroderma bilobatum*)
Pacific Tent-making Bat (*U.convexum*)
Davis's Tent-making Bat (*U.davisi*)
Brown Tent-making Bat (*U.magnirostrum*)
Northern Little Yellow-eared Bat (*Vampyressa thyone*)
Bidentate Yellow-eared Bat (*Vampyriscus bidens*)
Brock's Yellow-eared Bat (*V.brocki*)
Striped Yellow-eared Bat (*V.nymphaeus*)
Hairy Yellow-shouldered Bat (*Sturnira erythromos*)
Honduran Yellow-shouldered Bat (*S.hondurensis*)
Little Yellow-shouldered Bat (*S.lilium*)
Northern Yellow-shouldered Bat (*S.parvidens*)
Tilda's Yellow-shouldered Bat (*S.tildae*)
DISC-WINGED BATS (THYROPTERIDAE) (2/5)
Peters's Disk-winged Bat (*Thyroptera discifera*)
Spix's Disk-winged Bat (*T.tricolor*)
WING-GLAND BATS (CISTUGIDAE) (1/2)
Le Sueur's Wing-gland Bat (*Cistugo lesueuri*)
BENT-WINGED BATS (MINIOPTERIDAE) (16/41)
Allen's Long-fingered Bat (*Miniopterus aelleni*)
African Long-fingered Bat (*M.africanus*)
Little Long-fingered Bat (*M.australis*)

Madagascar Long-fingered Bat (*M.brachytragos*) (?)

Asian Long-fingered Bat (*M.fuliginosus*)

Glen's Long-fingered Bat (*M.gleni*)

Griveaud's Long-fingered Bat (*M.griveaudi*)

Greater Long-fingered Bat (*M.inflatus*)

Small Melanesian Long-fingered Bat (*M.macrocneme*)

Major's Long-fingered Bat (*M.majori*)

Intermediate Long-fingered Bat (*M.medius*)

Least Long-fingered Bat (*M.minor*)

Natal Long-fingered Bat (*M.natalensis*)

Australian Long-fingered Bat (*M.orianae*)

Philippine Long-fingered Bat (*M.paululus*)

Schreibers's Long-fingered Bat (*M.schreibersii*)

Great Long-fingered Bat (*M.tristis*)

FREE-TAILED BATS (MOLOSSIDAE) (36/134)

White-striped Free-tailed Bat (*Austronomus australis*)

Greater Naked Bat (*Cheiromeles torquatus*)

Cinnamon Dog-faced Bat (*Cynomops abrasus*)

Mexican Dog-faced Bat (*C.mexicanus*)

Common Dwarf Bonneted Bat (*Eumops bonariensis*)

Fierce Bonneted Bat (*E.ferox*)

Florida Bonneted Bat (*E.floridanus*)

Western Bonneted Bat (*E.perotis*)

East Coast Free-tailed Bat (*Micronomus norfolkensis*)

Dwarf Dog-faced Bat (*Molossops temminckii*)

Alvarez's Mastiff Bat (*Molossus alvarezi*)

Bonda Mastiff Bat (*M.bondae*)
Thomas's Mastiff Bat (*M.currentium*)
Pallas's Mastiff Bat (*M.molossus*)
Northern Black Mastiff Bat (*M.nigricans*)
Miller's Mastiff Bat (*M.pretiosus*)
Short-winged Free-tailed Bat (*Mops brachypterus*)
Angolan Free-tailed Bat (*M.condylurus*)
Greater Northern Free-tailed Bat (*M.jobensis*)
Midas Free-tailed Bat (*M.midas*)
Malayan Free-tailed Bat (*M.mops*)
Wrinkle-lipped Free-tailed Bat (*M.plicatus*)
Little Free-tailed Bat (*M.pumilus*)
Sulawesian Free-tailed Bat (*M.sarasinorum*)
Pocketed Free-tailed Bat (*Nyctinomops femorosaccus*)
Broad-eared Free-tailed Bat (*N.laticaudatus*)
Big Free-tailed Bat (*N.macrotis*)
Egyptian Free-tailed Bat (*Nyctinomus aegyptiacus*)
Harrison's Giant Mastiff Bat (*Otomops harrisoni*)
Lumsden's Free-tailed Bat (*Ozimops lumsdenae*)
Inland Free-tailed Bat (*O.petersi*)
Southern Free-tailed Bat (*O.planiceps*)
Ride's Free-tailed Bat (*O.ridei*)
Big Crested Mastiff Bat (*Promops centralis*)
Brazilian Free-tailed Bat (*Tadarida brasiliensis*)
European Free-tailed Bat (*T.teniotis*)
FUNNEL-EARED BATS (NATALIDAE) (2/11)

Caribbean Lesser Funnel-eared Bat (*Chilonatalus micropus*)

Mexican Funnel-eared Bat (*Natalus mexicanus*)

EVENING BATS (VESPERTILIONIDAE) (148/544)

Hardwicke's Woolly Bat (*Kerivoula hardwickii*)

Least Woolly Bat (*K.minuta*)

Fly River Woolly Bat (*K.muscina*)

Clear-winged Woolly Bat (*K.pellucida*)

Painted Woolly Bat (*K.picta*)

'Lore Lindu' Woolly Bat (*K.sp.nov.*)

Golden-tipped Bat (*Phoniscus papuensis*)

Hairy-winged Bat (*Harpiocephalus harpia*)

Flores Tube-nosed Bat (*Murina florium*)

Hilgendorf's Tube-nosed Bat (*M.hilgendorfi*)

Rufous Tube-nosed Bat (*M.leucogaster*)

Silver-tipped Myotis (*Myotis albescens*)

Alcathoe Whiskered Myotis (*M.alcathoe*)

Indochinese Whiskered Myotis (*M.alticraniatus*)

Valparaíso Myotis (*M.arescens*)

Peters's Myotis (*M.ater*)

Southwestern Myotis (*M.auriculus*)

Southeastern Myotis (*M.austroriparius*)

Bechstein's Myotis (*M.bechsteinii*)

Lesser Myotis (*M.blythii*)

Brandt's Myotis (*M.brandtii*)

California Myotis (*M.californicus*)

Long-fingered Myotis (*M.capaccinii*)

Chilean Myotis (*M.chiloensis*)
Western Small-footed Myotis (*M.ciliolabrum*)
Pond Myotis (*M.dasycneme*)
Daubenton's Myotis (*M.daubentonii*)
Elegant Myotis (*M.elegans*)
Geoffroy's Myotis (*M.emarginatus*)
Escalera's Myotis (*M.escaleraei*)
Long-eared Myotis (*M.evotis*)
Mexican Black Myotis (*M.extremus*)
Black-and-orange Myotis (*M.formosus*)
Fraternal Myotis (*M.frater*) (?)
Malagasy Myotis (*M.goudotii*)
Gray Myotis (*M.grisescens*)
Lesser Large-footed Myotis (*M.hasseltii*)
Horsfield's Myotis (*M.horsfieldii*)
Eastern Small-footed Myotis (*M.leibii*)
Yellowish Myotis (*M.levis*)
Little Brown Myotis (*M.lucifugus*)
Big-footed Myotis (*M.macrodactylus*)
Southern Myotis (*M.macropus*)
Maluku Myotis (*M.moluccarum*)
Nepalese Whiskered Myotis (*M.muricola*)
Greater Myotis (*M.myotis*)
Common Whiskered Myotis (*M.mystacinus*)
Natterer's Myotis (*M.nattereri*)
Common Black Myotis (*M.nigricans*)

Barbados Myotis (*M.nyctor*)
Arizona Myotis (*M.occultus*)
Montane Myotis (*M.oxyotus*)
Northern Hairy-legged Myotis (*M.pilosatibialis*)
Flat-headed Myotis (*M.planiceps*)
Maghreb Myotis (*M.punicus*)
Ridley's Myotis (*M.ridleyi*)
Riparian Myotis (*M.riparius*)
Long-toed Myotis (*M.secundus*)
Northern Myotis (*M.septentrionalis*)
Indiana Myotis (*M.sodalis*)
Fringed Myotis (*M.thysanodes*)
Cave Myotis (*M.velifer*)
Fish-eating Myotis (*M.vivesi*)
Long-legged Myotis (*M.volans*)
Yuma Myotis (*M.yumanensis*)
Taiwan Broad-muzzled Bat (*Submyotodon latirostris*)
Common Pallid Bat (*Antrozous pallidus*)
Allen's Yellow Bat (*Baeodon alleni*)
Slender Yellow Bat (*B.gracilis*)
Van Gelder's Bat (*Bauerus dubiaquercus*)
Yucatán Yellow Bat (*Rhogeessa aenea*)
Bickham's Yellow Bat (*R.bickhami*)
Menchu's Yellow Bat (*R.menchuae*)
Northern Little Yellow Bat (*R.parvula*)
Canyon Bat (*Parastrellus hesperus*)

Tricolored Bat (*Perimyotis subflavus*)
Eastern Red Bat (*Lasiurus borealis*)
Northern Hoary Bat (*L.cinereus*)
Desert Red Bat (*L.frantzii*)
Northern Yellow Bat (*L.intermedius*)
Seminole Bat (*L.seminolus*)
Western Yellow Bat (*L.xanthinus*)
Long-tailed Serotine (*Cnephaeus hottentotus*) (?)
Northern Serotine (*C.nilssonii*)
Eurasian Serotine (*C.serotinus*)
Big Brown Bat (*Eptesicus fuscus*)
Beatrix's Butterfly Bat (*Glauconycteris beatrix*)
Doria's False Serotine (*Hesperoptenus doriae*)
Silver-haired Bat (*Lasionycteris noctivagans*)
Brazilian Serotine (*Neoptesicus brasiliensis*)
Diminutive Serotine (*N.diminutus*)
Argentine Serotine (*N.furinalis*)
North American Evening Bat (*Nycticeius humeralis*)
Inland Broad-nosed Bat (*Scotorepens balstoni*)
Little Broad-nosed Bat (*S.greyii*)
Northern Broad-nosed Bat (*S.sanborni*)
Japanese Pipistrelle (*Alionotula abramus*)
Kelaart's Pipistrelle (*A.ceylonica*)
Indian Pipistrelle (*A.coromandra*)
Javan Pipistrelle (*A.javanica*)
Minahassa Pipistrelle (*A.minahassae*)

Narrow-winged Pipistrelle (*A.stenoptera*)
Least Pipistrelle (*A.tenuis*)
Northern Pipistrelle (*A.westralis*)
Azores Noctule (*Nyctalus azoreum*)
Greater Noctule (*N.lasiopterus*)
Leisler's Noctule (*N.leisleri*)
Common Noctule (*N.noctula*)
Kuhl's Pipistrelle (*Pipistrellus kuhlii*)
Nathusius's Pipistrelle (*P.nathusii*)
Common Pipistrelle (*P.pipistrellus*)
Soprano Pipistrelle (*P.pygmaeus*)
Western Barbastelle (*Barbastella barbastellus*)
Eastern Barbastelle (*B.darjelingensis*)
Mexican Big-eared Bat (*Corynorhinus mexicanus*)
Rafinesque's Big-eared Bat (*C.rafinesquii*)
Townsend's Big-eared Bat (*C.townsendii*)
Spotted Bat (*Euderma maculatum*)
Allen's Big-eared Bat (*Idionycteris phyllotis*)
Brown Long-eared Bat (*Plecotus auritus*)
Gray Long-eared Bat (*P.austriacus*)
Alpine Long-eared Bat (*P.macrobullaris*)
Taiwan Long-eared Bat (*P.taivanus*)
African Yellow Bat (*Scotophilus dinganii*)
Greater Asian Yellow Bat (*S.heathii*)
Lesser Asian Yellow Bat (*S.kuhlii*)
Large-eared Pied Bat (*Chalinolobus dwyeri*)

Gould's Wattled Bat (*C.gouldii*)
Chocolate Wattled Bat (*C.morio*)
Hoary Wattled Bat (*C.nigrogriseus*) (?)
Little Pied Bat (*C.picatus*)
New Zealand Long-tailed Bat (*C.tuberculatus*) (?)
Eastern False Pipistrelle (*Falsistrellus tasmaniensis*)
Alashanian Pipistrelle (*Hypsugo alashanicus*)
Savi's Pipistrelle (*H.savii*)
Cape Serotine (*Laephotis capensis*)
Schlieffen's Serotine (*Nycticeinops schlieffenii*)
Northern Long-eared Bat (*Nyctophilus arnhemensis*)
Eastern Long-eared Bat (*N.bifax*)
Lesser Long-eared Bat (*N.geoffroyi*)
Gould's Long-eared Bat (*N.gouldi*)
Mount Missim Long-eared Bat (*N.shirleyae*) (?)
Pygmy Long-eared Bat (*N.walkerii*)
Malayan Greater Bamboo Bat (*Tylonycteris malayana*)
Sumatran Greater Bamboo Bat (*T.robustula*)
Northern Cave Bat (*Vespadelus caurinus*)
Large Forest Bat (*V.darlingtoni*)
Finlayson's Cave Bat (*V.finlaysoni*)
Eastern Forest Bat (*V.pumilus*)
Southern Forest Bat (*V.regulus*)
Eastern Cave Bat (*V.troughtoni*)
Little Forest Bat (*V.vulturinus*)
Asian Particolored Bat (*Vespertilio sinensis*)

OLD WORLD FRUIT BATS (PTEROPODIDAE) (61/197)

Malayan Spotted-winged Fruit Bat (*Balionycteris seimundi*)

Common Dayak Fruit Bat (*Dyacopterus spadiceus*)

Lucas's Short-nosed Fruit Bat (*Penthetor lucasii*) (?)

Blanford's Fruit Bat (*Sphaerias blanfordi*)

Common Swift Fruit Bat (*Thoopterus nigrescens*)

Suhaniah's Swift Fruit Bat (*T.suhaniahae*)

Lesser Short-nosed Fruit Bat (*Cynopterus brachyotis*)

Horsfield's Short-nosed Fruit Bat (*C.horsfieldii*)

Peters's Short-nosed Fruit Bat (*C.luzoniensis*)

Minute Short-nosed Fruit Bat (*C.minutus*)

Greater Short-nosed Fruit Bat (*C.sphinx*)

White-collared Fruit Bat (*Megaerops albicollis*)

Ratanaworabhan's Tailless Fruit Bat (*M.niphanae*)

Greater Musky Fruit Bat (*Ptenochirus jagorii*)

Madagascan Straw-colored Fruit Bat (*Eidolon dupreanum*)

African Straw-colored Fruit Bat (*E.helvum*)

Greater Dawn Bat (*Eonycteris major*)

Lesser Dawn Bat (*E.spelaea*)

Peters's Epauletted Fruit Bat (*Epomophorus crypturus*) (?)

Little Epauletted Fruit Bat (*E.labiatus*)

Lesser Epauletted Fruit Bat (*E.pusillus*)

Wahlberg's Epauletted Fruit Bat (*E.wahlbergi*)

Büttikofer's Epauletted Fruit Bat (*Epomops buettikoferi*)

Franquet's Epauletted Fruit Bat (*E.franqueti*)

Hammer-headed Fruit Bat (*Hypsignathus monstrosus*)

Sulawesi Fruit Bat (*Pilonycteris celebensis*)
Angolan Soft-furred Fruit Bat (*Myonycteris angolensis*)
Egyptian Rousette (*Rousettus aegyptiacus*)
Geoffroy's Rousette (*R. amplexicaudatus*)
Leschenault's Rousette (*R. leschenaultii*)
Malagasy Rousette (*R. madagascariensis*)
Halmahera Naked-backed Fruit Bat (*Dobsonia crenulata*)
Sulawesi Naked-backed Fruit Bat (*D. exoleta*)
New Guinea Naked-backed Fruit Bat (*D. magna*)
Lesser Naked-backed Fruit Bat (*D. minor*)
Moluccan Naked-backed Fruit Bat (*D. moluccensis*)
Sulawesi Harpy Fruit Bat (*Harpyionycteris celebensis*)
Lesser Long-tongued Blossom Bat (*Macroglossus minimus*)
Greater Long-tongued Blossom Bat (*M. sobrinus*) (?)
Southern Blossom Bat (*Syconycteris australis*)
Halmaheran Blossom Bat (*S. carolinae*)
Broad-striped Tube-nosed Fruit Bat (*Nyctimene aello*)
Common Tube-nosed Fruit Bat (*N. albiventris*)
Pallas's Tube-nosed Fruit Bat (*N. cephalotes*)
Round-eared Tube-nosed Fruit Bat (*N. cyclotis*)
Queensland Tube-nosed Fruit Bat (*N. robinsoni*)
Unstriped Tube-nosed Fruit Bat (*Paranyctimene raptor*)
Sulawesi Flying Fox (*Acerodon celebensis*)
Golden-capped Flying Fox (*A. jubatus*)
Black Flying Fox (*Pteropus alecto*)
North Moluccan Flying Fox (*P. caniceps*)

Spectacled Flying Fox (*P.conspicillatus*)
Ryukyu Flying Fox (*P.dasymallus*)
Island Flying Fox (*P.hypomelanus*)
Lyle's Flying Fox (*P.lylei*)
Big-eared Flying Fox (*P.macrotis*)
Indian Flying Fox (*P.medius*)
Great Flying Fox (*P.neohibernicus*)
Ornate Flying Fox (*P.ornatus*)
Moluccan Masked Flying Fox (*P.personatus*)
Gray-headed Flying Fox (*P.poliocephalus*)
Little Red Flying Fox (*P.scapulatus*)
Large Flying Fox (*P.vampyrus*)
Wallace's Stripe-faced Fruit Bat (*Styloctenium wallacei*)
HOG-NOSED BATS (CRASEONYCTERIDAE) (1/1)
Kitti's Hog-nosed Bat (*Craseonycteris thonglongyai*)
OLD WORLD LEAF-NOSED BATS (HIPPOSIDERIDAE) (38/94)
Stoliczka's Trident Bat (*Aselliscus stoliczkanus*)
Temminck's Trident Bat (*A.tricuspidatus*)
Cyclops Roundleaf Bat (*Doryrhina cyclops*)
Philippine Dusky Roundleaf Bat (*Hipposideros antricola*)
Great Himalayan Roundleaf Bat (*H.armiger*)
Common Dusky Roundleaf Bat (*H.ater*)
Benito Roundleaf Bat (*H.beatus*)
Bicolored Roundleaf Bat (*H.bicolor*)
Boeadi's Roundleaf Bat (*H.boeadii*)
Sundevall's Roundleaf Bat (*H.caffer*)

Fawn-colored Roundleaf Bat (*H.cervinus*)
Least Roundleaf Bat (*H.cineraceus*)
Diadem Roundleaf Bat (*H.diadema*)
Dayak Roundleaf Bat (*H.dyacorum*)
Fulvus Roundleaf Bat (*H.fulvus*)
Cantor's Roundleaf Bat (*H.galeritus*)
Andersen's Roundleaf Bat (*H.gentilis*)
Crested Roundleaf Bat (*H.inexpectatus*)
Arnhem Roundleaf Bat (*H.inornatus*)
Kunz's Roundleaf Bat (*H.kunzi*)
Indian Roundleaf Bat (*H.lankadiva*)
Horsfield's Roundleaf Bat (*H.larvatus*)
Large Asian Roundleaf Bat (*H.lekaguli*)
Shield-faced Roundleaf Bat (*H.lylei*)
Maggie Taylor's Roundleaf Bat (*H.maggietaylorae*)
Orbiculus Roundleaf Bat (*H.orbiculus*)
Biak Roundleaf Bat (*H.papua*)
Peleng Roundleaf Bat (*H.pelingensis*)
Pendlebury's Roundleaf Bat (*H.pendleburyi*)
Philippine Pygmy Roundleaf Bat (*H.pygmaeus*)
Ridley's Roundleaf Bat (*H.ridleyi*)
Noack's Roundleaf Bat (*H.ruber*)
Semon's Roundleaf Bat (*H.semoni*)
Schneider's Roundleaf Bat (*H.speoris*)
Maghreb Roundleaf Bat (*H.tephrus*)
Commerson's Roundleaf Bat (*Macronycteris commersonii*)

Giant Roundleaf Bat (*M.gigas*)

Striped Roundleaf Bat (*M.vittata*)

FALSE VAMPIRE BATS (MEGADERMATIDAE) (5/7)

Heart-nosed False-vampire (*Cardioderma cor*)

Yellow-winged False-vampire (*Lavia frons*)

Indian Greater False-vampire (*Lyroderma lyra*)

Ghost False-vampire (*Macroderma gigas*)

Lesser Asian False-vampire (*Megaderma spasma*)

HORSESHOE BATS (RHINOLOPHIDAE) (45/118)

Queensland Horseshoe Bat (*Rhinolophus achilles*)

Heuglin's Horseshoe Bat (*R.acrotis*)

Acuminate Horseshoe Bat (*R.acuminatus*)

Intermediate Horseshoe Bat (*R.affinis*)

Halcyon Horseshoe Bat (*R.alcyone*)

Beddome's Woolly Horseshoe Bat (*R.beddomei*)

Poso Horseshoe Bat (*R.belligerator*)

Cape Horseshoe Bat (*R.capensis*)

Sulawesi Horseshoe Bat (*R.celebensis*)

Chutamas's Horseshoe Bat (*R.chutamasae*)

Geoffroy's Horseshoe Bat (*R.clivosus*)

Little Japanese Horseshoe Bat (*R.cornutus*)

Creagh's Horseshoe Bat (*R.creaghi*)

Damara Horseshoe Bat (*R.damarensis*)

Dent's Horseshoe Bat (*R.denti*)

Eloquent Horseshoe Bat (*R.eloquens*)

Mediterranean Horseshoe Bat (*R.euryale*)

New Guinea Broad-eared Horseshoe Bat (*R.euryotis*)

Greater Horseshoe Bat (*R.ferrumequinum*)

Andersen's Woolly Horseshoe Bat (*R.foetidus*)

Formosan Woolly Horseshoe Bat (*R.formosae*)

Lesser Horseshoe Bat (*R.hipposideros*)

Lander's Horseshoe Bat (*R.landeri*)

Big-eared Horseshoe Bat (*R.macrotis*)

Malayan Horseshoe Bat (*R.malayanus*)

Eastern Horseshoe Bat (*R.megaphyllus*)

Mehely's Horseshoe Bat (*R.mehelyi*)

Vietnamese Brown Horseshoe Bat (*R.microglobosus*)

Formosan Horseshoe Bat (*R.monoceros*)

Malaysian Woolly Horseshoe Bat (*R.morio*)

Greater Japanese Horseshoe Bat (*R.nippon*)

Pearson's Horseshoe Bat (*R.pearsonii*)

Northern Woolly Horseshoe Bat (*R.perniger*)

Large-eared Horseshoe Bat (*R.philippinensis*)

Least Horseshoe Bat (*R.pusillus*)

Glossy Horseshoe Bat (*R.refulgens*)

Robinson's Horseshoe Bat (*R.robinsoni*)

Indian Rufous Horseshoe Bat (*R.rouxii*)

Ruwenzori Horseshoe Bat (*R.ruwenzorii*)

Lesser Woolly Horseshoe Bat (*R.sedulus*)

Shamel's Horseshoe Bat (*R.shameli*)

Bushveld Horseshoe Bat (*R.simulator*)

Chinese Rufous Horseshoe Bat (*R.sinicus*)

Sulawesi Broad-eared Horseshoe Bat (*R.tatar*)

Trefoil Horseshoe Bat (*R.trifoliat*)

TRIDENT BATS (RHINONYCTERIDAE) (4/9)

Orange Diamond-faced Bat (*Rhinonict*)

African Trident Bat (*Triaenops afer*)

Rufous Trident Bat (*T.menamena*)

Persian Trident Bat (*T.persicus*)

MOUSE-TAILED BATS (RHINOPOMATIDAE) (4/5)

Arabian Mouse-tailed Bat (*Rhinopoma cystops*)

Lesser Mouse-tailed Bat (*R.hardwickii*)

Greater Mouse-tailed Bat (*R.microphyllum*)

Muscat Mouse-tailed Bat (*R.muscatellum*)

PANGOLINS (MANIDAE) (4/9)

Sunda Pangolin (*Manis javanica*)

Black-bellied Pangolin (*Phataginus tetradactylus*)

White-bellied Pangolin (*P.tricuspis*)

Giant Pangolin (*Smutsia gigantea*)

RED PANDAS (AILURIDAE) (2/2)

Western Red Panda (*Ailurus fulgens*)

Eastern Red Panda (*A.styani*)

SKUNKS AND STINK-BADGERS (MEPHITIDAE) (9/15)

Molina's Hog-nosed Skunk (*Conepatus chinga*)

American Hog-nosed Skunk (*C.leuconotus*)

Striped Hog-nosed Skunk (*C.semistriatus*)

Hooded Skunk (*Mephitis macroura*)

Striped Skunk (*M.mephitis*)

Southern Spotted Skunk (*Spilogale angustifrons*)

Western Spotted Skunk (*S.gracilis*)

Plains Spotted Skunk (*S.interrupta*)

Sunda Stink Badger (*Mydaus javanensis*)

MUSTELIDS (MUSTELIDAE) (44/69)

Tayra (*Eira barbara*)

Wolverine (*Gulo gulo*)

American Marten (*Martes americana*)

Yellow-throated Marten (*M.flavigula*)

Stone Marten (*M.foina*)

European Pine Marten (*M.martes*)

Japanese Marten (*M.melampus*)

Fisher (*Pekania pennanti*)

Small-toothed Ferret-badger (*Melogale moschata*)

Javan Ferret-badger (*M.orientalis*)

Formosan Ferret-badger (*M.subaurantiaca*)

Zorilla (*Ictonyx striatus*)

Marbled Polecat (*Vormela peregusna*)

Lesser Grison (*Galictis cuja*)

Sea Otter (*Enhydra lutris*)

Spotted-necked Otter (*Hydrictis maculicollis*)

North American River Otter (*Lontra canadensis*)

Marine Otter (*L.felina*)

Central Neotropical River Otter (*L.longicaudis*)

Southern River Otter (*L.provocax*)

African Clawless Otter (*Lutra capensis*)

Asian Small-clawed Otter (*L.cinerea*)

Congo Clawless Otter (*L.congica*)

Eurasian Otter (*L.lutra*)

Smooth-coated Otter (*L.perspicillata*)

Hairy-nosed Otter (*L.sumatrana*)

Giant Otter (*Pteronura brasiliensis*)

Northern Hog Badger (*Arctonyx albobularis*)

Japanese Badger (*Meles anakuma*)

Asian Badger (*M.leucurus*)

European Badger (*M.meles*)

Honey Badger (*Mellivora capensis*)

Altai Mountain Weasel (*Mustela altaica*)

Beringian Ermine (*M.erminea*)

Steppe Polecat (*M.eversmanii*)

European Mink (*M.lutreola*)

Black-footed Ferret (*M.nigripes*)

Least Weasel (*M.nivalis*)

Malay Weasel (*M.nudipes*)

European Polecat (*M.putorius*)

Siberian Weasel (*M.sibirica*)

Long-tailed Weasel (*Neogale frenata*)

American Mink (*N.vison*)

American Badger (*Taxidea taxus*)

RACCOONS, COATIS, AND ALLIES (PROCYONIDAE) (12/13)

Eastern Lowland Olingo (*Bassaricyon alleni*)

Northern Olingo (*B.gabbii*)

Western Lowland Olingo (*B.medius*)
Olinguito (*B.neblina*)
Ringtail (*Bassariscus astutus*)
Cacomistle (*B.sumichrasti*)
White-nosed Coati (*Nasua narica*)
South American Coati (*N.nasua*)
Kinkajou (*Potos flavus*)
Crab-eating Raccoon (*Procyon cancrivorus*)
Northern Raccoon (*P.lotor*)
Cozumel Raccoon (*P.pygmaeus*)
WALRUSES (ODOBENIDAE) (1/1)
Walrus (*Odobenus rosmarus*)
EARED SEALS (OTARIIDAE) (11/15)
South American Fur Seal (*Arctocephalus australis*)
New Zealand Fur Seal (*A.forsteri*)
Afro-Australian Fur Seal (*A.pusillus*)
Guadalupe Fur Seal (*A.townsendi*)
Northern Fur Seal (*Callorhinus ursinus*)
Steller Sea Lion (*Eumetopias jubatus*)
Australian Sea Lion (*Neophoca cinerea*)
South American Sea Lion (*Otaria flavescens*)
New Zealand Sea Lion (*Phocarctos hookeri*)
California Sea Lion (*Zalophus californianus*)
Galapagos Sea Lion (*Z.wollebaeki*)
EARLESS SEALS (PHOCIDAE) (12/19)
Leopard Seal (*Hydrurga leptonyx*)

Northern Elephant Seal (*Mirounga angustirostris*)
Southern Elephant Seal (*M.leonina*)
Mediterranean Monk Seal (*Monachus monachus*)
Hawaiian Monk Seal (*Neomonachus schauinslandi*)
Hooded Seal (*Cystophora cristata*)
Bearded Seal (*Erignathus barbatus*)
Harp Seal (*Pagophilus groenlandicus*)
Gray Seal (*Halichoerus grypus*)
Spotted Seal (*Phoca largha*)
Harbor Seal (*P.vitulina*)
Ringed Seal (*Pusa hispida*)
BEARS (URSIDAE) (8/8)
Giant Panda (*Ailuropoda melanoleuca*)
Andean Bear (*Tremarctos ornatus*)
Sun Bear (*Helarctos malayanus*)
Sloth Bear (*Melursus ursinus*)
American Black Bear (*Ursus americanus*)
Brown Bear (*U.arctos*)
Polar Bear (*U.maritimus*)
Asian Black Bear (*U.thibetanus*)
CANIDS (CANIDAE) (38/39)
Golden Jackal (*Canis aureus*)
Domestic Dog (*C.familiaris*)
Coyote (*C.latrans*)
African Golden Wolf (*C.lupaster*)
Gray Wolf (*C.lupus*)

Eastern Wolf (*C.lycaon*)
Red Wolf (*C.rufus*)
Ethiopian Wolf (*C.simensis*)
Dhole (*Cuon alpinus*)
Side-striped Jackal (*Lupulella adusta*)
Black-backed Jackal (*L.mesomelas*)
African Wild Dog (*Lycaon pictus*)
Short-eared Dog (*Atelocynus microtis*)
Crab-eating Fox (*Cerdocyon thous*)
Maned Wolf (*Chrysocyon brachyurus*)
Culpeo (*Lycalopex culpaeus*)
Darwin's Fox (*L.fulvipes*)
South American Gray Fox (*L.grisea*)
Pampas Fox (*L.gymnocerca*)
Sechuran Fox (*L.sechurae*)
Hoary Fox (*L.vetula*)
Northern Gray Fox (*Urocyon cinereoargenteus*)
Island Fox (*U.littoralis*)
Common Raccoon Dog (*Nyctereutes procyonoides*)
Japanese Raccoon Dog (*N.viverrinus*)
Bat-eared Fox (*Otocyon megalotis*)
Indian Fox (*Vulpes bengalensis*)
Blanford's Fox (*V.cana*)
Cape Fox (*V.chama*)
Corsac Fox (*V.corsac*)
Tibetan Fox (*V.ferrilata*)

Arctic Fox (*V.lagopus*)

Kit Fox (*V.macrotis*)

Pale Fox (*V.pallida*)

Rüppell's Fox (*V.rueppellii*)

Swift Fox (*V.velox*)

Red Fox (*V.vulpes*)

Fennec Fox (*V.zerda*)

FELIDS (FELIDAE) (34/46)

Cheetah (*Acinonyx jubatus*)

Caracal (*Caracal caracal*)

Bay Cat (*Catopuma badia*)

Asian Golden Cat (*C.temminckii*)

Chinese Mountain Cat (*Felis bieti*)

Domestic Cat (*F.catus*)

Jungle Cat (*F.chaus*)

African Wildcat (*F.lybica*)

Sand Cat (*F.margarita*)

Black-footed Cat (*F.nigripes*)

European Wildcat (*F.silvestris*)

Jaguarundi (*Herpailurus yagouaroundi*)

Northern Colocolo (*Leopardus garleppi*)

Geoffroy's Cat (*L.geoffroyi*)

Andean Mountain Cat (*L.jacobita*)

Ocelot (*L.pardalis*)

Clouded Oncilla (*L.pardinoides*)

Serval (*Leptailurus serval*)

Canadian Lynx (*Lynx canadensis*)
Eurasian Lynx (*L.lynx*)
Iberian Lynx (*L.pardinus*)
Bobcat (*L.rufus*)
Pallas's Cat (*Otocolobus manul*)
Mainland Leopard Cat (*Prionailurus bengalensis*)
Sunda Leopard Cat (*P.javanensis*)
Flat-headed Cat (*P.planiceps*)
Rusty-spotted Cat (*P.rubiginosus*)
Puma (*Puma concolor*)
Sunda Clouded Leopard (*Neofelis diardi*)
Lion (*Panthera leo*)
Jaguar (*P.onca*)
Leopard (*P.pardus*)
Tiger (*P.tigris*)
Snow Leopard (*P.uncia*)
LINSANGS (PRIONODONTIDAE) (1/2)
Banded Linsang (*Prionodon linsang*)
EUPLERIDS (EUPLERIDAE) (3/7)
Spotted Fanaloka (*Fossa fossana*)
Ring-tailed Vontsira (*Galidia elegans*)
Narrow-striped Boky (*Mungotictis decemlineata*)
MONGOOSES (HERPESTIDAE) (24/35)
Marsh Mongoose (*Atilax paludinosus*)
Yellow Mongoose (*Cynictis penicillata*)
Angolan Slender Mongoose (*Herpestes flavescens*)

Egyptian Mongoose (*H.ichneumon*)
Cape Gray Mongoose (*H.pulverulentus*)
Common Slender Mongoose (*H.sanguineus*)
White-tailed Mongoose (*Ichneumia albicauda*)
Selous's Mongoose (*Paracynictis selousi*)
Meller's Mongoose (*Rhynchogale melleri*)
Short-tailed Mongoose (*Urva brachyurus*)
Indian Gray Mongoose (*U.edwardsii*)
Indian Brown Mongoose (*U.fusca*)
Javan Mongoose (*U.javanica*)
Ruddy Mongoose (*U.smithii*)
Crab-eating Mongoose (*U.urva*)
Stripe-necked Mongoose (*U.vitticollis*)
Long-nosed Mongoose (*Xenogale naso*)
Common Cusimanse (*Crossarchus obscurus*)
Pousargues's Mongoose (*Dologale dybowskii*)
Ethiopian Dwarf Mongoose (*Helogale hirtula*)
Common Dwarf Mongoose (*H.parvula*)
Liberian Mongoose (*Liberiictis kuhni*)
Banded Mongoose (*Mungos mungo*)
Meerkat (*Suricata suricatta*)
HYAENAS (HYAENIDAE) (5/5)
Spotted Hyena (*Crocuta crocuta*)
Striped Hyena (*Hyaena hyaena*)
Brown Hyena (*Parahyaena brunnea*)
Southern Aardwolf (*Proteles cristatus*)

Eastern Aardwolf (*P.septentrionalis*)

CIVETS, GENETS, AND OYANS (VIVERRIDAE) (20/36)

Abyssinian Genet (*Genetta abyssinica*)

Angolan Genet (*G.angolensis*) (?)

Feline Genet (*G.felina*)

Rusty-spotted Genet (*G.fieldiana*)

Common Genet (*G.genetta*)

Johnston's Genet (*G.johnstoni*)

Servaline Genet (*G.servalina*)

Cape Genet (*G.tigrina*)

Banded Palm Civet (*Hemigalus derbyanus*)

Binturong (*Arctictis binturong*)

Small-toothed Palm Civet (*Arctogalidia trivirgata*)

Masked Palm Civet (*Paguma larvata*)

Northern Palm Civet (*Paradoxurus hermaphroditus*)

Brown Palm Civet (*P.jerdoni*)

Southern Palm Civet (*P.musanga*)

Philippine Palm Civet (*P.philippinensis*)

Golden Palm Civet (*P.zeylonensis*)

African Civet (*Civettictis civetta*)

Malay Civet (*Viverra zibetha*)

Large Indian Civet (*V.zibetha*)

Small Indian Civet (*Viverricula indica*)

AFRICAN PALM-CIVETS (NANDINIIDAE) (1/1)

African Palm Civet (*Nandinia binotata*)

RHINOCEROSES (RHINOCEROTIDAE) (3/5)

White Rhinoceros (*Ceratotherium simum*)

Black Rhinoceros (*Diceros bicornis*)

Greater One-horned Rhinoceros (*Rhinoceros unicornis*)

TAPIRS (TAPIRIDAE) (4/4)

Central American Tapir (*Tapirus bairdii*)

Malayan Tapir (*T.indicus*)

Mountain Tapir (*T.pinchaque*)

Lowland Tapir (*T.terrestris*)

EQUINES (EQUIDAE) (8/9)

Domestic Ass (*Equus asinus*)

Domestic Horse (*E.caballus*)

Wild Horse (*E.ferus*)

Grevy's Zebra (*E.grevyi*)

Onager (*E.hemionus*)

Kiang (*E.kiang*)

Plains Zebra (*E.quagga*)

Mountain Zebra (*E.zebra*)

HIPPOPOTAMUSES (HIPPOPOTAMIDAE) (2/2)

Pygmy Hippopotamus (*Choeropsis liberiensis*)

Common Hippopotamus (*Hippopotamus amphibius*)

BOWHEAD AND RIGHT WHALES (BALAENIDAE) (3/4)

Bowhead Whale (*Balaena mysticetus*)

Southern Right Whale (*Eubalaena australis*)

North Atlantic Right Whale (*E.glacialis*)

RORQUALS (BALAENOPTERIDAE) (9/11)

Common Minke Whale (*Balaenoptera acutorostrata*)

Sei Whale (*B.borealis*)

Bryde's Whale (*B.brydei*)

Eden's Whale (*B.edeni*)

Blue Whale (*B.musculus*)

Omura's Whale (*B.omurai*)

Fin Whale (*B.physalus*)

Gray Whale (*Eschrichtius robustus*)

Humpback Whale (*Megaptera novaeangliae*)

OCEANIC DOLPHINS (DELPHINIDAE) (37/41)

Eastern Pacific Long-beaked Common Dolphin (*Delphinus bairdii*)

Panglobal Common Dolphin (*D.delphis*)

Fraser's Dolphin (*Lagenodelphis hosei*)

Tucuxi (*Sotalia fluviatilis*)

Guiana Dolphin (*S.guianensis*)

Indo-Pacific Humpback Dolphin (*Sousa chinensis*)

Indian Humpback Dolphin (*S.plumbea*)

Australian Humpback Dolphin (*S.sahulensis*)

Pantropical Spotted Dolphin (*Stenella attenuata*)

Striped Dolphin (*S.coeruleoalba*)

Atlantic Spotted Dolphin (*S.frontalis*)

Spinner Dolphin (*S.longirostris*)

Indo-Pacific Bottlenose Dolphin (*Tursiops aduncus*)

Tamanend's Bottlenose Dolphin (*T.erebennus*)

Common Bottlenose Dolphin (*T.truncatus*)

Pygmy Killer Whale (*Feresa attenuata*)

Short-finned Pilot Whale (*Globicephala macrorhynchus*)

Long-finned Pilot Whale (*G.melas*)
Risso's Dolphin (*Grampus griseus*)
Irrawaddy Dolphin (*Orcaella brevirostris*)
Australian Snubfin Dolphin (*O.heinsohni*)
Melon-headed Whale (*Peponocephala electra*)
False Killer Whale (*Pseudorca crassidens*)
Rough-toothed Dolphin (*Steno bredanensis*)
White-beaked Dolphin (*Lagenorhynchus albirostris*)
Atlantic White-sided Dolphin (*Leucopleurus acutus*)
Resident Killer Whale (*Orcinus ater*)
Common Killer Whale (*O.orca*)
Bigg's Killer Whale (*O.rectipinnus*)
Pacific White-sided Dolphin (*Aethalodelphis obliquidens*)
Dusky Dolphin (*A.obscurus*)
Peale's Dolphin (*Cephalorhynchus australis*)
Commerson's Dolphin (*C.commersonii*)
Chilean Dolphin (*C.eutropia*)
Heaviside's Dolphin (*C.heavisidii*)
Hector's Dolphin (*C.hectori*)
Northern Right-whale Dolphin (*Lissodelphis borealis*)
NARWHALS AND BELUGAS (MONODONTIDAE) (2/2)
Beluga (*Delphinapterus leucas*)
Narwhal (*Monodon monoceros*)
PORPOISES (PHOCOENIDAE) (6/8)
Yangtze Finless Porpoise (*Neophocaena asiaeorientalis*)
East Asian Finless Porpoise (*N.sunameri*)

Harbor Porpoise (*Phocoena phocoena*)

Vaquita (*P.sinus*)

Burmeister's Porpoise (*P.spinipinnis*)

Dall's Porpoise (*Phocoenoides dalli*)

SOUTH AMERICAN RIVER DOLPHINS (INIIDAE) (3/4)

Bolivian River Dolphin (*Inia boliviensis*)

Amazon River Dolphin (*I.geoffrensis*)

Orinoco River Dolphin (*I.humboldtiana*)

ESTUARINE RIVER DOLPHINS (PONTOPORIIDAE) (1/1)

Franciscana (*Pontoporia blainvillei*)

DWARF SPERM WHALES (KOGIIDAE) (2/2)

Pygmy Sperm Whale (*Kogia breviceps*)

Dwarf Sperm Whale (*K.sima*)

SPERM WHALES (PHYSETERIDAE) (1/1)

Sperm Whale (*Physeter macrocephalus*)

SOUTH ASIAN RIVER DOLPHINS (PLATANISTIDAE) (1/2)

Ganges River Dolphin (*Platanista gangetica*)

BEAKED WHALES (ZIPHIIDAE) (5/24)

Least Beaked Whale (*Berardius minimus*)

Northern Bottlenose Whale (*Hyperoodon ampullatus*)

Sowerby's Beaked Whale (*Mesoplodon bidens*)

Gervais's Beaked Whale (*M.europaeus*)

Cuvier's Beaked Whale (*Ziphius cavirostris*)

BOVIDS (BOVIDAE) (122/153)

Impala (*Aepyceros melampus*)

Hartebeest (*Alcelaphus buselaphus*)

Hirola (*Beatragus hunteri*)
Black Wildebeest (*Connochaetes gnou*)
Blue Wildebeest (*C.taurinus*)
Tsessebe (*Damaliscus lunatus*)
Bontebok (*D.pygargus*)
Dibatag (*Ammodorcas clarkei*)
Springbok (*Antidorcas marsupialis*)
Blackbuck (*Antilope cervicapra*)
Red-fronted Gazelle (*Eudorcas rufifrons*)
Thomson's Gazelle (*E.thomsonii*)
Arabian Gazelle (*Gazella arabica*)
Chinkara (*G.bennettii*)
Cuvier's Gazelle (*G.cuvieri*)
Dorcas Gazelle (*G.dorcas*)
Mountain Gazelle (*G.gazella*)
Slender-horned Gazelle (*G.leptoceros*)
Sand Gazelle (*G.marica*)
Goitered Gazelle (*G.subgutturosa*)
Gerenuk (*Litocranius walleri*)
Dama Gazelle (*Nanger dama*)
Grant's Gazelle (*N.granti*)
Bright's Gazelle (*N.notatus*)
Peters's Gazelle (*N.petersii*)
Soemmerring's Gazelle (*N.soemmerringii*)
Saiga (*Saiga tatarica*)
Oribi (*Ourebia ourebi*)

Mongolian Gazelle (*Procapra gutturosa*)
Tibetan Gazelle (*P.picticaudata*)
Przewalski's Gazelle (*P.przewalskii*)
Beira (*Dorcatragus megalotis*)
Naivasha Dik-dik (*Madoqua cavendishi*)
Damara Dik-dik (*M.damarensis*)
Guenther's Dik-dik (*M.guentheri*)
Kirk's Dik-dik (*M.kirkii*)
Silver Dik-dik (*M.piacentinii*)
Salt's Dik-dik (*M.saltiana*)
Ugogo Dik-dik (*M.thomasi*)
Steenbok (*Raphicerus campestris*)
Cape Grysbok (*R.melanotis*)
Sharpe's Grysbok (*R.sharpei*)
Aoudad (*Ammotragus lervia*)
Arabian Tahr (*Arabitragus jayakari*)
Himalayan Takin (*Budorcas taxicolor*)
Chinese Takin (*B.tibetana*)
Wild Goat (*Capra aegagrus*)
Kuban Tur (*C.caucasica*)
Daghestan Tur (*C.cylindricornis*)
Markhor (*C.falconeri*)
Domestic Goat (*C.hircus*)
Alpine Ibex (*C.ibex*)
Nubian Ibex (*C.nubiana*)
Iberian Ibex (*C.pyrenaica*)

Siberian Ibex (*C.sibirica*)
Walia Ibex (*C.walie*)
Nilgiri Tahr (*Nilgiritragus hylocrius*)
Rocky Mountain Goat (*Oreamnos americanus*)
Argali (*Ovis ammon*)
Domestic Sheep (*O.aries*)
Bighorn Sheep (*O.canadensis*)
Thinhorn Sheep (*O.dalli*)
Urial (*O.vignei*)
Blue Sheep (*Pseudois nayaur*)
Southern Chamois (*Rupicapra pyrenaica*)
Northern Chamois (*R.rupicapra*)
Japanese Serow (*Capricornis crispus*)
Maned Serow (*C.sumatraensis*)
Formosan Serow (*C.swinhoei*)
Himalayan Goral (*Naemorhedus goral*)
Chinese Goral (*N.griseus*)
Muskox (*Ovibos moschatus*)
Chiru (*Pantholops hodgsonii*)
Brooke's Duiker (*Cephalophorus brookei*)
Peters's Duiker (*C.callipygus*)
Kivu Duiker (*C.kivuensis*)
Natal Red Duiker (*C.natalensis*)
Ogilby's Duiker (*C.ogilbyi*)
Weyns's Duiker (*C.weynsi*)
Bay Duiker (*Cephalophus dorsalis*)

Yellow-backed Duiker (*C.silvicultor*)
Aders's Duiker (*Leucocephalophus adersi*)
Maxwell's Duiker (*Philantomba maxwellii*)
Blue Duiker (*P.monticola*)
Bush Duiker (*Sylvicapra grimmia*)
Addax (*Addax nasomaculatus*)
Roan Antelope (*Hippotragus equinus*)
Sable Antelope (*H.niger*)
Beisa Oryx (*Oryx beisa*)
Scimitar-horned Oryx (*O.dammah*)
Gemsbok (*O.gazella*)
Royal Antelope (*Neotragus pygmaeus*)
Suni (*Nesotragus moschatus*)
Klipspringer (*Oreotragus oreotragus*)
Waterbuck (*Kobus ellipsiprymnus*)
Kob (*K.kob*)
Southern Lechwe (*K.leche*)
Puku (*K.vardonii*)
Rhebok (*Pelea capreolus*)
Southern Reedbuck (*Redunca arundinum*)
Mountain Reedbuck (*R.fulvorufula*)
Bohor Reedbuck (*R.redunca*)
Nilgai (*Boselaphus tragocamelus*)
Chowsingha (*Tetracerus quadricornis*)
American Bison (*Bos bison*)
Wisent (*B.bonassus*)

Gaur (*B.gaurus*)

Banteng (*B.javanicus*)

Wild Yak (*B.mutus*)

Domestic Cattle (*B.taurus*)

Asian Wild Buffalo (*Bubalus arnee*)

Water Buffalo (*B.bubalis*)

Tamaraw (*B.mindorensis*)

Cape Buffalo (*Syncerus caffer*)

Nyala (*Tragelaphus angasii*)

Gedemsa (*T.buxtoni*)

Lesser Kudu (*T.imberbis*)

Common Eland (*T.oryx*)

Northern Bushbuck (*T.scriptus*)

Sitatunga (*T.spekii*)

Greater Kudu (*T.strepsiceros*)

Southern Bushbuck (*T.sylvaticus*)

MUSK DEER (MOSCHIDAE) (2/7)

Forest Musk-deer (*Moschus berezovskii*)

Alpine Musk-deer (*M.chrysogaster*)

DEER (CERVIDAE) (32/59)

Moose (*Alces alces*)

Western Roe Deer (*Capreolus capreolus*)

Eastern Roe Deer (*C.pygargus*)

Water Deer (*Hydropotes inermis*)

Marsh Deer (*Blastocerus dichotomus*)

Northern Huemul (*Hippocamelus antisensis*)

Southern Huemul (*H.bisulcus*)
Northwestern Red Brocket (*Mazama americana*)
Central American Red Brocket (*M.reperticia*)
Mule Deer (*Odocoileus hemionus*)
White-tailed Deer (*O.virginianus*)
Pampas Deer (*Ozotoceros bezoarticus*)
Northern Brown Brocket (*Passalites nemorivagus*)
Southern Pudu (*Pudu puda*)
Caribou (*Rangifer tarandus*)
Southern Brown Brocket (*Subulo gouazoubira*)
Chital (*Axis axis*)
Hog Deer (*A.porcinus*)
White-lipped Deer (*Cervus albirostris*)
Wapiti (*C.canadensis*)
Western Red Deer (*C.elaphus*)
Sika Deer (*C.nippon*)
Common Fallow Deer (*Dama dama*)
Pere David's Deer (*Elaphurus davidianus*)
Barasingha (*Rucervus duvaucelii*)
Javan Deer (*Rusa timorensis*)
Sambar (*R.unicolor*)
Tufted Deer (*Elaphodus cephalophus*)
Bornean Yellow Muntjac (*Muntiacus atherodes*)
Southern Red Muntjac (*M.muntjak*)
Reeves's Muntjac (*M.reevesi*)
Northern Red Muntjac (*M.vaginalis*)

GIRAFFES AND OKAPI (GIRAFFIDAE) (4/5)

Northern Giraffe (*Giraffa camelopardalis*)

Southern Giraffe (*G.giraffa*)

Reticulated Giraffe (*G.reticulata*)

Maasai Giraffe (*G.tippelskirchi*)

PRONGHORNS (ANTILOCAPRIDAE) (1/1)

Pronghorn (*Antilocapra americana*)

CHEVROTAINS (TRAGULIDAE) (6/10)

Water Chevrotain (*Hyemoschus aquaticus*)

Indian Chevrotain (*Moschiola indica*)

White-spotted Chevrotain (*M.meminna*)

Javan Chevrotain (*Tragulus javanicus*)

Lesser Indo-Malayan Chevrotain (*T.kanchil*)

Greater Indo-Malayan Chevrotain (*T.napu*)

SUIDS (SUIDAE) (12/18)

Sulawesi Babirusa (*Babyrousa celebensis*)

Togian Babirusa (*B.togeanensis*)

Desert Warthog (*Phacochoerus aethiopicus*)

Common Warthog (*P.africanus*)

Giant Forest Hog (*Hylochoerus meinertzhageni*)

Bushpig (*Potamochoerus larvatus*)

Red River Hog (*P.porcus*)

Bearded Pig (*Sus barbatus*)

Sulawesi Warty Pig (*S.celebensis*)

Domestic Pig (*S.domesticus*)

Eurasian Wild Pig (*S.scrofa*)

Javan Warty Pig (*S. verrucosus*)

PECCARIES (TAYASSUIDAE) (3/3)

Collared Peccary (*Dicotyles tajacu*)

Chacoan Peccary (*Parachoerus wagneri*)

White-lipped Peccary (*Tayassu pecari*)

CAMELIDS (CAMELIDAE) (5/7)

Domestic Bactrian Camel (*Camelus bactrianus*)

Dromedary Camel (*C. dromedarius*)

Wild Bactrian Camel (*C. ferus*)

Guanaco (*Lama guanicoe*)

Vicuña (*L. vicugna*)

2449 Species