

PLATYPUSES (ORNITHORHYNCHIDAE) (1/1)

Platypus (*Ornithorhynchus anatinus*)

ECHIDNAS (TACHYGLOSSIDAE) (2/4)

Short-beaked Echidna (*Tachyglossus aculeatus*)

Western Long-beaked Echidna (*Zaglossus bruijnii*)

OPOSSUMS (DIDELPHIDAE) (25/128)

Derby's Woolly Opossum (*Caluromys derbianus*)

Brown-eared Woolly Opossum (*C.lanatus*)

Bare-tailed Woolly Opossum (*C.philander*)

Water Opossum (*Chironectes minimus*)

Brazilian White-eared Opossum (*Didelphis albiventris*)

Southern Black-eared Opossum (*D.aurita*)

Northern Black-eared Opossum (*D.marsupialis*)

Andean White-eared Opossum (*D.pernigra*)

Southern White-eared Opossum (*D.poecilotus*)

Virginia Opossum (*D.virginiana*)

Common Four-eyed Opossum (*Philander canus*)

Dark Four-eyed Opossum (*P.melanurus*)

Pebas Four-eyed Opossum (*P.pebas*)

Northern Four-eyed Opossum (*P.vossi*)

Northeastern Woolly Mouse Opossum (*Marmosa demerarae*)

Panama Mouse Opossum (*M.isthmica*)

Rufous Mouse Opossum (*M.lepida*)

Linnaeus's Mouse Opossum (*M.murina*)

Robinson's Mouse Opossum (*M.robinsoni*)

Amazonian Red-sided Opossum (*Monodelphis glirina*)

Tehuantepec Gray Mouse Opossum (*Tlacuatzin canescens*)

Common Brown Four-eyed Opossum (*Metachirus myosuroides*)

Agricola's Opossum (*Cryptomys agricolai*)

Agile Opossum (*Gracilinanus agilis*)

Chacoan Fat-tailed Opossum (*Thylamys pusillus*)

MONITOS DEL MONTE (MICROBIOTHERIIDAE) (1/2)

Southern Monito del Monte (*Dromiciops gliroides*)

DASYURES (DASYURIDAE) (36/86)

Kaluta (*Dasykaluta rosamondae*)

Western Quoll (*Dasyurus geoffroyi*)

Northern Quoll (*D. hallucatus*)

Spotted-tailed Quoll (*D. maculatus*)

Eastern Quoll (*D. viverrinus*)

Müller's Three-striped Dasyure (*Myoictis melas*)

Dibbler (*Parantechinus apicalis*)

Sandstone Pseudantechinus (*Pseudantechinus bilarni*)

Fat-tailed Pseudantechinus (*P. macdonnellensis*)

Ningbing Pseudantechinus (*P. ningbing*) (?)

Woolley's Pseudantechinus (*P. woolleyae*)

Tasmanian Devil (*Sarcophilus harrisii*)

Rusty Antechinus (*Antechinus adustus*)

Agile Antechinus (*A. agilis*)

Fawn Antechinus (*A. bellus*)

Yellow-footed Antechinus (*A. flavipes*)

Atherton Antechinus (*A. godmani*)

Mainland Dusky Antechinus (*A. mimetes*)

Swamp Antechinus (*A.minimus*)

Brown Antechinus (*A.stuartii*)

Subtropical Antechinus (*A.subtropicus*)

Black-tailed Dasyure (*Murexia melanura*)

Red-tailed Phascogale (*Phascogale calurus*)

Northern Brush-tailed Phascogale (*P.pirata*)

Common Brush-tailed Phascogale (*P.tapoatafa*)

Long-tailed Planigale (*Planigale ingrami*)

Orange-headed Pilbara Planigale (*P.kendricki*)

Common Planigale (*P.maculata*)

Eastern Kultarr (*Antechinomys laniger*)

Pilbara Ningau (*Ningau timealeyi*)

Southern Ningau (*N.yvonneae*)

Fat-tailed Dunnart (*Sminthopsis crassicaudata*)

Gray-bellied Dunnart (*S.fuliginosa*)

Gilbert's Dunnart (*S.gilberti*)

White-footed Dunnart (*S.leucopus*)

Stripe-faced Dunnart (*S.macroura*)

Common Dunnart (*S.murina*)

Eastern Red-cheeked Dunnart (*S.virginiae*) (?)

Lesser Hairy-footed Dunnart (*S.youngsoni*) (?)

NUMBATS (MYRMECOBIIIDAE) (1/1)

Numbat (*Myrmecobius fasciatus*)

BANDICOOTS (PERAMELIDAE) (10/22)

Common Spiny Bandicoot (*Echymipera kalubu*)

Long-nosed Spiny Bandicoot (*E.rufescens*)

Golden Bandicoot (*Isoodon auratus*)

Western Brown Bandicoot (*I.fusciventer*)

Northern Brown Bandicoot (*I.macrourus*)

Southern Brown Bandicoot (*I.obesulus*)

Eastern Barred Bandicoot (*Perameles gunnii*)

Long-nosed Bandicoot (*P.nasuta*)

Queensland Barred Bandicoot (*P.pallescens*)

Raffray's Bandicoot (*Peroryctes raffrayanus*)

BILBIES (THYLACOMYIDAE) (1/1)

Greater Bilby (*Macrotis lagotis*)

PYGMY POSSUMS (BURRAMYIDAE) (5/5)

Mountain Pygmy Possum (*Burramys parvus*)

Long-tailed Pygmy Possum (*Cercartetus caudatus*)

Western Pygmy Possum (*C.concinnus*)

Little Pygmy Possum (*C.lepidus*)

Eastern Pygmy Possum (*C.nana*)

MUSKY RAT-KANGAROOS (HYPsiprymnodontidae) (1/1)

Musky Rat Kangaroo (*Hypsiprymnodon moschatus*)

KANGAROOS, WALLABIES AND ALLIES (MACROPODIDAE) (42/63)

Bennett's Tree Kangaroo (*Dendrolagus bennettianus*)

Grizzled Tree Kangaroo (*D.inustus*)

Lumholtz's Tree Kangaroo (*D.lumholtzi*)

Vogelkop Tree Kangaroo (*D.ursinus*)

Allied Rock Wallaby (*Petrogale assimilis*)

Short-eared Rock Wallaby (*P.brachyotis*)

Monjon (*P.burbidgei*)

Cape York Rock Wallaby (*P.coenensis*)
Godman's Rock Wallaby (*P.godmani*)
Herbert's Rock Wallaby (*P.herberti*)
Unadorned Rock Wallaby (*P.inornata*)
Black-footed Rock Wallaby (*P.lateralis*)
Mareeba Rock Wallaby (*P.mareeba*)
Brush-tailed Rock Wallaby (*P.penicillata*)
Proserpine Rock Wallaby (*P.persephone*)
Purple-necked Rock Wallaby (*P.purpureicollis*)
Rothschild's Rock Wallaby (*P.rothschildi*)
Sharman's Rock Wallaby (*P.sharmani*)
Wilkins's Rock Wallaby (*P.wilkinsi*)
Yellow-footed Rock Wallaby (*P.xanthopus*)
Rufous-bellied Pademelon (*Thylogale billardieri*)
Red-legged Pademelon (*T.stigmatica*)
Red-necked Pademelon (*T.thetis*)
Brown Forest Wallaby (*Dorcopsis muelleri*)
Spectacled Hare Wallaby (*Lagorchestes conspicillatus*)
Western Gray Kangaroo (*Macropus fuliginosus*)
Eastern Gray Kangaroo (*M.giganteus*)
Agile Wallaby (*Notamacropus agilis*)
Black-striped Wallaby (*N.dorsalis*)
Tammar Wallaby (*N.eugenii*)
Western Brush Wallaby (*N.irma*)
Parma Wallaby (*N.parma*)
Whip-tailed Wallaby (*N.parryi*)

Red-necked Wallaby (*N.rufogriseus*)

Bridled Nail-tailed Wallaby (*Onychogalea frenata*)

Northern Nail-tailed Wallaby (*O.unguifera*)

Antilopine Wallaroo (*Osphranter antilopinus*)

Black Wallaroo (*O.bernardus*)

Common Wallaroo (*O.robustus*)

Red Kangaroo (*O.rufus*)

Quokka (*Setonix brachyurus*)

Swamp Wallaby (*Wallabia bicolor*)

POTOROOS AND BETTONGS (POTOROIDAE) (8/8)

Rufous Bettong (*Aepyprymnus rufescens*)

Eastern Bettong (*Bettongia gaimardi*)

Burrowing Bettong (*B.lesueur*)

Brush-tailed Bettong (*B.penicillata*)

Northern Bettong (*B.tropica*)

Gilbert's Potoroo (*Potorous gilbertii*)

Long-footed Potoroo (*P.longipes*)

Long-nosed Potoroo (*P.tridactylus*)

FEATHERTAILS (ACROBATIDAE) (3/3)

Broad-toed Feather-tailed Glider (*Acrobates frontalis*)

Narrow-toed Feather-tailed Glider (*A.pygmaeus*)

Feather-tailed Possum (*Distoechurus pennatus*)

GLIDERS, TRIKES, AND ALLIES (PETAURIDAE) (10/15)

Arfak Striped Possum (*Dactylopsila kambuayai*)

Torresian Striped Possum (*D.trivirgata*)

Leadbeater's Possum (*Gymnobelideus leadbeateri*)

Savanna Glider (*Petaurus ariel*)

Yellow-bellied Glider (*P.australis*)

Sugar Glider (*P.breviceps*)

Mahogany Glider (*P.gracilis*)

Squirrel Glider (*P.norfolcensis*)

Krefft's Glider (*P.notatus*)

New Guinea Glider (*P.papuanus*)

RINGTAIL POSSUMS (*PSEUDOCHEIRIDAE*) (14/20)

Lemuroid Ring-tailed Possum (*Hemibelideus lemuroides*)

Central Greater Glider (*Petauroides armillatus*)

Northern Greater Glider (*P.minor*)

Southern Greater Glider (*P.volans*)

Western Ring-tailed Possum (*Pseudocheirus occidentalis*)

Eastern Ring-tailed Possum (*P.peregrinus*)

Lowland Ring-tailed Possum (*Pseudochirulus canescens*)

Daintree River Ring-tailed Possum (*P.cinereus*)

Herbert River Ring-tailed Possum (*P.herbertensis*)

Arfak Ring-tailed Possum (*P.schlegelii*)

D'Alberty's Ring-tailed Possum (*Pseudochirops albertisii*)

Green Ring-tailed Possum (*P.archeri*)

Reclusive Ring-tailed Possum (*P.coronatus*)

Rock Ring-tailed Possum (*P.dahlia*)

HONEY POSSUMS (*TARSIPEDIDAE*) (1/1)

Honey Possum (*Tarsipes rostratus*)

CUSCUSES AND BRUSHTAIL POSSUMS (*PHALANGERIDAE*) (14/31)

Common Bear Cuscus (*Ailurops ursinus*)

Small Sulawesi Cuscus (*Strigocuscus celebensis*)

Ground Cuscus (*Phalanger gymnotis*)

Blue-eyed Cuscus (*P.matabiru*)

Northern Common Cuscus (*P.orientalis*)

Moluccan Cuscus (*P.ornatus*)

Peleng Cuscus (*P.pelengensis*)

Australian Spotted Cuscus (*Spilocuscus nudicaudatus*)

Waigeo Spotted Cuscus (*S.papuensis*)

Short-eared Brush-tailed Possum (*Trichosurus caninus*)

Mountain Brush-tailed Possum (*T.cunninghami*)

Coppery Brush-tailed Possum (*T.johnstonii*)

Common Brush-tailed Possum (*T.vulpecula*)

Scaly-tailed Possum (*Wyulda squamicaudata*)

KOALAS (PHASCOLARCTIDAE) (1/1)

Koala (*Phascolarctos cinereus*)

WOMBATS (VOMBATIDAE) (3/3)

Northern Hairy-nosed Wombat (*Lasiorhinus krefftii*)

Southern Hairy-nosed Wombat (*L.latifrons*)

Common Wombat (*Vombatus ursinus*)

SHORT-NOSED ARMADILLOS (CHLAMYPHORIDAE) (8/14)

Screaming Hairy Armadillo (*Chaetophractus vellerosus*)

Large Hairy Armadillo (*C.villosus*)

Six-banded Armadillo (*Euphractus sexcinctus*)

Pichi (*Zaedyus pichiy*)

Amazon Naked-tailed Armadillo (*Cabassous unicinctus*)

Giant Armadillo (*Priodontes maximus*)

Southern Three-banded Armadillo (*Tolypeutes matacus*)

Brazilian Three-banded Armadillo (*T.tricinctus*)

LONG-NOSED ARMADILLOS (DASYPODIDAE) (5/11)

Western Andean Long-nosed Armadillo (*Dasypus fenestratus*)

Guianan Greater Long-nosed Armadillo (*D.kappleri*)

Mexican Long-nosed Armadillo (*D.mexicanus*)

Southern Long-nosed Armadillo (*D.novemcinctus*)

Seven-banded Long-nosed Armadillo (*D.septemcinctus*)

THREE-TOED SLOTHS (BRADYPODIDAE) (5/5)

Southern Maned Three-toed Sloth (*Bradypus crinitus*)

Pygmy Three-toed Sloth (*B.pygmaeus*)

Northern Maned Three-toed Sloth (*B.torquatus*)

Pale-throated Three-toed Sloth (*B.tridactylus*)

Brown-throated Three-toed Sloth (*B.variegatus*)

TWO-TOED SLOTHS (CHOLOEPODIDAE) (2/2)

Linnaeus's Two-toed Sloth (*Choloepus didactylus*)

Hoffmann's Two-toed Sloth (*C.hoffmanni*)

SILKY ANTEATERS (CYCLOPEDIDAE) (1/7)

Central American Silky Anteater (*Cyclopes dorsalis*)

ANTEATERS (MYRMECOPHAGIDAE) (3/3)

Giant Anteater (*Myrmecophaga tridactyla*)

Northern Tamandua (*Tamandua mexicana*)

Southern Tamandua (*T.tetradactyla*)

SENGIS (MACROSCOLIDIDAE) (9/20)

Eastern Rock Sengi (*Elephantulus myurus*)

Karoo Rock Sengi (*E.pilicaudus*)

Western Rock Sengi (*E. rupestris*)

Somali Sengi (*Galegeeska revoilii*)

Rufous Sengi (*G. rufescens*)

Four-toed Sengi (*Petrodromus tetradactylus*)

North African Sengi (*Petrosaltator rozeti*)

Golden-rumped Sengi (*Rhynchocyon chrysopygus*)

Black-and-rufous Sengi (*R. petersi*)

GOLDEN MOLES (*CHRYSOCHLORIDAE*) (1/21)

Congo Golden Mole (*Huetia leucorhina*)

TENRECS (*TENRECIDAE*) (3/31)

Lowland Streaked Tenrec (*Hemicentetes semispinosus*)

Greater Hedgehog Tenrec (*Setifer setosus*)

Tailless Tenrec (*Tenrec ecaudatus*)

AARDVARKS (*ORYCTEROPODIDAE*) (1/1)

Aardvark (*Orycteropus afer*)

ELEPHANTS (*ELEPHANTIDAE*) (3/3)

Asian Elephant (*Elephas maximus*)

African Savanna Elephant (*Loxodonta africana*)

African Forest Elephant (*L. cyclotis*)

HYRAXES (*PROCAVIIDAE*) (5/6)

Southern Tree Hyrax (*Dendrohyrax arboreus*)

Western Tree Hyrax (*D. dorsalis*)

Eastern Tree Hyrax (*D. validus*)

Bush Hyrax (*Heterohyrax brucei*)

Rock Hyrax (*Procavia capensis*)

DUGONGS (*DUGONGIDAE*) (1/1)

Dugong (*Dugong dugon*)

MANATEES (TRICHECHIDAE) (2/3)

Amazonian Manatee (*Trichechus inunguis*)

West Indian Manatee (*T.manatus*)

COLUGOS (CYNOCEPHALIDAE) (2/2)

Philippine Colugo (*Cynocephalus volans*)

Sunda Colugo (*Galeopterus variegatus*)

PEN-TAILED TREESHREWS (PTILOLOCERCIDAE) (1/1)

Pen-tailed Treeshrew (*Ptilocercus lowii*)

TREESHREWS (TUPAIIDAE) (10/22)

Northern Smooth-tailed Treeshrew (*Dendrogale murina*)

Northern Treeshrew (*Tupaia belangeri*)

Sumatran Treeshrew (*T.ferruginea*)

Common Treeshrew (*T.glis*)

Slender Treeshrew (*T.gracilis*)

Horsfield's Treeshrew (*T.javanica*)

Long-footed Treeshrew (*T.longipes*)

Lesser Treeshrew (*T.minor*)

Mountain Treeshrew (*T.montana*)

Large Treeshrew (*T.tana*)

OLD WORLD MONKEYS (CERCOPITHECIDAE) (106/165)

L'Hoest's Monkey (*Allochrocebus lhoesti*)

Preuss's Monkey (*A.preussi*)

Sun-tailed Monkey (*A.solatus*)

Red-tailed Monkey (*Cercopithecus ascanius*)

Campbell's Monkey (*C.campbelli*)

Mustached Monkey (*C.cephus*)
Dent's Monkey (*C.denti*)
Diana Monkey (*C.diana*)
Red-eared Monkey (*C.erythrotis*)
Lowe's Monkey (*C.loweii*)
Blue Monkey (*C.mitis*)
Mona Monkey (*C.mona*)
De Brazza's Monkey (*C.neglectus*)
Putty-nosed Monkey (*C.nictitans*)
Spot-nosed Monkey (*C.petaurista*)
Crowned Monkey (*C.pogonias*)
Grivet Monkey (*Chlorocebus aethiops*)
Malbrouck Monkey (*C.cynosuros*)
Bale Mountains Monkey (*C.djamdjamensis*)
Vervet Monkey (*C.pygerythrus*)
Green Monkey (*C.sabaeus*)
Tantalus Monkey (*C.tantalus*)
Common Patas Monkey (*Erythrocebus patas*)
Northern Talapoin Monkey (*Miopithecus ogouensis*)
Agile Mangabey (*Cercocebus agilis*)
Sooty Mangabey (*C.atys*)
Tana River Mangabey (*C.galeritus*)
Sanje River Mangabey (*C.sanjei*)
Red-capped Mangabey (*C.torquatus*)
Gray-cheeked Mangabey (*Lophocebus albigena*)
Johnston's Mangabey (*L.johnstoni*)

Ugandan Crested Mangabey (*L.ugandae*)
Stump-tailed Macaque (*Macaca arctoides*)
Assamese Macaque (*M.assamensis*)
Taiwanese Macaque (*M.cyclopis*)
Long-tailed Macaque (*M.fascicularis*)
Japanese Macaque (*M.fuscata*)
Heck's Macaque (*M.hecki*)
Northern Pig-tailed Macaque (*M.leonina*)
Moor Macaque (*M.maura*)
Rhesus Macaque (*M.mulatta*)
Southern Pig-tailed Macaque (*M.nemestrina*)
Crested Macaque (*M.nigra*)
Booted Macaque (*M.ochreata*)
Bonnet Macaque (*M.radiata*)
Lion-tailed Macaque (*M.silenus*)
Toque Macaque (*M.sinica*)
Barbary Macaque (*M.sylvanus*)
Tibetan Macaque (*M.thibetana*)
Tonkean Macaque (*M.tonkeana*)
Drill (*Mandrillus leucophaeus*)
Mandrill (*M.sphinx*)
Olive Baboon (*Papio anubis*)
Yellow Baboon (*P.cynocephalus*)
Hamadryas Baboon (*P.hamadryas*)
Kinda Baboon (*P.kindae*)
Chacma Baboon (*P.ursinus*)

Gelada (*Theropithecus gelada*)
Angolan Colobus (*Colobus angolensis*)
Guereza (*C.guereza*)
King Colobus (*C.polykomos*)
Black Colobus (*C.satanas*)
Upper Guinea Red Colobus (*Piliocolobus badius*)
Udzungwa Red Colobus (*P.gordonorum*)
Zanzibar Red Colobus (*P.kirkii*)
Pennant's Red Colobus (*P.pennantii*)
Tana River Red Colobus (*P.rufomitratus*)
Semliki Red Colobus (*P.semlikiensis*)
Ashy Red Colobus (*P.tephrosceles*)
Olive Colobus (*Procolobus verus*)
Proboscis Monkey (*Nasalis larvatus*)
Javan Grizzled Langur (*Presbytis comata*)
Raffles's Banded Langur (*P.femoralis*)
Mitered Langur (*P.mitrata*)
Robinson's Banded Langur (*P.robinsoni*)
Maroon Langur (*P.rubicunda*)
Sabah Grizzled Langur (*P.sabana*)
Pale-thighed Langur (*P.siamensis*)
Thomas's Langur (*P.thomasi*)
Gray-shanked Douc (*Pygathrix cinerea*)
Red-shanked Douc (*P.nemaeus*)
Black-shanked Douc (*P.nigripes*)
Yunnan Snub-nosed Monkey (*Rhinopithecus bieti*)

Golden Snub-nosed Monkey (*R. roxellana*)
Bengal Sacred Langur (*Semnopithecus entellus*)
Terai Sacred Langur (*S. hector*)
Malabar Sacred Langur (*S. hypoleucos*)
Nilgiri Langur (*S. johnii*)
Tufted Gray Langur (*S. priam*)
Nepal Sacred Langur (*S. schistaceus*)
Purple-faced Langur (*S. vetulus*)
East Javan Langur (*Trachypithecus auratus*)
Indochinese Gray Langur (*T. crepusculus*)
Sunda Silvery Langur (*T. cristatus*)
Delacour's Langur (*T. delacouri*)
Golden Langur (*T. geei*)
Germain's Langur (*T. germaini*)
Hatinh Langur (*T. hatinhensis*)
White-headed Langur (*T. leucocephalus*)
Annamese Langur (*T. margarita*)
West Javan Langur (*T. mauritius*)
Shan Langur (*T. melamera*)
Dusky Langur (*T. obscurus*)
Capped Langur (*T. pileatus*)
Selangor Silvery Langur (*T. selangorensis*)
Shortridge's Langur (*T. shortridgei*)
GREAT APES (HOMINIDAE) (6/8)
Eastern Gorilla (*Gorilla beringei*)
Western Gorilla (*G. gorilla*)

Human (*Homo sapiens*)

Chimpanzee (*Pan troglodytes*)

Sumatran Orangutan (*Pongo abelii*)

Bornean Orangutan (*P. pygmaeus*)

GIBBONS (HYLOBATIDAE) (10/20)

Western Hoolock Gibbon (*Hoolock hoolock*)

Skywalker Hoolock Gibbon (*H. tianxing*)

Agile Gibbon (*Hylobates agilis*)

Eastern Gray Gibbon (*H. funereus*)

Lar Gibbon (*H. lar*)

Moloch Gibbon (*H. moloch*)

Pileated Gibbon (*H. pileatus*)

Western Black Crested Gibbon (*Nomascus concolor*)

Southern Yellow-cheeked Crested Gibbon (*N. gabriellae*)

Siamang (*Symphalangus syndactylus*)

NIGHT MONKEYS (AOTIDAE) (9/11)

Azara's Night Monkey (*Aotus azarae*)

Brumback's Night Monkey (*A. brumbacki*)

Gray-legged Night Monkey (*A. griseimembra*)

Lemurine Night Monkey (*A. lemurinus*)

Andean Night Monkey (*A. miconax*)

Ma's Night Monkey (*A. nancymai*)

Black-headed Night Monkey (*A. nigriceps*)

Spix's Night Monkey (*A. vociferans*)

Panamanian Night Monkey (*A. zonalis*)

SPIDER, HOWLER, AND WOOLLY MONKEYS (ATELIDAE) (21/23)

Eastern Red-handed Howler (*Alouatta belzebul*)

Black-and-gold Howler (*A.caraya*)

Spix's Red-handed Howler (*A.discolor*)

Brown Howler (*A.guariba*)

Guianan Red Howler (*A.macconnelli*)

Amazon Black Howler (*A.nigerrima*)

Mantled Howler (*A.palliata*)

Central American Black Howler (*A.pigra*)

Bolivian Red Howler (*A.sara*)

Colombian Red Howler (*A.seneculus*)

White-bellied Spider Monkey (*Ateles belzebuth*)

Black Spider Monkey (*A.chamek*)

Brown-headed Spider Monkey (*A.fusciceps*)

Central American Spider Monkey (*A.geoffroyi*)

Variegated Spider Monkey (*A.hybridus*)

White-whiskered Spider Monkey (*A.marginatus*)

Red-faced Black Spider Monkey (*A.paniscus*)

Southern Muriqui (*Brachyteles arachnoides*)

Northern Muriqui (*B.hypoxanthus*)

Yellow-tailed Woolly Monkey (*Lagothrix flavicauda*)

Common Woolly Monkey (*L.lagothricha*)

MARMOSETS AND Tamarins (CALLITRICHIDAE) (36/54)

Goeldi's Monkey (*Callimico goeldii*)

Buffy-tufted-ear Marmoset (*Callithrix aurita*)

Buffy-headed Marmoset (*C.flaviceps*)

Geoffroy's Tufted-ear Marmoset (*C.geoffroyi*)

Common Marmoset (*C.jacchus*)
Wied's Marmoset (*C.kuhlii*)
Black-tufted-ear Marmoset (*C.penicillata*)
Northern Pygmy Marmoset (*Cebuella pygmaea*)
Black-faced Lion Tamarin (*Leontopithecus caissara*)
Golden-headed Lion Tamarin (*L.chrysomelas*)
Black Lion Tamarin (*L.chrysopygus*)
Golden Lion Tamarin (*L.rosalia*)
Silvery Marmoset (*Mico argentatus*)
Golden-white Tassel-ear Marmoset (*M.chrysoleucos*)
Santarém Marmoset (*M.humeralifer*)
Black-crowned Dwarf Marmoset (*M.humilis*)
Marca's Marmoset (*M.marcai*)
Maués Marmoset (*M.mauesi*)
Black-tailed Marmoset (*M.melanurus*)
Sateré Marmoset (*M.saterei*)
Pied Bare-faced Tamarin (*Saguinus bicolor*)
Spix's Saddle-back Tamarin (*S.fuscicollis*)
Lesson's Saddle-back Tamarin (*S.fuscus*)
Geoffroy's Tamarin (*S.geoffroyi*)
Illiger's Saddle-back Tamarin (*S.illigeri*)
Mottled-face Tamarin (*S.inustus*)
Red-bellied Tamarin (*S.labiatus*)
White-footed Tamarin (*S.leucopus*)
Midas Tamarin (*S.midas*)
Spix's Mustached Tamarin (*S.mystax*)

Black-mantled Tamarin (*S.nigricollis*)

Cotton-top Tamarin (*S.oedipus*)

Bearded Emperor Tamarin (*S.subgriseus*)

Golden-mantled Saddle-back Tamarin (*S.tripartitus*)

Eastern Black-handed Tamarin (*S.ursula*)

Weddell's Saddle-back Tamarin (*S.weddellii*)

CEBID MONKEYS (CEBIDAE) (16/19)

White-fronted Capuchin (*Cebus albifrons*)

White-faced Capuchin (*C.capucinus*)

Weeper Capuchin (*C.olivaceus*)

Brown Capuchin (*Sapajus apella*)

Hooded Capuchin (*S.cay*)

Blond Capuchin (*S.flavius*)

Black-horned Capuchin (*S.nigritus*)

Crested Capuchin (*S.robustus*)

Yellow-breasted Capuchin (*S.xanthosternus*)

Black-capped Squirrel Monkey (*Saimiri boliviensis*)

Humboldt's Squirrel Monkey (*S.cassiquiarensis*)

Collins's Squirrel Monkey (*S.collinsi*)

Ecuadorian Squirrel Monkey (*S.macrodon*)

Central American Squirrel Monkey (*S.oerstedii*)

Guianan Squirrel Monkey (*S.sciureus*)

Golden-backed Squirrel Monkey (*S.ustus*)

SAKIS, TITIS, AND UAKARIS (PITHECIIDAE) (33/60)

Blond Titi (*Callicebus barbarabrownae*)

Coimbra-Filho's Titi (*C.coimbrai*)

Southern Bahian Titi (*C.melanochir*)
Black-fronted Titi (*C.nigrifrons*)
Masked Titi (*C.personatus*)
Yellow-handed Titi (*Cheracebus lucifer*)
White-chested Titi (*C.lugens*)
Medem's Titi (*C.medemi*)
Madidi Titi (*Plecturocebus aureipalatii*)
Lake Baptista Titi (*P.baptista*)
Prince Bernhard's Titi (*P.bernhardi*)
Caquetá Titi (*P.caquetensis*)
Ashy Titi (*P.cinerascens*)
Coppery Titi (*P.cupreus*)
Red-crowned Titi (*P.discolor*)
White-eared Titi (*P.donacophilus*)
Hoffmanns's Titi (*P.hoffmannsi*)
Río Beni Titi (*P.modestus*)
Red-bellied Titi (*P.moloch*)
San Martín Titi (*P.oenanthé*)
Olallas' Titi (*P.olallae*)
Ornate Titi (*P.ornatus*)
Pale Titi (*P.pallescens*)
Toppin's Titi (*P.toppini*)
Golden-brown Uacari (*Cacajao melanocephalus*)
Ucayali Bald Uacari (*C.ucayalii*)
Red-nosed Bearded Saki (*Chiropotes albinasus*)
Guianan Bearded Saki (*C.sagulatus*)

Golden-faced Saki (*Pithecia chrysocephala*)

Gray's Bald-faced Saki (*P.irrorata*)

Monk Saki (*P.monachus*)

Napo Saki (*P.napensis*)

White-faced Saki (*P.pithecia*)

TARSIERS (TARSIIDAE) (10/16)

Philippine Tarsier (*Carlito syrichta*)

Western Tarsier (*Cephalopachus bancanus*)

Dian's Tarsier (*Tarsius dentatus*)

Makassar Tarsier (*T.fuscus*)

Niemitz's Tarsier (*T.niemitzi*)

Peleng Tarsier (*T.pelengensis*)

Pygmy Tarsier (*T.pumilus*)

Gursky's Spectral Tarsier (*T.spectrumgurskyae*)

'Tompotika' Tarsier (*T.sp.nov.a*)

'Lompobattang' Tarsier (*T.sp.nov.b*)

AYE-AYES (DAUBENTONIIDAE) (1/1)

Aye-aye (*Daubentonia madagascariensis*)

DWARF AND MOUSE LEMURS (CHEIROGALEIDAE) (21/36)

Montagne d'Ambre Dwarf Lemur (*Cheirogaleus andysabini*)

Crossley's Dwarf Lemur (*C.crossleyi*)

Groves's Dwarf Lemur (*C.grovesi*)

Greater Dwarf Lemur (*C.major*)

Fat-tailed Dwarf Lemur (*C.medius*)

Ankarana Dwarf Lemur (*C.shethi*)

Sibree's Dwarf Lemur (*C.sibreei*)

Montagne d'Ambre Mouse Lemur (*Microcebus arnholdi*)

Madame Berthe's Mouse Lemur (*M.berthae*)

Jolly's Mouse Lemur (*M.jollyae*)

Goodman's Mouse Lemur (*M.lehilahytsara*)

Nosy Be Mouse Lemur (*M.mamiratra*)

Gray Mouse Lemur (*M.murinus*)

Golden-brown Mouse Lemur (*M.ravelobensis*)

Rufous Mouse Lemur (*M.rufus*)

Sambirano Mouse Lemur (*M.sambiranensis*)

Tavaratra Mouse Lemur (*M.tavaratra*)

Northern Giant Mouse Lemur (*Mirza zaza*)

Montagne d'Ambre Fork-marked Lemur (*Phaner electromontis*)

Pale Fork-marked Lemur (*P.pallescens*)

Sambirano Fork-marked Lemur (*P.parianti*)

INDRIS, SIFAKAS, AND WOOLLY LEMURS (INDRIIDAE) (12/19)

Eastern Woolly Lemur (*Avahi laniger*)

Western Woolly Lemur (*A.occidentalis*)

Peyrieras's Woolly Lemur (*A.peyrierasi*)

Indri (*Indri indri*)

Silky Sifaka (*Propithecus candidus*)

Coquerel's Sifaka (*P.coquereli*)

Crowned Sifaka (*P.coronatus*)

Diademed Sifaka (*P.diadema*)

Milne-Edwards's Sifaka (*P.edwardsi*)

Perrier's Sifaka (*P.perrieri*)

Tattersall's Sifaka (*P.tattersalli*)

Verreaux's Sifaka (*P.verreauxi*)

TYPICAL LEMURS (LEMURIDAE) (15/21)

White-fronted Brown Lemur (*Eulemur albifrons*)

Crowned Lemur (*E.coronatus*)

Blue-eyed Black Lemur (*E.flavifrons*)

Brown Lemur (*E.fulvus*)

Black Lemur (*E.macaco*)

Mongoose Lemur (*E.mongoz*)

Red-bellied Lemur (*E.rubriventer*)

Red-fronted Brown Lemur (*E.rufifrons*)

Sanford's Brown Lemur (*E.sanfordi*)

Golden Bamboo Lemur (*Hapalemur aureus*)

Gray Bamboo Lemur (*H.griseus*)

Northern Bamboo Lemur (*H.occidentalis*)

Ring-tailed Lemur (*Lemur catta*)

Greater Bamboo Lemur (*Prolemur simus*)

Black-and-white Ruffed Lemur (*Varecia variegata*)

SPORTIVE LEMURS (LEPILEMURIDAE) (6/25)

Ankarana Sportive Lemur (*Lepilemur ankaranensis*)

Gray's Sportive Lemur (*L.dorsalis*)

Milne-Edwards's Sportive Lemur (*L.edwardsi*)

Daraina Sportive Lemur (*L.milanoii*)

Red-tailed Sportive Lemur (*L.ruficaudatus*)

Nosy Be Sportive Lemur (*L.tymerlachsoni*)

GALAGOS (GALAGIDAE) (12/19)

Southern Needle-clawed Galago (*Euoticus elegantulus*)

Northern Needle-clawed Galago (*E.pallidus*)
Spectacled Lesser Galago (*Galago matschiei*)
Southern Lesser Galago (*G.moholi*)
Northern Lesser Galago (*G.senegalensis*)
Demidoff's Dwarf Galago (*Galagoides demidoff*)
Thomas's Dwarf Galago (*G.thomasi*)
Thick-tailed Greater Galago (*Otolemur crassicaudatus*)
Garnett's Greater Galago (*O.garnettii*)
Kenya Coast Dwarf Galago (*Paragalago cocos*)
Tanzania Coast Dwarf Galago (*P.zanzibaricus*)
Makande Squirrel Galago (*Sciurocheirus makandensis*)

LORISES AND POTTOS (LORISIDAE) (9/17)

Gray Slender Loris (*Loris lydekkerianus*)
Bengal Slow Loris (*Nycticebus bengalensis*)
Malaysian Slow Loris (*N.coucang*)
Hiller's Slow Loris (*N.hilleri*)
Philippine Slow Loris (*N.menagensis*)
Northern Pygmy Slow Loris (*Xanthonycticebus intermedius*)
Central African Potto (*Perodicticus edwardsi*)
East African Potto (*P.ibeatus*)
West African Potto (*P.potto*)

HARES AND RABBITS (LEPORIDAE) (52/77)

Riverine Rabbit (*Bunolagus monticularis*)
Antelope Jackrabbit (*Lepus alleni*)
Snowshoe Hare (*L.americanus*)
Arctic Hare (*L.arcticus*)

Japanese Hare (*L.brachyurus*)
Black-tailed Jackrabbit (*L.californicus*)
White-sided Jackrabbit (*L.callotis*)
Cape Hare (*L.capensis*)
Broom Hare (*L.castroviejoi*)
Korean Hare (*L.coreanus*)
Corsican Hare (*L.corsicanus*)
European Hare (*L.europaeus*)
Ethiopian Hare (*L.fagani*)
Tehuantepec Jackrabbit (*L.flavigularis*)
Iberian Hare (*L.granatensis*)
Abyssinian Hare (*L.habessinicus*)
Mediterranean Hare (*L.mediterraneus*)
African Savanna Hare (*L.microtis*)
Indian Hare (*L.nigricollis*)
Woolly Hare (*L.oiestolus*)
Burmese Hare (*L.peguensis*)
West Sahara Hare (*L.saharae*)
Scrub Hare (*L.saxatilis*)
Moroccan Hare (*L.schlumbergeri*)
Chinese Hare (*L.sinensis*)
Ethiopian Highland Hare (*L.starcki*)
Mountain Hare (*L.timidus*)
Tolai Hare (*L.tolai*)
White-tailed Jackrabbit (*L.townsendii*)
European Rabbit (*Oryctolagus cuniculus*)

Amami Rabbit (*Pentalagus furnessi*)
Bunyoro Rabbit (*Poelagus marjorita*)
Jameson's Red Rock Hare (*Pronolagus randensis*)
Smith's Red Rock Hare (*P.rupestris*)
Hewitt's Red Rock Hare (*P.saundersiae*)
Volcano Rabbit (*Romerolagus diazi*)
Andean Tapeti (*Sylvilagus andinus*)
Swamp Rabbit (*S.aquaticus*)
Desert Cottontail (*S.audubonii*)
Brush Rabbit (*S.bachmani*)
Common Tapeti (*S.brasiliensis*)
Mexican Cottontail (*S.cunicularius*)
Dice's Cottontail (*S.dicei*)
Eastern Cottontail (*S.floridanus*)
Central American Tapeti (*S.gabbi*)
Robust Cottontail (*S.holzneri*)
Pygmy Rabbit (*S.idahoensis*)
Mountain Cottontail (*S.nuttallii*)
Appalachian Cottontail (*S.obscurus*)
Marsh Rabbit (*S.palustris*)
New England Cottontail (*S.transitionalis*)
Yucatán Cottontail (*S.yucatanicus*)
PIKAS (OCHOTONIDAE) (10/36)
Gansu Pika (*Ochotona cansus*)
Collared Pika (*O.collaris*)
Plateau Pika (*O.curzoniae*)

Chinese Red Pika (*O.erythrotis*)

Northern Pika (*O.hyperborea*)

Large-eared Pika (*O.macrotis*)

Nubra Pika (*O.nubrica*)

Pallas's Pika (*O.pallasii*)

American Pika (*O.princeps*)

Sijin Pika (*O.sikimaria*)

GUNDIS (CTENODACTYLIDAE) (2/5)

Common Gundi (*Ctenodactylus gundi*)

Speke's Gundi (*Pectinator spekei*)

CAVIES (CAVIIDAE) (9/25)

Brazilian Guinea Pig (*Cavia aperea*)

Lowland Yellow-toothed Cavy (*Galea leucoblephara*)

Spix's Yellow-toothed Cavy (*G.spixii*)

Southern Mountain Cavy (*Microcavia australis*)

Patagonian Mara (*Dolichotis patagonum*)

Chacoan Mara (*D.salinicola*)

Greater Capybara (*Hydrochoerus hydrochaeris*)

Lesser Capybara (*H.isthmus*)

Rock Cavy (*Kerodon rupestris*)

PACAS (CUNICULIDAE) (2/2)

Lowland Paca (*Cuniculus paca*)

Mountain Paca (*C.taczanowskii*)

AGOUTIS AND ACOUCHIS (DASYPROCTIDAE) (10/15)

Azara's Agouti (*Dasyprocta azarae*)

Coiban Agouti (*D.coibae*)

Orange Agouti (*D.croconota*)

Black Agouti (*D.fuliginosa*)

Jack's Red-rumped Agouti (*D.iacki*)

Common Red-rumped Agouti (*D.leporina*)

Mexican Agouti (*D.mexicana*)

Black-rumped Agouti (*D.prymnolopha*)

Central American Agouti (*D.punctata*)

Brown Agouti (*D.variegata*)

CHINCHILLAS AND VISCACHAS (CHINCHILLIDAE) (4/8)

Chilean Chinchilla (*Chinchilla laniger*)

Southern Mountain Viscacha (*Lagidium moreni*)

Common Mountain Viscacha (*L.viscacia*)

Common Plains Viscacha (*Lagostomus maximus*)

NEW WORLD PORCUPINES (ERETHIZONTIDAE) (12/20)

Broomstraw-spined Porcupine (*Chaetomys subspinosus*)

Baturité Porcupine (*Coendou baturitensis*)

Bicolor-spined Porcupine (*C.bicolor*)

Bahian Hairy Dwarf Porcupine (*C.insidiosus*)

Amazonian Long-tailed Porcupine (*C.longicaudatus*)

Black-tailed Porcupine (*C.melanurus*)

Mexican Hairy Porcupine (*C.mexicanus*)

Yellow Quill-tipped Porcupine (*C.prehensilis*)

Rothschild's Porcupine (*C.rothschildi*)

Stump-tailed Porcupine (*C.rufescens*)

Pernambuco Dwarf Porcupine (*C.speratus*)

North American Porcupine (*Erethizon dorsatum*)

CHINCHILLA RATS (ABROCOMIDAE) (1/8)

Bennett's Chinchilla Rat (*Abrocoma bennettii*)

TUCO-TUCOS (CTENOMYIDAE) (4/69)

Dune Tuco-tuco (*Ctenomys australis*)

Magellanic Tuco-tuco (*C. magellanicus*)

Andean Tuco-tuco (*C. opimus*)

Talas Tuco-tuco (*C. talarum*)

SPINY RATS AND HUTIAS (ECHIMYIDAE) (16/102)

Hispaniolan Hutia (*Plagiodontia aedium*)

Amazon Bamboo Rat (*Dactylomys dactylinus*)

Colombian Rufous Tree-rat (*Diplomys caniceps*)

Central American Rufous Tree-rat (*D. labilis*)

Red-nosed Armored Tree-rat (*Makalata didelphoides*)

Ferreira's Spiny Tree-rat (*Mesomys hispidus*)

Black Toro (*Toromys grandis*)

Armored Rat (*Hoplomys gymnurus*)

Coypu (*Myocastor coypus*)

Short-tailed Spiny-rat (*Proechimys brevicauda*)

Goeldi's Spiny-rat (*P. goeldii*)

O'Connell's Spiny-rat (*P. oconnelli*)

Tomes's Spiny-rat (*P. semispinosus*)

Simons's Spiny-rat (*P. simonsi*)

Lagoa Santa Punare (*Thrichomys apereoides*)

Sao Lourenço Punare (*T. laurentius*)

OCTODONTS AND DEGUS (OCTODONTIDAE) (2/15)

Common Degu (*Octodon degus*)

Coruro (*Spalacopus cyanus*)

OLD WORLD PORCUPINES (HYSTRICIDAE) (6/11)

African Brush-tailed Porcupine (*Atherurus africanus*)

Cape Porcupine (*Hystrix africaeaustralis*)

Malayan Porcupine (*H.brachyura*)

Crested Porcupine (*H.cristata*)

Indian Crested Porcupine (*H.indica*)

Asian Long-tailed Porcupine (*Trichys fasciculata*)

AFRICAN MOLERATS (BATHYERGIDAE) (5/26)

Cape Dune Mole-rat (*Bathyergus suillus*)

Common Mole-rat (*Cryptomys hottentotus*)

Natal Mole-rat (*C.natalensis*)

Highveld Mole-rat (*C.pretoriae*)

Cape Mole-rat (*Georchus capensis*)

NAKED MOLERATS (HETEROCEPHALIDAE) (1/1)

Naked Mole-rat (*Heterocephalus glaber*)

DASSIE RATS (PETROMURIDAE) (1/1)

Noki (*Petromus typicus*)

CANE RATS (THRYONOMYIDAE) (1/2)

Greater Cane Rat (*Thryonomys swinderianus*)

MOUNTAIN BEAVERS (APLODONTIIDAE) (1/1)

Mountain Beaver (*Aplodontia rufa*)

DORMICE (GLIRIDAE) (10/30)

Japanese Dormouse (*Glirulus japonicus*)

European Fat Dormouse (*Glis glis*)

Lorraine's African Dormouse (*Graphiurus lorraineus*)

Nagtglas's African Dormouse (*G.nagtglasii*)
Spectacled African Dormouse (*G.ocularis*)
Rupicolous African Dormouse (*G.rupicola*)
Eurasian Forest Dormouse (*Dryomys nitedula*)
European Garden Dormouse (*Eliomys quercinus*)
Hazel Dormouse (*Muscardinus avellanarius*)
Roach's Mouse-tailed Dormouse (*Myomimus roachi*)

SQUIRRELS (SCIURIDAE) (199/323)

Least Pygmy Squirrel (*Exilisciurus exilis*)
Tufted Pygmy Squirrel (*E.whiteheadi*)
Layard's Palm Squirrel (*Funambulus layardi*)
Indian Palm Squirrel (*F.palmarum*)
Northern Palm Squirrel (*F.pennantii*)
Pygmy Striped Squirrel (*F.sublineatus*)
Jungle Palm Squirrel (*F.tristriatus*)
Alston's Squirrel (*Prosciurillus alstoni*)
Whitish Dwarf Squirrel (*P.leucomus*)
Celebes Dwarf Squirrel (*P.murinus*)
Mount Topapu Squirrel (*P.topapuensis*)
Weber's Dwarf Squirrel (*P.weberi*)
Ear-spot Squirrel (*Callosciurus adamsi*)
Northern Gray-bellied Squirrel (*C.caniceps*)
Southern Gray-bellied Squirrel (*C.concolor*)
Pallas's Squirrel (*C.erythraeus*)
Finlayson's Squirrel (*C.finlaysonii*)
Black-striped Squirrel (*C.nigrovittatus*)

Plantain Squirrel (*C.notatus*)

Borneo Black-banded Squirrel (*C.orestes*)

Phayre's Squirrel (*C.phayrei*)

Prevost's Squirrel (*C.prevostii*)

Irrawaddy Squirrel (*C.pygerythrus*)

Anderson's Squirrel (*C.quinquestriatus*)

Orange-bellied Himalayan Squirrel (*Dremomys lokriah*)

Perny's Long-nosed Squirrel (*D.pernyi*)

Asian Red-cheeked Squirrel (*D.rufigenis*)

Sculptor Squirrel (*Glyphotes simus*)

Three-striped Ground Squirrel (*Lariscus insignis*)

Indochinese Ground Squirrel (*Menetes berdmorei*)

Black-eared Squirrel (*Nannosciurus melanotis*)

Brooke's Squirrel (*Sundasciurus brookei*)

Bornean Mountain Ground Squirrel (*S.everetti*)

Horse-tailed Squirrel (*S.hippurus*)

Jentink's Squirrel (*S.jentinki*)

Low's Squirrel (*S.lowii*)

Robinson's Squirrel (*S.robinsoni*)

Slender Squirrel (*S.tenuis*)

Southeast Asian Striped Squirrel (*Tamiops barbei*)

Maritime Striped Squirrel (*T.maritimus*)

Himalayan Striped Squirrel (*T.mcclellandii*)

Cambodian Striped Squirrel (*T.rodolphii*)

Swinhoe's Striped Squirrel (*T.swinhoei*)

Pale Giant Squirrel (*Ratufa affinis*)

Black Giant Squirrel (*R.bicolor*)

Indian Giant Squirrel (*R.indica*)

Sri Lankan Giant Squirrel (*R.macroura*)

Neotropical Pygmy Squirrel (*Sciurillus pusillus*)

Humboldt's Flying Squirrel (*Glaucomys oregonensis*)

Northern Flying Squirrel (*G.sabrinus*)

Southern Flying Squirrel (*G.volans*)

Particolored Flying Squirrel (*Hylopetes alboniger*)

Red-cheeked Flying Squirrel (*H.spadiceus*)

Javanese Flying Squirrel (*Iomys horsfieldii*)

Morris's Flying Squirrel (*Olisthomys morrisoni*)

Whiskered Flying Squirrel (*Petinomys genibarbis*)

Black Flying Squirrel (*Aeromys tephromelas*)

Thomas's Flying Squirrel (*A.thomasi*)

Red-and-white Giant Flying Squirrel (*Petaurista alborufus*)

Spotted Giant Flying Squirrel (*P.elegans*)

Formosan Giant Flying Squirrel (*P.grandis*)

Taiwan Giant Flying Squirrel (*P.lena*)

Japanese Giant Flying Squirrel (*P.leucogenys*)

Bhutan Giant Flying Squirrel (*P.nobilis*)

Red Giant Flying Squirrel (*P.petaurista*)

Indian Giant Flying Squirrel (*P.philippensis*)

Chindwin Giant Flying Squirrel (*P.sybilla*)

Chinese Giant Flying Squirrel (*P.xanthotis*)

Yunnan Giant Flying Squirrel (*Pyunanensis*)

Japanese Flying Squirrel (*Pteromys momonga*)

Siberian Flying Squirrel (*P.volans*)
Smoky Flying Squirrel (*Pteromyscus pulverulentus*)
Central American Dwarf Squirrel (*Microsciurus alfari*)
Amazon Dwarf Squirrel (*M.flaviventer*)
Santander Dwarf Squirrel (*M.santanderensis*)
Abert's Squirrel (*Sciurus aberti*)
Guianan Squirrel (*S.aestuans*)
Allen's Squirrel (*S.alleni*)
Caucasian Squirrel (*S.anomalous*)
Arizona Gray Squirrel (*S.arizonensis*)
Red-bellied Squirrel (*S.aureogaster*)
Brazilian Squirrel (*S.brasiliensis*)
Eastern Gray Squirrel (*S.carolinensis*)
Collie's Squirrel (*S.colliaei*)
Deppe's Squirrel (*S.deppei*)
Red-tailed Squirrel (*S.granatensis*)
Western Gray Squirrel (*S.griseus*)
Bolivian Squirrel (*S.ignitus*)
Northern Amazon Red Squirrel (*S.igniventris*)
Japanese Squirrel (*S.lis*)
Mexican Fox Squirrel (*S.nayaritensis*)
Eastern Fox Squirrel (*S.niger*)
Peters's Squirrel (*S.oculatus*)
Andean Squirrel (*S.pucheranii*)
Richmond's Squirrel (*S.richmondi*)
Southern Amazon Red Squirrel (*S.spadiceus*)

Guayaquil Squirrel (*S.stramineus*)
Variegated Squirrel (*S.variegatoides*)
Eurasian Red Squirrel (*S.vulgaris*)
Yucatán Squirrel (*S.yucatanensis*)
Bangs's Mountain Squirrel (*Syntheosciurus brochus*)
Douglas's Squirrel (*Tamiasciurus douglasii*)
Fremont's Squirrel (*T.fremonti*)
North American Red Squirrel (*T.hudsonicus*)
Harris's Antelope Squirrel (*Ammospermophilus harrisi*)
Texas Antelope Squirrel (*A.interpres*)
White-tailed Antelope Squirrel (*A.leucurus*)
Nelson's Antelope Squirrel (*A.nelsoni*)
Alaska Marmot (*Marmota broweri*)
Hoary Marmot (*M.caligata*)
Yellow-bellied Marmot (*M.flaviventris*)
Himalayan Marmot (*M.himalayana*)
Alpine Marmot (*M.marmota*)
Woodchuck (*M.monax*)
Olympic Marmot (*M.olympus*)
Tarbagan Marmot (*M.sibirica*)
Vancouver Island Marmot (*M.vancouverensis*)
Common Golden-mantled Ground Squirrel (*Callospermophilus lateralis*)
Cascade Golden-mantled Ground Squirrel (*C.saturatus*)
California Ground Squirrel (*Otospermophilus beecheyi*)
Common Rock Squirrel (*O.variegatus*)
Gunnison's Prairie Dog (*Cynomys gunnisoni*)

White-tailed Prairie Dog (*C.leucurus*)

Black-tailed Prairie Dog (*C.ludovicianus*)

Mexican Prairie Dog (*C.mexicanus*)

Utah Prairie Dog (*C.parvidens*)

Mexican Ground Squirrel (*Ictidomys mexicanus*)

Rio Grande Ground Squirrel (*I.parvidens*)

Thirteen-lined Ground Squirrel (*I.tridecemlineatus*)

Franklin's Ground Squirrel (*Poliocitellus franklinii*)

Alashan Ground Squirrel (*Spermophilus alaschanicus*)

European Ground Squirrel (*S.citellus*)

Pallid Ground Squirrel (*S.pallidicauda*)

Asia Minor Ground Squirrel (*S.xanthoprymnus*)

Uinta Ground Squirrel (*Urocitellus armatus*)

Belding's Ground Squirrel (*U.beldingi*)

Idaho Ground Squirrel (*U.brunneus*)

Merriam's Ground Squirrel (*U.canus*)

Columbian Ground Squirrel (*U.columbianus*)

Wyoming Ground Squirrel (*U.elegans*)

Piute Ground Squirrel (*U.mollis*)

Arctic Ground Squirrel (*U.parryii*)

Richardson's Ground Squirrel (*U.richardsonii*)

Townsend's Ground Squirrel (*U.townsendii*)

Long-tailed Ground Squirrel (*U.undulatus*)

Washington Ground Squirrel (*U.washingtoni*)

Mohave Ground Squirrel (*Xerospermophilus mohavensis*)

Perote Ground Squirrel (*X.perotensis*)

Spotted Ground Squirrel (*X.spilosoma*)
Round-tailed Ground Squirrel (*X.tereticaudus*)
African Palm Squirrel (*Epixerus ebii*)
Carruther's Mountain Squirrel (*Funisciurus carruthersi*)
Congo Rope Squirrel (*F.congicus*)
Lady Burton's Rope Squirrel (*F.isabella*)
Red-cheeked Rope Squirrel (*F.leucogenys*)
Fire-footed Rope Squirrel (*F.pyrropus*)
Gambian Sun Squirrel (*Heliosciurus gambianus*)
Red-legged Sun Squirrel (*H.rufobrachium*)
Ruwenzori Sun Squirrel (*H.ruwenzorii*)
Zanj Sun Squirrel (*H.undulatus*)
Alexander's Bush Squirrel (*Paraxerus alexandri*)
Boehm's Bush Squirrel (*P.boehmi*)
Smith's Bush Squirrel (*P.cepapi*)
Ochre Bush Squirrel (*P.ochraceus*)
Red Bush Squirrel (*P.palliatus*)
Green Bush Squirrel (*P.poensis*)
Swynnerton's Bush Squirrel (*P.vexillarius*)
Slender-tailed Squirrel (*Protoxerus aubinnii*)
Forest Giant Squirrel (*P.stangeri*)
Pere David's Rock Squirrel (*Sciurotamias davidianus*)
Siberian Chipmunk (*Eutamias sibiricus*)
Alpine Chipmunk (*Neotamias alpinus*)
Yellow-pine Chipmunk (*N.amoenus*)
Gray-footed Chipmunk (*N.canipes*)

Gray-collared Chipmunk (*N.cinereicollis*)
Crater Chipmunk (*N.cratericus*)
Cliff Chipmunk (*N.dorsalis*)
Merriam's Chipmunk (*N.merriami*)
Least Chipmunk (*N.minimus*)
California Chipmunk (*N.obscurus*)
Yellow-cheeked Chipmunk (*N.ochrogenys*)
Palmer's Chipmunk (*N.palmeri*)
Panamint Chipmunk (*N.panamintinus*)
Long-eared Chipmunk (*N.quadrimaculatus*)
Colorado Chipmunk (*N.quadrivittatus*)
Red-tailed Chipmunk (*N.ruficaudus*)
Hopi Chipmunk (*N.rufus*)
Shadow Chipmunk (*N.senex*)
Siskiyou Chipmunk (*N.siskiyou*)
Sonoma Chipmunk (*N.sonomae*)
Lodgepole Chipmunk (*N.speciosus*)
Townsend's Chipmunk (*N.townsendii*)
Uinta Chipmunk (*N.umbrinus*)
Eastern Chipmunk (*Tamias striatus*)
Barbary Ground Squirrel (*Atlantoxerus getulus*)
Striped Ground Squirrel (*Euxerus erythropus*)
South African Ground Squirrel (*Geosciurus inauris*)
Damara Ground Squirrel (*G.princeps*)
Unstriped Ground Squirrel (*Xerus rutilus*)
ANOMALURES (ANOMALURIDAE) (4/6)

Beecroft's Anomalure (*Anomalurus beecrofti*)

Lord Derby's Anomalure (*A. derbianus*)

Lesser Anomalure (*A. pusillus*)

Long-eared Pygmy Anomalure (*Idiurus macrotis*)

FLIGHTLESS ANOMALURES (ZENKERELLIDAE) (1/1)

Zenkerella (*Zenkerella insignis*)

SPRINGHARES (PEDETIDAE) (2/2)

Southern African Springhare (*Pedetes capensis*)

East African Springhare (*P. surdaster*)

BEAVERS (CASTORIDAE) (2/2)

North American Beaver (*Castor canadensis*)

Eurasian Beaver (*C. fiber*)

POCKET GOPHERS (GEOMYIDAE) (21/49)

Yellow-faced Pocket Gopher (*Cratogeomys castanops*)

Oriental Basin Pocket Gopher (*C. fulvescens*)

Smoky Pocket Gopher (*C. fumosus*)

Merriam's Pocket Gopher (*C. merriami*)

Desert Pocket Gopher (*Geomys arenarius*)

Attwater's Pocket Gopher (*G. attwateri*)

Baird's Pocket Gopher (*G. breviceps*)

Plains Pocket Gopher (*G. bursarius*)

Hall's Pocket Gopher (*G. jugossicularis*)

Jones's Pocket Gopher (*G. knoxjonesi*)

Texas Pocket Gopher (*G. personatus*)

Southeastern Pocket Gopher (*G. pinetis*) - signs only

Strecker's Pocket Gopher (*G. streckeri*)

Llano Pocket Gopher (*G.texensis*)

Botta's Pocket Gopher (*Megascapheus bottae*)

Camas Pocket Gopher (*M.bulbivorus*)

Fulvous Pocket Gopher (*M.fulvus*)

Northern California Pocket Gopher (*M.laticeps*)

Townsend's Pocket Gopher (*M.townsendii*)

Western Pocket Gopher (*Thomomys mazama*)

Mountain Pocket Gopher (*T.monticolus*)

Northern Pocket Gopher (*T.talpoides*)

KANGAROO RATS AND POCKET MICE (HETEROMYIDAE) (43/70)

Agile Kangaroo Rat (*Dipodomys agilis*)

California Kangaroo Rat (*D.californicus*)

Gulf Coast Kangaroo Rat (*D.compactus*)

Desert Kangaroo Rat (*D.deserti*)

Texas Kangaroo Rat (*D.elator*)

Heermann's Kangaroo Rat (*D.heermanni*)

Giant Kangaroo Rat (*D.ingens*)

Merriam's Kangaroo Rat (*D.merriami*)

Chisel-toothed Kangaroo Rat (*D.microps*)

San Joaquin Kangaroo Rat (*D.nitratoides*)

Ord's Kangaroo Rat (*D.ordii*)

Panamint Kangaroo Rat (*D.panamintinus*)

Phillips's Kangaroo Rat (*D.phillipsii*)

Dulzura Kangaroo Rat (*D.simulans*)

Banner-tailed Kangaroo Rat (*D.spectabilis*)

Stephens's Kangaroo Rat (*D.stephensi*)

Narrow-faced Kangaroo Rat (*D.venustus*)

Dark Kangaroo Mouse (*Microdipodops megacephalus*)

Pallid Kangaroo Mouse (*M.pallidus*)

Desmarest's Spiny Pocket Mouse (*Heteromys desmarestianus*)

Gaumer's Spiny Pocket Mouse (*H.gaumeri*) - not by me

Mexican Spiny Pocket Mouse (*H.irroratus*)

Mountain Spiny Pocket Mouse (*H.oresterus*)

Painted Spiny Pocket Mouse (*H.pictus*)

Salvin's Spiny Pocket Mouse (*H.salvini*)

Dalquest's Pocket Mouse (*Chaetodipus ammophilus*)

Little Desert Pocket Mouse (*C.arenarius*)

Bailey's Pocket Mouse (*C.baileyi*)

California Pocket Mouse (*C.californicus*)

San Diego Pocket Mouse (*C.fallax*)

Long-tailed Pocket Mouse (*C.formosus*)

Hispid Pocket Mouse (*C.hispidus*)

Rock Pocket Mouse (*C.intermedius*)

Nelson's Coarse-haired Pocket Mouse (*C.nelsoni*)

Desert Pocket Mouse (*C.penicillatus*)

Southern Sinaloan Pocket Mouse (*C.pernix*)

Peninsular Pocket Mouse (*C.rudinoris*)

Cerralvo Island Pocket Mouse (*C.siccus*)

Spiny Pocket Mouse (*C.spinatus*)

Arizona Pocket Mouse (*Perognathus amplus*) (?)

Silky Pocket Mouse (*P.flavus*)

San Joaquin Pocket Mouse (*P.inornatus*)

Little Pocket Mouse (*P.longimembris*)

Merriam's Pocket Mouse (*P.merriami*)

Great Basin Pocket Mouse (*P.mollipilosus*)

JERBOAS (DIPODIDAE) (13/41)

Great Jerboa (*Allactaga major*)

Balikun Jerboa (*Orientallactaga balikunica*)

Gobi Jerboa (*O.bullata*)

Siberian Jerboa (*O.sibirica*)

Five-toed Pygmy Jerboa (*Cardiocranius paradoxus*)

Thick-tailed Pygmy Jerboa (*Salpingotus crassicauda*)

Kozlov's Pygmy Jerboa (*S.kozlovi*)

Northern Three-toed Jerboa (*Dipus sagitta*)

African Hammada Jerboa (*Jaculus hirtipes*)

Lesser Egyptian Jerboa (*J.jaculus*)

Arabian Jerboa (*J.loftusi*)

Mongolian Three-toed Jerboa (*Stylodipus andrewsi*)

Long-eared Jerboa (*Euchoreutes naso*)

BIRCH MICE (SMINTHIDAE) (1/24)

Northern Birch Mouse (*Sicista betulina*)

JUMPING MICE (ZAPODIDAE) (4/13)

Western Woodland Jumping Mouse (*Napaeozapus abietorum*)

Northern Meadow Jumping Mouse (*Zapus hudsonius*)

Northwestern Jumping Mouse (*Z.saltator*)

Northern Pacific Jumping Mouse (*Z.trinotatus*)

HAMSTERS, VOLES, LEMMINGS, AND ALLIES (CRICETIDAE) (189/871)

Eurasian Water Vole (*Arvicola amphibius*)

Southwestern Water Vole (*A.sapidus*)
Reed Vole (*Alexandromys fortis*)
Japanese Grass Vole (*A.montebelli*)
Root Vole (*A.oeconomus*)
European Snow Vole (*Chionomys nivalis*)
Brandt's Vole (*Lasiopodomys brandtii*)
Sagebrush Vole (*Lemmiscus curtatus*)
Short-tailed Field Vole (*Microtus agrestis*)
Common Vole (*M.arvalis*)
California Vole (*M.californicus*)
Gray-tailed Vole (*M.canicaudus*)
Western Meadow Vole (*M.drummondii*)
Guatemalan Vole (*M.guatemalensis*)
Harting's Vole (*M.hartingi*)
Mediterranean Field Vole (*M.lavernedii*)
Long-tailed Vole (*M.longicaudus*)
Mexican Vole (*M.mexicanus*)
Mogollon Vole (*M.mogollonensis*)
Montane Vole (*M.montanus*)
Eastern Meadow Vole (*M.pennsylvanicus*)
Woodland Vole (*M.pinetorum*)
East European Gray Vole (*M.rossiaemeridionalis*)
Common Pine Vole (*M.subterraneus*)
Townsend's Vole (*M.townsendii*)
Irene Mountain Vole (*Neodon irene*)
Blyth's Mountain Vole (*N.leucurus*)

Gobi Altai Mountain Vole (*Alticola barakshin*)
Mongolian Mountain Vole (*A.semicanus*)
Southern Red-backed Vole (*Clethrionomys gapperi*)
Bank Vole (*C.glareolus*)
Northern Red-backed Vole (*C.rutilus*)
Gray Red-backed Vole (*Craseomys rufocanus*)
Sichuan Red-backed Vole (*Antelionomys chinensis*)
Pere David's Red-backed Vole (*Eothenomys melanogaster*)
Nearctic Collared Lemming (*Dicrostonyx groenlandicus*)
Nearctic Brown Lemming (*Lemmus trimucronatus*)
Southern Bog Lemming (*Synaptomys cooperi*)
Round-tailed Muskrat (*Neofiber alleni*)
Common Muskrat (*Ondatra zibethicus*)
Martino's Dinaric Vole (*Dinaromys bogdanovi*)
Striped Lesser Hamster (*Cricetulus barabensis*)
Long-tailed Lesser Hamster (*C.longicaudatus*)
Common Hamster (*Cricetus cricetus*)
Gray Hamster (*Nothocricetulus migratorius*)
Romanian Golden Hamster (*Mesocricetus newtoni*)
Desert Hamster (*Phodopus roborovskii*)
Ladakh Tibetan Hamster (*Urocricetus lama*)
Northern Pygmy Mouse (*Baiomys taylori*)
Short-tailed Singing Mouse (*Scotinomys teguina*)
Long-tailed Singing Mouse (*S.xerampelinus*)
White-throated Woodrat (*Neotoma albigula*)
Bryant's Woodrat (*N.bryanti*)

Bushy-tailed Woodrat (*N.cinerea*)
Guatemala Woodrat (*N.ferruginea*)
Eastern Woodrat (*N.floridana*)
Dusky-footed Woodrat (*N.fuscipes*)
Goldman's Woodrat (*N.goldmani*)
Desert Woodrat (*N.lepida*)
Big-eared Woodrat (*N.macrotis*)
Allegheny Woodrat (*N.magister*)
Mexican Woodrat (*N.mexicana*)
Southern Plains Woodrat (*N.micropus*)
Sonoran Woodrat (*N.phenax*)
Stephens's Woodrat (*N.stephensi*) (?)
Golden Mouse (*Ochrotomys nuttalli*)
Chihuahuan Grasshopper Mouse (*Onychomys arenicola*)
Northern Grasshopper Mouse (*O.leucogaster*)
Southern Grasshopper Mouse (*O.torridus*)
Nelson's Big-toothed Deermouse (*Megadontomys nelsoni*)
Volcano Deermouse (*Neotomodon alstoni*)
Osgood's Deermouse (*Osgoodomys banderanus*)
Oaxacan Rock Deermouse (*Peromyscus amplus*)
Texas Deermouse (*P.attwateri*)
Orizaba Deermouse (*P.beatae*)
Brush Deermouse (*P.boyliei*)
Perote Deermouse (*P.bullatus*)
California Deermouse (*P.californicus*)
Jalisco Deermouse (*P.chrysopus*)

Tamaulipas White-ankled Deermouse (*P.collinus*) (?)

Cordillera Deermouse (*P.cordillerae*)

Canyon Deermouse (*P.crinitus*)

Southern Rock Deermouse (*P.difficilis*)

Cactus Deermouse (*P.eremicus*)

Southern Baja Deermouse (*P.eva*)

Northern Baja Deermouse (*P.fraterculus*)

Blackish Deermouse (*P.furvus*)

Gambel's Deermouse (*P.gambelii*)

Gardner's Deermouse (*P.gardneri*)

Cotton Deermouse (*P.gossypinus*)

Large Deermouse (*P.grandis*)

Saxicoline Deermouse (*P.gratus*)

Guatemalan Deermouse (*P.guatemalensis*)

Hooper's Deermouse (*P.hooperi*)

Transvolcanic Deermouse (*P.hylocetes*)

Northwestern Deermouse (*P.keeni*)

Southern Deermouse (*P.labecula*)

Northern White-ankled Deermouse (*P.laceianus*)

White-footed Deermouse (*P.leucopus*)

Tehuantepec Deermouse (*P.leucurus*)

Nimble-footed Deermouse (*P.levipes*)

Eastern Deermouse (*P.maniculatus*)

Broad-faced Deermouse (*P.megalops*)

Black-eared Deermouse (*P.melanotis*)

Black-tailed Deermouse (*P.melanurus*)

Merriam's Deermouse (*P.merriami*)
Northern Rock Deermouse (*P.nasutus*)
Nicaraguan Deermouse (*P.nicaraguae*)
Talamancan Deermouse (*P.nudipes*)
Southern White-ankled Deermouse (*P.pectoralis*)
Oldfield Deermouse (*P.polionotus*)
Sinaloan Deermouse (*P.simulus*)
Western Deermouse (*P.sonoriensis*)
Gleaning Deermouse (*P.spicilegus*)
Stirton's Deermouse (*P.stirtoni*)
Totontepec Deermouse (*P.totontepecus*)
Pinyon Deermouse (*P.truei*)
Yucatán Deermouse (*P.yucatanicus*)
Florida Deermouse (*Podomys floridanus*)
Oaxacan Highlands Harvest Mouse (*Reithrodontomys albilabris*)
Southern Harvest Mouse (*R.australis*)
Short-nosed Harvest Mouse (*R.brevirostris*)
Volcano Harvest Mouse (*R.chrysopsis*)
Talamancan Harvest Mouse (*R.creper*)
Fulvous Harvest Mouse (*R.fulvescens*)
Chiriquian Harvest Mouse (*R.garichensis*)
Slender Harvest Mouse (*R.gracilis*)
Western Harvest Mouse (*R.megalotis*)
Mexican Harvest Mouse (*R.mexicanus*)
Small-toothed Harvest Mouse (*R.microdon*)
Plains Harvest Mouse (*R.montanus*)

Sumichrast's Harvest Mouse (*R.sumichrasti*)
Narrow-nosed Harvest Mouse (*R.tenuirostris*)
Andean Soft-haired Mouse (*Abrothrix andina*)
Hairy Soft-haired Mouse (*A.hirta*)
Olive Soft-haired Mouse (*A.olivacea*)
Sanborn's Soft-haired Mouse (*A.sanborni*)
Valdivian Long-clawed Mouse (*Geoxus valdivianus*)
Yungas Grass Mouse (*Akodon aerosus*)
White-bellied Grass Mouse (*A.albiventer*)
Azara's Grass Mouse (*A.azarae*)
Kemp's Grass Mouse (*Deltamys kemp*)
Red Hociudo (*Oxymycterus rufus*)
Chilean Climbing Mouse (*Irenomys tarsalis*)
Thomas's Water Mouse (*Rheomys thomasi*)
Alfaro's Rice Rat (*Casiomys alfaro*)
Guerrero Rice Rat (*C.guerrerensis*)
Highland Rice Rat (*C.rhabdops*)
Cloud Forest Rice Rat (*C.saturation*)
Elegant Rice Rat (*Euryoryzomys nitidus*)
Brazilian Marsh Rat (*Holochilus brasiliensis*)
Western Amazonian Rice Rat (*Hylaeamys perenensis*)
Yungas Rice Rat (*H.yunganus*)
Black-and-yellow Rice Rat (*Melanomys chrysomelas*)
White-throated Rice Rat (*Nephelomys albigularis*)
Boquete Rice Rat (*N.deviu*)
Gray-bellied Rice Rat (*N.moerex*)

White-bellied Arboreal Rice Rat (*Oecomys bicolor*)

Foothill Arboreal Rice Rat (*O.superans*)

Tschudi's Pygmy Rice Rat (*Oligoryzomys destructor*)

Yellow Pygmy Rice Rat (*O.flavescens*) (†)

Fulvous Pygmy Rice Rat (*O.fulvescens*)

Long-tailed Pygmy Rice Rat (*O.longicaudatus*)

Black-footed Pygmy Rice Rat (*O.nigripes*)

Straw-colored Pygmy Rice Rat (*O.stramineus*)

Northeastern Marsh Rice Rat (*Oryzomys palustris*)

Northwestern Marsh Rice Rat (*O.texensis*)

Harris's Rice Rat (*Tanyuromys aphrastus*)

Long-whiskered Rice Rat (*Transandinomys bolivaris*)

Crafty Vesper Mouse (*Calomys callidus*)

Large Vesper Mouse (*C.callosus*)

Small Vesper Mouse (*C.laucha*)

Drylands Vesper Mouse (*C.musculus*)

Chaco Pericote (*Graomys chacoensis*)

Common Pericote (*G.griseoflavus*)

Southern Big-eared Mouse (*Loxodontomys micropus*)

Yellow-rumped Leaf-eared Mouse (*Phyllotis xanthopygus*)

Arizona Cotton Rat (*Sigmodon arizonae*)

Tawny-bellied Cotton Rat (*S.fulviventris*)

Hispid Cotton Rat (*S.hispidus*)

Yellow-nosed Cotton Rat (*S.ochrognathus*)

Peruvian Cotton Rat (*S.peruanus*)

Montane Cotton Rat (*S.zanjonensis*)

Cariri Climbing Rat (*Rhipidomys cariri*)
Gardner's Climbing Rat (*R.gardneri*)
White-footed Climbing Rat (*R.leucodactylus*)
Splendid Climbing Rat (*R.nitela*)
Long-tailed Oldfield Mouse (*Thomasomys ischyrus*)
Taczanowski's Oldfield Mouse (*T.taczanowskii*) (?)
Sumichrast's Vesper Rat (*Nyctomys sumichrasti*)
Yucatán Vesper Rat (*Otonyctomys hatti*)
Big-eared Climbing Rat (*Ototylomys phyllotis*)
Peters's Climbing Rat (*Tylomys nudicaudus*)
OLD WORLD MICE AND RATS (MURIDAE) (188/856)
Northeast African Spiny Mouse (*Acomys cahirinus*)
John's Spiny Mouse (*A.johannis*)
Louise's Spiny Mouse (*A.louisae*)
Mullah Spiny Mouse (*A.mullah*)
Wilson's Spiny Mouse (*A.wilsoni*)
Short-tailed Brush-furred Rat (*Lophuromys brevicaudus*) (?)
Black-clawed Brush-furred Rat (*L.melanonyx*)
Ammodile (*Ammodillus imbellis*)
Pouched Gerbil (*Desmodilliscus braueri*)
Pleasant Gerbil (*Gerbillus amoenus*)
Cheesman's Gerbil (*G.cheesmani*)
Lesser Egyptian Gerbil (*G.gerbillus*)
Pygmy Gerbil (*G.henleyi*)
Balochistan Gerbil (*G.nanus*)
Nigerian Gerbil (*G.nigeriae*)

Least Gerbil (*G.pusillus*)
Tarabul Gerbil (*G.tarabuli*)
Arabian Jird (*Meriones arimalius*)
Indian Desert Jird (*M.hurrianae*)
Eastern Midday Jird (*M.psammophilus*)
Mongolian Jird (*M.unguiculatus*)
Great Gerbil (*Rhombomys opimus*)
Congo Tateril (*Taterillus congicus*)
Cape Short-tailed Gerbil (*Desmodillus auricularis*)
Kemp's Gerbil (*Gerbilliscus kempii*)
Bushveld Gerbil (*G.leucogaster*)
Paeba Hairy-footed Gerbil (*G.paeba*)
Fringe-tailed Gerbil (*G.robustus*)
Indian Gerbil (*Tatera indica*)
Maned Rat (*Lophiomys imhausii*)
Striped Field Mouse (*Apodemus agrarius*)
Small Japanese Field Mouse (*A.argenteus*)
Chevrier's Field Mouse (*A.chevrieri*)
South China Field Mouse (*A.draco*)
Western Broad-toothed Field Mouse (*A.epimelas*)
Yellow-necked Field Mouse (*A.flavicollis*)
Large-eared Field Mouse (*A.latronum*) (?)
Korean Field Mouse (*A.peninsulae*)
Taiwan Field Mouse (*A.semotus*)
Large Japanese Field Mouse (*A.speciosus*)
Long-tailed Field Mouse (*A.sylvaticus*)

Herb Field Mouse (*A.uralensis*)

Abyssinian Grass Rat (*Arvicanthis abyssinicus*)

Blick's Grass Rat (*A.blicki*)

Neumann's Grass Rat (*A.neumanni*)

African Grass Rat (*A.niloticus*)

Common Defua Rat (*Dephomys defua*)

Indian Bush Rat (*Golunda ellioti*)

East African Thicket Rat (*Grammomys ibeanus*)

Father Basilio's Striped Mouse (*Hybomys basili*)

Typical Striped Grass Mouse (*Lemniscomys striatus*)

Heuglin's Striped Grass Mouse (*L.zebra*)

Grant's Rock Rat (*Micaelamys granti*)

Namaqua Rock Rat (*M.namaquensis*)

West-central Four-striped Grass Rat (*Rhabdomys bechuanae*)

KwaZulu Natal Four-striped Grass Rat (*R.chakae*)

Mesic Four-striped Grass Rat (*R.dilectus*)

Karoo Four-striped Grass Rat (*R.intermedius*)

Xeric Four-striped Grass Rat (*R.pumilio*)

Black-tailed Thallomys (*Thallomys nigricauda*)

Western Rainforest Thicket Rat (*Thamnomys poensis*) (?)

Liberian Forest Striped Mouse (*Typomys planifrons*)

Indomalayan Pencil-tailed Tree Mouse (*Chiropodomys gliroides*)

Greater Pencil-tailed Tree Mouse (*C.major*)

Broad-headed Tree Mouse (*Chiruromys lamia*)

Brush-tailed Rabbit Rat (*Conilurus penicillatus*)

Lowland Sulawesi Rane Mouse (*Haeromys minahassae*)

Sundaic Rane Mouse (*H.pusillus*)

Common Water Rat (*Hydromys chrysogaster*)

Central Short-tailed Mouse (*Leggadina forresti*)

Long-footed Tree Mouse (*Lorentzimys nouhuysii*)

Australian Broad-toothed Rat (*Mastacomys fuscus*)

Grassland Mosaic-tailed Rat (*Melomys burtoni*)

Cape York Mosaic-tailed Rat (*M.capensis*)

Fawn-footed Mosaic-tailed Rat (*M.cervinipes*)

Black-tailed Mosaic-tailed Rat (*M.rufescens*)

Black-footed Tree Rat (*Mesembriomys gouldii*)

Golden-backed Tree Rat (*M.macrurus*)

Spinifex Hopping Mouse (*Notomys alexis*)

Mitchell's Hopping Mouse (*N.mitchellii*)

Common Lowland Mosaic-tailed Rat (*Paramelomys platyops*)

Bruijn's Brush Mouse (*Pogonomelomys bruijnii*)

Loria's Tree Mouse (*Pogonomys loriae*)

Chestnut Tree Mouse (*P.macrourus*)

Gray-bellied Tree Mouse (*P.sylvestris*)

Ash-gray Mouse (*Pseudomys albocinereus*)

Silky Mouse (*P.apodemoides*)

Plains Mouse (*P.australis*)

Bolam's Mouse (*P.bolami*)

Western Pebble Mouse (*P.chapmani*)

Northern Delicate Mouse (*P.delicatulus*)

Desert Mouse (*P.desertor*)

Australian Smoky Mouse (*P.fumeus*)

Eastern Chestnut Mouse (*P.gracilicaudatus*)
Sandy Inland Mouse (*P.hermannsburgensis*)
Central Pebble Mouse (*P.johnsoni*)
Eastern Delicate Mouse (*P.mimulus*)
Western Chestnut Mouse (*P.nanus*)
New Holland Mouse (*P.novaehollandiae*)
Western Mouse (*P.occidentalis*)
Hastings River Mouse (*P.oralis*)
Eastern Pebble Mouse (*P.patrius*)
Pilbara Delicate Mouse (*P.pilbarensis*)
Heath Mouse (*P.shortridgei*)
White-tailed Giant Rat (*Uromys caudimaculatus*)
False Water Rat (*Xeromys myoides*)
Common Australian Rock Rat (*Zyzomys argurus*)
Arnhem Land Rock Rat (*Z.maini*)
Kimberley Rock Rat (*Z.woodwardi*)
Eurasian Harvest Mouse (*Micromys minutus*)
Indomalayan Long-tailed Climbing Mouse (*Vandeleuria oleraceus*)
Edwards's Swamp Rat (*Malacomys edwardsi*)
White-tailed Wood Rat (*Madromys blanfordi*)
Sand-colored Soft-furred Rat (*Millardia gleadowi*)
Little Indian Field Mouse (*Mus booduga*)
Cook's Mouse (*M.cookii*)
Servant Mouse (*M.famulus*)
Macedonian Mouse (*M.macedonicus*)
Sub-Saharan Pygmy Mouse (*M.minutoides*) (?)

House Mouse (*M.musculus*)

Flat-haired Mouse (*M.platythrix*)

Mound-building Mouse (*M.spicilegus*)

Western Mediterranean Mouse (*M.spretus*)

Heller's Vlei Rat (*Otomys helleri*)

Southern African Vlei Rat (*O.irroratus*)

Sloggett's Vlei Rat (*O.sloggetti*)

Ethiopian Vlei Rat (*O.typus*)

Karoo Vlei Rat (*O.unisulcatus*)

Brants's Whistling Rat (*Parotomys brantsii*)

Allen's Wood Mouse (*Hylomyscus alleni*)

West African Wood Mouse (*H.simus*)

Walter Verheyen's Wood Mouse (*H.walterverheyeni*)

Southern African Multimammate Mouse (*Mastomys coucha*)

Natal Multimammate Mouse (*M.natalensis*)

De Graaff's Soft-furred Mouse (*Praomys degraaffi*)

Misonne's Soft-furred Mouse (*P.misonnei*)

Cameroon Soft-furred Mouse (*P.morio*)

West African Soft-furred Mouse (*P.rostratus*)

Lesser Bandicoot Rat (*Bandicota bengalensis*)

Bowers's White-toothed Rat (*Berylmys bowersii*)

Common Hill Rat (*Bunomys chrysocomus*)

Bartels's Javan Spiny Rat (*Crunomys bartelsii*)

Hellwald's Sulawesi Spiny Rat (*C.hellwaldii*)

Musschenbroek's Sulawesi Spiny Rat (*C.musschenbroekii*)

Rajah Sundaic Spiny Rat (*C.rajah*)

Indomalayan Spiny Rat (*C.surifer*)
Whitehead's Sundaic Spiny Rat (*C.whiteheadi*)
Ryukyu Islands Tree Rat (*Diplothrix legata*)
Sulawesi Soft-furred Rat (*Eropeplus canus*)
Meyer's Giant Rat (*Lenomys meyeri*)
Gray Tree Rat (*Lenothrix cana*)
Indomalayan Long-tailed Giant Rat (*Leopoldamys sabanus*)
Elegant Margareta Rat (*Margaretamys elegans*)
'Lompobattang' Margareta Rat (*M.sp.nov.a*)
'Guzman's' Margareta Rat (*M.sp.nov.b*)
Anderson's White-bellied Rat (*Niviventer andersoni*)
Cameron Highlands White-bellied Rat (*N.cameroni*)
Confucian White-bellied Rat (*N.confucianus*)
Sundaic Arboreal White-bellied Rat (*N.cremoriventer*)
Soft-furred Taiwan White-bellied Rat (*N.culturatus*)
Sichuan White-bellied Rat (*N.excelsior*) (?)
Indochinese White-bellied Rat (*N.fulvescens*) (?)
South China White-bellied Rat (*N.huang*) (?)
Montane Javan White-bellied Rat (*N.lepturus*) (?)
Hainan White-bellied Rat (*N.lotipes*)
Himalayan White-bellied Rat (*N.niviventer*)
Montane Bornean White-bellied Rat (*N.rapit*)
Ricefield Rat (*Rattus argentiventer*)
Kinabalu Rat (*R.baluensis*)
Southwestern Xanthurus Rat (*R.bontanus*)
Australian Dusky Rat (*R.colletti*)

Pacific Rat (*R.exulans*)

Lore Lindu Xanthurus Rat (*R.facetus*)

Australian Bush Rat (*R.fuscipes*)

Hoffmann's Sulawesi Rat (*R.hoffmanni*)

Koopman's Peleng Island Rat (*R.koopmani*)

Cape York Rat (*R.leucopus*) (?)

Losea Rat (*R.losea*)

Australian Swamp Rat (*R.lutreola*)

Lampobatang Sulawesi Rat (*R.mollicomulus*)

Brown Rat (*R.norvegicus*)

Peleng Island Xanthurus Rat (*R.pelurus*)

Large New Guinea Spiny Rat (*R.praetor*)

Himalayan Rat (*R.pyctoris*)

Roof Rat (*R.rattus*)

Southeastern Xanthurus Rat (*R.salocco*)

Canefield Rat (*R.sordidus*)

East Asian House Rat (*R.tanezumi*)

Malaysian Field Rat (*R.tiomanicus*)

Australian Pale Field Rat (*R.tunneyi*)

Australian Long-haired Rat (*R.villosissimus*)

Northeastern Xanthurus Rat (*R.xanthurus*)

Annandale's Sundaic Rat (*Sundamys annandalei*)

Müller's Rat (*S.muelleri*)

Celebes Rat (*Taeromys celebensis*)

Giant Sulawesi Rat (*T.dominator*)

Sulawesi Montane Rat (*T.hamatus*)

NESOMYIDS (NESOMYIDAE) (11/74)

Southern Giant Pouched Rat (*Cricetomys ansorgei*)

Forest Giant Pouched Rat (*C. emini*)

Brants's African Climbing Mouse (*Dendromus mesomelas*)

Long-eared Desert Mouse (*Malacothrix typica*)

Gray African Climbing Mouse (*Poemys melanotis*)

Milne-Edwards's Tufted-tail Rat (*Eliurus myoxinus*)

Giant Jumping Rat (*Hypogeomys antimena*)

Bastard's Big-footed Mouse (*Macrotarsomys bastardi*)

Audebert's Forest Rat (*Nesomys audeberti*)

Red Forest Rat (*N. rufus*)

Common Pygmy Rock Mouse (*Petromyscus collinus*)

SPALACIDS (SPALACIDAE) (8/41)

Plateau Zokor (*Eospalax baileyi*)

Giant Root Rat (*Tachyoryctes macrocephalus*)

African Root Rat (*T. splendens*)

Bulgarian Blind Mole-rat (*Nannospalax bulgaricus*)

Hungarian Blind Mole-rat (*N. hungaricus*)

Lesser Blind Mole-rat (*N. leucodon*)

Mehely's Blind Mole-rat (*Spalax antiquus*)

Bukovina Blind Mole-rat (*S. graecus*)

HEDGEHOGS AND GYMNURES (ERINACEIDAE) (12/35)

Four-toed Hedgehog (*Atelerix albiventris*)

North African Hedgehog (*A. algirus*)

Amur Hedgehog (*Erinaceus amurensis*)

Southern White-breasted Hedgehog (*E. concolor*)

West European Hedgehog (*E.europaeus*)
Northern White-breasted Hedgehog (*E.roumanicus*)
Common Long-eared Hedgehog (*Hemiechinus auritus*)
Eastern Forest Hedgehog (*Mesechinus orientalis*)
Desert Hedgehog (*Paraechinus aethiopicus*)
Indian Hedgehog (*P.micropus*)
Moonrat (*Echinosorex gymnura*)
Javan Short-tailed Gymnure (*Hylomys suillus*)
SHREWS (SORICIDAE) (26/499)
South European White-toothed Shrew (*Crocidura fimbriata*)
Greater Red White-toothed Shrew (*C.flavescens*)
Glass's White-toothed Shrew (*C.glassi*) (?)
Iberian White-toothed Shrew (*C.iculisma*)
Bicolored White-toothed Shrew (*C.leucodon*)
Sunda White-toothed Shrew (*C.monticola*) - not by me
African Giant White-toothed Shrew (*C.olivieri*)
Fraser's White-toothed Shrew (*C.poensis*)
Greater White-toothed Shrew (*C.russula*)
Shantung White-toothed Shrew (*C.shantungensis*)
Lesser White-toothed Shrew (*C.suaveolens*)
Voi White-toothed Shrew (*C.voi*)
Asian House Shrew (*Suncus murinus*)
Nilgiri Highland Shrew (*S.niger*)
Bioko Forest Shrew (*Sylvisorex isabellae*)
Chinese Mole Shrew (*Anourosorex squamipes*)
Northern Short-tailed Shrew (*Blarina brevicauda*)

Ecuadorean Small-eared Shrew (*Cryptotis equatoris*)

Highland Broad-clawed Shrew (*C.oreoryctes*) (†)

Eurasian Water Shrew (*Neomys fodiens*) (?)

Mediterranean Water Shrew (*N.milleri*)

Transcaucasian Water Shrew (*N.teres*)

Common Shrew (*Sorex araneus*)

Lesser Striped Shrew (*S.bedfordiae*)

Crowned Shrew (*S.coronatus*)

Smoky Shrew (*S.fumeus*)

Eastern Pygmy Shrew (*S.hoyi*) (?)

Eurasian Pygmy Shrew (*S.minutus*)

Southern Montane Shrew (*S.monticolus*) (†)

American Water Shrew (*S.palustris*)

Radde's Shrew (*S.raddei*)

Salvin's Shrew (*S.salvini*) (†)

Trowbridge's Shrew (*S.trowbridgii*)

MOLES AND DESMANS (TALPIDAE) (4/68)

Pyrenean Desman (*Galemys pyrenaicus*)

European Mole (*Talpa europaea*)

Martinos' Mole (*T.martinorum*)

Japanese Shrew Mole (*Urotrichus talpoides*)

SOLENODONS (SOLENODONTIDAE) (1/2)

Hispaniolan Solenodon (*Solenodon paradoxus*)

SHEATH-TAILED BATS (EMBALLONURIDAE) (33/55)

Thomas's Sac-winged Bat (*Balantiopteryx io*)

Gray Sac-winged Bat (*B.plicata*)

Thomas's Shaggy Bat (*Centronycteris centralis*)

Chestnut Sac-winged Bat (*Cormura brevirostris*)

Short-eared Bat (*Cyttarops alecto*)

Northern Ghost Bat (*Diclidurus albus*)

Greater Dog-like Bat (*Peropteryx kappleri*)

White-winged Dog-like Bat (*P.leucoptera*)

Lesser Dog-like Bat (*P.macrotis*)

Pale-winged Dog-like Bat (*P.pallidoptera*)

Proboscis Bat (*Rhynchonycteris naso*)

Greater Sac-winged Bat (*Saccopteryx bilineata*)

Frosted Sac-winged Bat (*S.canescens*)

Amazonian Sac-winged Bat (*S.gymnura*)

Lesser Sac-winged Bat (*S.leptura*)

African Sheath-tailed Bat (*Coleura afra*)

Small Asian Sheath-tailed Bat (*Emballonura alecto*)

Lesser Sheath-tailed Bat (*E.monticola*)

Raffray's Sheath-tailed Bat (*E.raffrayana*)

Dark Sheath-tailed Bat (*Mosia nigrescens*)

Peters's Sheath-tailed Bat (*Paremballonura atrata*)

Western Sheath-tailed Bat (*P.tiavato*)

Yellow-bellied Sheath-tailed Bat (*Saccolaimus flaviventris*)

Coastal Sheath-tailed Bat (*Taphozous australis*)

Common Sheath-tailed Bat (*T.georgianus*)

Hildegarde's Tomb Bat (*T.hildegardeae*)

Hill's Sheath-tailed Bat (*T.hilli*)

Long-winged Sheath-tailed Bat (*T.longimanus*)

Mauritian Tomb Bat (*T.mauritanus*)

Black-bearded Tomb Bat (*T.melanopogon*)

Naked-rumped Tomb Bat (*T.nudiventris*)

Egyptian Tomb Bat (*T.perforatus*)

Troughton's Sheath-tailed Bat (*T.troughtoni*)

SUCKER-FOOTED BATS (MYZOPODIDAE) (1/2)

Eastern Sucker-footed Bat (*Myzopoda aurita*)

SLIT-FACED BATS (NYCTERIDAE) (6/14)

Bates's Slit-faced Bat (*Nycteris arge*)

Andersen's Slit-faced Bat (*N.aurita*) (?)

Hairy Slit-faced Bat (*N.hispida*)

Javan Slit-faced Bat (*N.javanica*)

Large-eared Slit-faced Bat (*N.macrotis*)

Egyptian Slit-faced Bat (*N.thebaica*)

Malayan Slit-faced Bat (*N.tragata*)

THUMBLESS AND SMOKY BATS (FURIPTERIDAE) (1/2)

Thumbless Bat (*Furipterus horrens*)

GHOST-FACED AND MOUSTACHED BATS (MORMOOPIDAE) (12/18)

Antillean Ghost-faced Bat (*Mormoops blainvillei*)

Peters's Ghost-faced Bat (*M.megalophylla*)

Davy's Naked-backed Bat (*Pteronotus davyi*)

Thomas's Naked-backed Bat (*P.fulvus*)

Big Naked-backed Bat (*P.gymnonotus*)

Mesoamerican Common Mustached Bat (*P.mesoamericanus*)

Parnell's Common Mustached Bat (*P.parnellii*)

Wagner's Lesser Mustached Bat (*P.personatus*)

Puerto Rican Common Mustached Bat (*P.portoricensis*)

Dobson's Lesser Mustached Bat (*P.psilotis*)

Sooty Mustached Bat (*P.quadridens*)

Wagner's Common Mustached Bat (*P.rubiginosus*)

NEW ZEALAND SHORT-TAILED BATS (MYSTACINIDAE) (1/2)

Lesser New Zealand Short-tailed Bat (*Mystacina tuberculata*)

BULLDOG BATS (NOCTILIONIDAE) (2/2)

Lesser Bulldog Bat (*Noctilio albiventris*)

Greater Bulldog Bat (*N.leporinus*)

NEW WORLD LEAF-NOSED BATS (PHYLLOSTOMIDAE) (99/230)

Ben Keith's Short-tailed Bat (*Carollia benkeithi*)

Silky Short-tailed Bat (*C.brevicauda*)

Chestnut Short-tailed Bat (*C.castanea*)

Seba's Short-tailed Bat (*C.perspicillata*)

Sowell's Short-tailed Bat (*C.sowellii*)

Gray Short-tailed Bat (*C.subrufa*)

Common Vampire Bat (*Desmodus rotundus*)

White-winged Vampire Bat (*Diaemus youngii*)

Hairy-legged Vampire Bat (*Diphylla ecaudata*)

Eastern Antillean Fruit-eating Bat (*Brachyphylla cavernarum*)

Brown Flower Bat (*Erophylla bombifrons*)

Tailed Tailless Bat (*Anoura caudifer*)

Handley's Tailless Bat (*A.cultrata*)

Tube-lipped Tailless Bat (*A.fistulata*)

Geoffroy's Tailless Bat (*A.geoffroyi*)

Tschudi's Tailless Bat (*A.peruana*)

Godman's Long-tailed Bat (*Choeroniscus godmani*)

Mexican Long-tongued Bat (*Choeronycteris mexicana*)

Underwood's Long-tongued Bat (*Hylonycteris underwoodi*)

Baker's Long-tongued Bat (*Glossophaga bakeri*)

Commissaris's Long-tongued Bat (*G.commissarisi*)

Gray's Long-tongued Bat (*G.leachii*)

Miller's Long-tongued Bat (*G.longirostris*)

Western Long-tongued Bat (*G.morenoi*)

Merriam's Long-tongued Bat (*G.mutica*)

Pallas's Long-tongued Bat (*G.soricina*)

Greater Long-nosed Bat (*Leptonycteris nivalis*)

Lesser Long-nosed Bat (*L.yerbabuenae*)

Western Antillean Single-leaf Bat (*Monophyllus redmani*)

Niceforo's Big-eared Bat (*Trinycteris nicefori*)

Orange Nectar Bat (*Lonchophylla robusta*)

Common Sword-nosed Bat (*Lonchorhina aurita*)

Californian Leaf-nosed Bat (*Macrotus californicus*)

Waterhouse's Leaf-nosed Bat (*M.waterhousii*)

Orange-throated Bat (*Lampronnycteris brachyotis*)

Hairy Big-eared Bat (*Micronycteris hirsuta*)

Little Big-eared Bat (*M.megalotis*)

Common Big-eared Bat (*M.microtis*)

Tiny Big-eared Bat (*M.minuta*)

Schmidts' Big-eared Bat (*M.schmidtorum*)

Northern Big-eared Bat (*M.tresamici*)

Long-legged Bat (*Macrophyllum macrophyllum*)

Common Fringe-lipped Bat (*Trachops cirrhosus*)

Central American Fringe-lipped Bat (*T.coffini*)

Atlantic Forest Fringe-lipped Bat (*T.ehrhardti*)

Striped Hairy-nosed Bat (*Gardnerycteris crenulata*)

Keenan's Hairy-nosed Bat (*G.keenani*)

Mesoamerican Round-eared Bat (*Lophostoma nicaraguae*)

White-throated Round-eared Bat (*L.silvicola*)

Pale-faced Bat (*Phylloderma stenops*)

Pale Spear-nosed Bat (*Phyllostomus discolor*)

Lesser Spear-nosed Bat (*P.elongatus*)

Greater Spear-nosed Bat (*P.hastatus*)

Guianan Spear-nosed Bat (*P.latifolius*)

Northern Stripe-headed Round-eared Bat (*Tonatia bakeri*)

Southern Stripe-headed Round-eared Bat (*T.maresi*)

Woolly False Vampire Bat (*Chrotopterus auritus*)

Cozumelan Golden Bat (*Mimon cozumelae*)

Spectral Bat (*Vampyrus spectrum*)

Fischer's Little Fruit Bat (*Rhinophylla fischerae*)

Dwarf Little Fruit Bat (*R.pumilio*)

Brown Fruit-eating Bat (*Artibeus concolor*)

Fringed Fruit-eating Bat (*A.fimbriatus*)

Hairy Fruit-eating Bat (*A.hirsutus*)

Intermediate Fruit-eating Bat (*A.intermedius*)

Jamaican Fruit-eating Bat (*A.jamaicensis*)

Great Fruit-eating Bat (*A.liturgatus*)

Dark Fruit-eating Bat (*A.obscurus*)

Flat-faced Fruit-eating Bat (*A.planirostris*)

Andersen's Fruit-eating Bat (*Dermanura anderseni*)

Aztec Fruit-eating Bat (*D.azteca*)

Gervais's Fruit-eating Bat (*D.cinerea*)

Dwarf Fruit-eating Bat (*D.gnomus*)

Pygmy Fruit-eating Bat (*D.phaeotis*)

Toltec Fruit-eating Bat (*D.tolteca*)

Thomas's Fruit-eating Bat (*D.watsoni*)

Honduran White Bat (*Ectophylla alba*)

Cuban Fig-eating Bat (*Phyllops falcatus*)

Hairy Big-eyed Bat (*Chiroderma villosum*)

MacConnell's Bat (*Mesophylla macconnelli*)

Short-headed Broad-nosed Bat (*Platyrrhinus brachycephalus*)

Heller's Broad-nosed Bat (*P.helleri*)

Incan Broad-nosed Bat (*P.incarum*)

Buff Broad-nosed Bat (*P.infuscus*)

White-lined Broad-nosed Bat (*P.lineatus*)

Common Tent-making Bat (*Uroderma bilobatum*)

Pacific Tent-making Bat (*U.convexum*)

Davis's Tent-making Bat (*U.davisi*)

Brown Tent-making Bat (*U.magnirostrum*)

Northern Little Yellow-eared Bat (*Vampyressa thyone*)

Bidentate Yellow-eared Bat (*Vampyriscus bidens*)

Brock's Yellow-eared Bat (*V.brocki*)

Striped Yellow-eared Bat (*V.nymphaeus*)

Great Stripe-faced Bat (*Vampyrodes major*)

Hairy Yellow-shouldered Bat (*Sturnira erythromos*)

Honduran Yellow-shouldered Bat (*S.hondurensis*)

Little Yellow-shouldered Bat (*S.lilium*)

Northern Yellow-shouldered Bat (*S.parvidens*)

Tilda's Yellow-shouldered Bat (*S.tildae*)

DISC-WINGED BATS (THYROPTERIDAE) (2/5)

Peters's Disk-winged Bat (*Thyroptera discifera*)

Spix's Disk-winged Bat (*T.tricolor*)

WING-GLAND BATS (CISTUGIDAE) (1/2)

Le Sueur's Wing-gland Bat (*Cistugo lesueuri*)

BENT-WINGED BATS (MINIOPTERIDAE) (16/41)

Aellen's Long-fingered Bat (*Miniopterus aelleni*)

African Long-fingered Bat (*M.africanus*)

Little Long-fingered Bat (*M.australis*)

Madagascar Long-fingered Bat (*M.brachytragos*) (?)

Asian Long-fingered Bat (*M.fuliginosus*)

Glen's Long-fingered Bat (*M.gleni*)

Griveaud's Long-fingered Bat (*M.griveaudi*)

Greater Long-fingered Bat (*M.inflatus*)

Small Melanesian Long-fingered Bat (*M.macrocneme*)

Major's Long-fingered Bat (*M.majori*)

Intermediate Long-fingered Bat (*M.medius*)

Least Long-fingered Bat (*M.minor*)

Natal Long-fingered Bat (*M.natalensis*)

Australian Long-fingered Bat (*M.orianae*)

Philippine Long-fingered Bat (*M.paululus*)

Schreibers's Long-fingered Bat (*M.schreibersii*)

Great Long-fingered Bat (*M.tristis*)

FREE-TAILED BATS (MOLOSSIDAE) (36/134)

White-striped Free-tailed Bat (*Austronomus australis*)

Greater Naked Bat (*Cheiromeles torquatus*)

Cinnamon Dog-faced Bat (*Cynomops abrasus*)

Mexican Dog-faced Bat (*C.mexicanus*)

Common Dwarf Bonneted Bat (*Eumops bonariensis*)

Fierce Bonneted Bat (*E.ferox*)

Florida Bonneted Bat (*E.floridanus*)

Western Bonneted Bat (*E.perotis*)

East Coast Free-tailed Bat (*Micronomus norfolkensis*)

Dwarf Dog-faced Bat (*Molossops temminckii*)

Alvarez's Mastiff Bat (*Molossus alvarezi*)

Bonda Mastiff Bat (*M.bondae*)

Thomas's Mastiff Bat (*M.currentium*)

Pallas's Mastiff Bat (*M.molossus*)

Northern Black Mastiff Bat (*M.nigricans*)

Miller's Mastiff Bat (*M.pretiosus*)

Short-winged Free-tailed Bat (*Mops brachypterus*)

Angolan Free-tailed Bat (*M.condylurus*)

Greater Northern Free-tailed Bat (*M.jobensis*)

Midas Free-tailed Bat (*M.midas*)

Malayan Free-tailed Bat (*M.mops*)

Wrinkle-lipped Free-tailed Bat (*M.plicatus*)

Little Free-tailed Bat (*M.pumilus*)

Sulawesian Free-tailed Bat (*M.sarasinorum*)

Pocketed Free-tailed Bat (*Nyctinomops femorosaccus*)

Broad-eared Free-tailed Bat (*N.laticaudatus*)

Big Free-tailed Bat (*N.macrotis*)

Egyptian Free-tailed Bat (*Nyctinomus aegyptiacus*)

Harrison's Giant Mastiff Bat (*Otomops harrisoni*)

Lumsden's Free-tailed Bat (*Ozimops lumsdenae*)

Inland Free-tailed Bat (*O.petersi*)

Southern Free-tailed Bat (*O.planiceps*)

Ride's Free-tailed Bat (*O.ridei*)

Big Crested Mastiff Bat (*Promops centralis*)

Brazilian Free-tailed Bat (*Tadarida brasiliensis*)

European Free-tailed Bat (*T.teniotis*)

FUNNEL-EARED BATS (NATALIDAE) (2/11)

Caribbean Lesser Funnel-eared Bat (*Chilonatalus micropus*)

Mexican Funnel-eared Bat (*Natalus mexicanus*)

EVENING BATS (VESPERTILIONIDAE) (150/544)

Hardwicke's Woolly Bat (*Kerivoula hardwickii*)

Least Woolly Bat (*K.minuta*)

Fly River Woolly Bat (*K.muscina*)

Clear-winged Woolly Bat (*K.pellucida*)

Painted Woolly Bat (*K.picta*)

'Lore Lindu' Woolly Bat (*K.sp.nov.*)

Golden-tipped Bat (*Phoniscus papuensis*)

Hairy-winged Bat (*Harpiocephalus harpia*)

Flores Tube-nosed Bat (*Murina florum*)

Hilgendorf's Tube-nosed Bat (*M.hilgendorfi*)
Rufous Tube-nosed Bat (*M.leucogaster*)
Silver-tipped Myotis (*Myotis albescens*)
Alcathoe Whiskered Myotis (*M.alcathoe*)
Indochinese Whiskered Myotis (*M.alticraniatus*)
Valparaíso Myotis (*M.arescens*)
Armién's Myotis (*M.armiensis*)
Peters's Myotis (*M.ater*)
Southwestern Myotis (*M.auriculus*)
Southeastern Myotis (*M.austoriparius*)
Bechstein's Myotis (*M.bechsteinii*)
Lesser Myotis (*M.blythii*)
Brandt's Myotis (*M.brandtii*)
California Myotis (*M.californicus*)
Long-fingered Myotis (*M.capaccinii*)
Chilean Myotis (*M.chiloensis*)
Western Small-footed Myotis (*M.ciliolabrum*)
Pond Myotis (*M.dasycneme*)
Daubenton's Myotis (*M.daubentonii*)
Elegant Myotis (*M.elegans*)
Geoffroy's Myotis (*M.emarginatus*)
Escalera's Myotis (*M.escalerae*)
Long-eared Myotis (*M.evotis*)
Mexican Black Myotis (*M.extremus*)
Black-and-orange Myotis (*M.formosus*)
Fraternal Myotis (*M.frater*) (?)

Malagasy Myotis (*M.goudotii*)

Gray Myotis (*M.grisescens*)

Lesser Large-footed Myotis (*M.hasseltii*)

Horsfield's Myotis (*M.horsfieldii*)

Eastern Small-footed Myotis (*M.leibii*)

Yellowish Myotis (*M.levis*)

Little Brown Myotis (*M.lucifugus*)

Big-footed Myotis (*M.macrodactylus*)

Southern Myotis (*M.macropus*)

Maluku Myotis (*M.moluccarum*)

Nepalese Whiskered Myotis (*M.muricola*)

Greater Myotis (*M.myotis*)

Common Whiskered Myotis (*M.mystacinus*)

Natterer's Myotis (*M.nattereri*)

Common Black Myotis (*M.nigricans*)

Barbados Myotis (*M.nyctor*)

Arizona Myotis (*M.occultus*)

Montane Myotis (*M.oxyotus*)

Northern Hairy-legged Myotis (*M.pilosatibialis*)

Flat-headed Myotis (*M.planiceps*)

Maghreb Myotis (*M.punicus*)

Ridley's Myotis (*M.ridleyi*)

Riparian Myotis (*M.riparius*)

Long-toed Myotis (*M.secundus*)

Northern Myotis (*M.septentrionalis*)

Indiana Myotis (*M.sodalis*)

Fringed Myotis (*M.thysanodes*)
Cave Myotis (*M.velifer*)
Fish-eating Myotis (*M.vivesi*)
Long-legged Myotis (*M.volans*)
Yuma Myotis (*M.yumanensis*)
Taiwan Broad-muzzled Bat (*Submyotodon latirostris*)
Common Pallid Bat (*Antrozous pallidus*)
Allen's Yellow Bat (*Baeodon alleni*)
Slender Yellow Bat (*B.gracilis*)
Van Gelder's Bat (*Bauerus dubiaquercus*)
Yucatán Yellow Bat (*Rhogeessa aenea*)
Bickham's Yellow Bat (*R.bickhami*)
Menchu's Yellow Bat (*R.menchuae*)
Northern Little Yellow Bat (*R.parvula*)
Canyon Bat (*Parastrellus hesperus*)
Tricolored Bat (*Perimyotis subflavus*)
Eastern Red Bat (*Lasiurus borealis*)
Northern Hoary Bat (*L.cinereus*)
Desert Red Bat (*L.frantzii*)
Northern Yellow Bat (*L.intermedius*)
Seminole Bat (*L.seminolus*)
Western Yellow Bat (*L.xanthinus*)
Long-tailed Serotine (*Cnephaeus hottentotus*) (?)
Northern Serotine (*C.nilssonii*)
Eurasian Serotine (*C.serotinus*)
Big Brown Bat (*Eptesicus fuscus*)

Beatrix's Butterfly Bat (*Glauconycteris beatrix*)
Doria's False Serotine (*Hesperoptenus doriae*)
Silver-haired Bat (*Lasionycteris noctivagans*)
Brazilian Serotine (*Neoptesicus brasiliensis*)
Diminutive Serotine (*N.diminutus*)
Argentine Serotine (*N.furinalis*)
North American Evening Bat (*Nycticeius humeralis*)
Inland Broad-nosed Bat (*Scotorepens balstoni*)
Little Broad-nosed Bat (*S.greyii*)
Northern Broad-nosed Bat (*S.sanborni*)
Japanese Pipistrelle (*Alionyctula abramus*)
Kelaart's Pipistrelle (*A.ceylonica*)
Indian Pipistrelle (*A.coromandra*)
Javan Pipistrelle (*A.javanica*)
Minahassa Pipistrelle (*A.minahassae*)
Narrow-winged Pipistrelle (*A.stenoptera*)
Least Pipistrelle (*A.tenuis*)
Northern Pipistrelle (*A.westralis*)
Azores Noctule (*Nyctalus azoreum*)
Greater Noctule (*N.lasipterus*)
Leisler's Noctule (*N.leisleri*)
Common Noctule (*N.noctula*)
Kuhl's Pipistrelle (*Pipistrellus kuhlii*)
Madeira Pipistrelle (*P.maderensis*)
Nathusius's Pipistrelle (*P.nathusii*)
Common Pipistrelle (*P.pipistrellus*)

Soprano Pipistrelle (*P.pygmaeus*)
Western Barbastelle (*Barbastella barbastellus*)
Eastern Barbastelle (*B.darjelingensis*)
Mexican Big-eared Bat (*Corynorhinus mexicanus*)
Rafinesque's Big-eared Bat (*C.rafinesquii*)
Townsend's Big-eared Bat (*C.townsendii*)
Spotted Bat (*Euderma maculatum*)
Allen's Big-eared Bat (*Idionycteris phyllotis*)
Brown Long-eared Bat (*Plecotus auritus*)
Gray Long-eared Bat (*P.austriacus*)
Alpine Long-eared Bat (*P.macrobullaris*)
Taiwan Long-eared Bat (*P.taivanus*)
African Yellow Bat (*Scotophilus dinganii*)
Greater Asian Yellow Bat (*S.heathii*)
Lesser Asian Yellow Bat (*S.kuhlii*)
Large-eared Pied Bat (*Chalinolobus dwyeri*)
Gould's Wattled Bat (*C.gouldii*)
Chocolate Wattled Bat (*C.morio*)
Hoary Wattled Bat (*C.nigrogriseus*) (?)
Little Pied Bat (*C.picatus*)
New Zealand Long-tailed Bat (*C.tuberculatus*) (?)
Eastern False Pipistrelle (*Falsistrellus tasmaniensis*)
Alashanian Pipistrelle (*Hypsugo alashanicus*)
Savi's Pipistrelle (*H.savii*)
Cape Serotine (*Laephotis capensis*)
Schlieffen's Serotine (*Nycticeinops schlieffenii*)

Northern Long-eared Bat (*Nyctophilus arnhemensis*)

Eastern Long-eared Bat (*N.bifax*)

Lesser Long-eared Bat (*N.geoffroyi*)

Gould's Long-eared Bat (*N.gouldi*)

Mount Missim Long-eared Bat (*N.shirleyae*) (?)

Pygmy Long-eared Bat (*N.walkerii*)

Malayan Greater Bamboo Bat (*Tylonycteris malayana*)

Sumatran Greater Bamboo Bat (*T.robustula*)

Northern Cave Bat (*Vespadelus caurinus*)

Large Forest Bat (*V.darlingtoni*)

Finlayson's Cave Bat (*V.finlaysoni*)

Eastern Forest Bat (*V.pumilus*)

Southern Forest Bat (*V.regulus*)

Eastern Cave Bat (*V.troughtoni*)

Little Forest Bat (*V.vulturinus*)

Asian Particolored Bat (*Vespertilio sinensis*)

OLD WORLD FRUIT BATS (PTEROPODIDAE) (61/197)

Malayan Spotted-winged Fruit Bat (*Balionycteris seimundi*)

Common Dayak Fruit Bat (*Dyacopterus spadiceus*)

Lucas's Short-nosed Fruit Bat (*Penthetor lucasii*) (?)

Blanford's Fruit Bat (*Sphaerias blanfordi*)

Common Swift Fruit Bat (*Thoopterus nigrescens*)

Suhaniah's Swift Fruit Bat (*T.suhaniahae*)

Lesser Short-nosed Fruit Bat (*Cynopterus brachyotis*)

Horsfield's Short-nosed Fruit Bat (*C.horsfieldii*)

Peters's Short-nosed Fruit Bat (*C.luzoniensis*)

Minute Short-nosed Fruit Bat (*C.minutus*)

Greater Short-nosed Fruit Bat (*C.sphinx*)

White-collared Fruit Bat (*Megaerops albicollis*)

Ratanaworabhan's Tailless Fruit Bat (*M.niphanae*)

Greater Musky Fruit Bat (*Ptenochirus jagorii*)

Madagascan Straw-colored Fruit Bat (*Eidolon dupreanum*)

African Straw-colored Fruit Bat (*E.helvum*)

Greater Dawn Bat (*Eonycteris major*)

Lesser Dawn Bat (*E.spelaea*)

Peters's Epauletted Fruit Bat (*Epomophorus crypturus*) (?)

Little Epauletted Fruit Bat (*E.labiatus*)

Lesser Epauletted Fruit Bat (*E.pusillus*)

Wahlberg's Epauletted Fruit Bat (*E.wahlbergi*)

Büttikofer's Epauletted Fruit Bat (*Epomops buettikoferi*)

Franquet's Epauletted Fruit Bat (*E.franqueti*)

Hammer-headed Fruit Bat (*Hypsignathus monstrosus*)

Sulawesi Fruit Bat (*Pilonycteris celebensis*)

Angolan Soft-furred Fruit Bat (*Myonycteris angolensis*)

Egyptian Rousette (*Rousettus aegyptiacus*)

Geoffroy's Rousette (*R.amplexicaudatus*)

Leschenault's Rousette (*R.leschenaultii*)

Malagasy Rousette (*R.madagascariensis*)

Halmahera Naked-backed Fruit Bat (*Dobsonia crenulata*)

Sulawesi Naked-backed Fruit Bat (*D.exoleta*)

New Guinea Naked-backed Fruit Bat (*D.magna*)

Lesser Naked-backed Fruit Bat (*D.minor*)

Moluccan Naked-backed Fruit Bat (*D.moluccensis*)
Sulawesi Harpy Fruit Bat (*Harpyionycteris celebensis*)
Lesser Long-tongued Blossom Bat (*Macroglossus minimus*)
Greater Long-tongued Blossom Bat (*M.sobrinus*) (?)
Southern Blossom Bat (*Syconycteris australis*)
Halmaheran Blossom Bat (*S.carolinae*)
Broad-striped Tube-nosed Fruit Bat (*Nyctimene aello*)
Common Tube-nosed Fruit Bat (*N.albiventris*)
Pallas's Tube-nosed Fruit Bat (*N.cephalotes*)
Round-eared Tube-nosed Fruit Bat (*N.cyclotis*)
Queensland Tube-nosed Fruit Bat (*N.robinsoni*)
Unstriped Tube-nosed Fruit Bat (*Paranyctimene raptor*)
Sulawesi Flying Fox (*Acerodon celebensis*)
Golden-capped Flying Fox (*A.jubatus*)
Black Flying Fox (*Pteropus alecto*)
North Moluccan Flying Fox (*P.caniceps*)
Spectacled Flying Fox (*P.conspicillatus*)
Ryukyu Flying Fox (*P.dasymallus*)
Island Flying Fox (*P.hypomelanus*)
Lyle's Flying Fox (*P.lylei*)
Big-eared Flying Fox (*P.macrotis*)
Indian Flying Fox (*P.medius*)
Great Flying Fox (*P.neohibernicus*)
Ornate Flying Fox (*P.ornatus*)
Moluccan Masked Flying Fox (*P.personatus*)
Gray-headed Flying Fox (*P.poliocephalus*)

Little Red Flying Fox (*P.scapulatus*)

Large Flying Fox (*P.vampyrus*)

Wallace's Stripe-faced Fruit Bat (*Styloctenium wallacei*)

HOG-NOSED BATS (CRASEONYCTERIDAE) (1/1)

Kitti's Hog-nosed Bat (*Craseonycteris thonglongyai*)

OLD WORLD LEAF-NOSED BATS (HIPPOSIDERIDAE) (38/94)

Stoliczka's Trident Bat (*Aselliscus stoliczkanus*)

Temminck's Trident Bat (*A.tricuspidatus*)

Cyclops Roundleaf Bat (*Doryrhina cyclops*)

Philippine Dusky Roundleaf Bat (*Hipposideros antricola*)

Great Himalayan Roundleaf Bat (*H.armiger*)

Common Dusky Roundleaf Bat (*H.ater*)

Benito Roundleaf Bat (*H.beatus*)

Bicolored Roundleaf Bat (*H.bicolor*)

Boeadi's Roundleaf Bat (*H.boeadii*)

Sundevall's Roundleaf Bat (*H.caffer*)

Fawn-colored Roundleaf Bat (*H.cervinus*)

Least Roundleaf Bat (*H.cineraceus*)

Diadem Roundleaf Bat (*H.diadema*)

Dayak Roundleaf Bat (*H.dyacorum*)

Fulvus Roundleaf Bat (*H.fulvus*)

Cantor's Roundleaf Bat (*H.galeritus*)

Andersen's Roundleaf Bat (*H.gentilis*)

Crested Roundleaf Bat (*H.inexpectatus*)

Arnhem Roundleaf Bat (*H.inornatus*)

Kunz's Roundleaf Bat (*H.kunzi*)

Indian Roundleaf Bat (*H.lankadiva*)
Horsfield's Roundleaf Bat (*H.larvatus*)
Large Asian Roundleaf Bat (*H.lekaguli*)
Shield-faced Roundleaf Bat (*H.lylei*)
Maggie Taylor's Roundleaf Bat (*H.maggietaylorae*)
Orbiculus Roundleaf Bat (*H.orbiculus*)
Biak Roundleaf Bat (*H.papua*)
Peleng Roundleaf Bat (*H.pelingensis*)
Pendlebury's Roundleaf Bat (*H.pendleburyi*)
Philippine Pygmy Roundleaf Bat (*H.pygmaeus*)
Ridley's Roundleaf Bat (*H.ridleyi*)
Noack's Roundleaf Bat (*H.ruber*)
Semon's Roundleaf Bat (*H.semoni*)
Schneider's Roundleaf Bat (*H.speoris*)
Maghreb Roundleaf Bat (*H.tephrus*)
Commerson's Roundleaf Bat (*Macronycteris commersonii*)
Giant Roundleaf Bat (*M.gigas*)
Striped Roundleaf Bat (*M.vittata*)
FALSE VAMPIRE BATS (MEGADERMATIDAE) (5/7)
Heart-nosed False-vampire (*Cardioderma cor*)
Yellow-winged False-vampire (*Lavia frons*)
Indian Greater False-vampire (*Lyroderma lyra*)
Ghost False-vampire (*Macroderma gigas*)
Lesser Asian False-vampire (*Megaderma spasma*)
HORSESHOE BATS (RHINOLOPHIDAE) (45/118)
Queensland Horseshoe Bat (*Rhinolophus achilles*)

Heuglin's Horseshoe Bat (*R.acrotis*)
Acuminate Horseshoe Bat (*R.acuminatus*)
Intermediate Horseshoe Bat (*R.affinis*)
Halcyon Horseshoe Bat (*R.alcyone*)
Beddome's Woolly Horseshoe Bat (*R.beddomei*)
Poso Horseshoe Bat (*R.belligerator*)
Cape Horseshoe Bat (*R.capensis*)
Sulawesi Horseshoe Bat (*R.celebensis*)
Chutamas's Horseshoe Bat (*R.chutamasae*)
Geoffroy's Horseshoe Bat (*R.clivosus*)
Little Japanese Horseshoe Bat (*R.cornutus*)
Creagh's Horseshoe Bat (*R.creaghi*)
Damara Horseshoe Bat (*R.damarensis*)
Dent's Horseshoe Bat (*R.denti*)
Eloquent Horseshoe Bat (*R.eloquens*)
Mediterranean Horseshoe Bat (*R.euryale*)
New Guinea Broad-eared Horseshoe Bat (*R.euryotis*)
Greater Horseshoe Bat (*R.ferrumequinum*)
Andersen's Woolly Horseshoe Bat (*R.foetidus*)
Formosan Woolly Horseshoe Bat (*R.formosae*)
Lesser Horseshoe Bat (*R.hipposideros*)
Lander's Horseshoe Bat (*R.landeri*)
Big-eared Horseshoe Bat (*R.macrotis*)
Malayan Horseshoe Bat (*R.malayanus*)
Eastern Horseshoe Bat (*R.megaphyllus*)
Mehely's Horseshoe Bat (*R.mehelyi*)

Vietnamese Brown Horseshoe Bat (*R.microglobosus*)

Formosan Horseshoe Bat (*R.monoceros*)

Malaysian Woolly Horseshoe Bat (*R.morio*)

Greater Japanese Horseshoe Bat (*R.nippon*)

Pearson's Horseshoe Bat (*R.pearsonii*)

Northern Woolly Horseshoe Bat (*R.perniger*)

Large-eared Horseshoe Bat (*R.philippinensis*)

Least Horseshoe Bat (*R.pusillus*)

Glossy Horseshoe Bat (*R.refulgens*)

Robinson's Horseshoe Bat (*R.robinsoni*)

Indian Rufous Horseshoe Bat (*R.rouxii*)

Ruwenzori Horseshoe Bat (*R.ruwenzorii*)

Lesser Woolly Horseshoe Bat (*R.sedulus*)

Shamel's Horseshoe Bat (*R.shameli*)

Bushveld Horseshoe Bat (*R.simulator*)

Chinese Rufous Horseshoe Bat (*R.sinicus*)

Sulawesi Broad-eared Horseshoe Bat (*R.tatar*)

Trefoil Horseshoe Bat (*R.trifoliatus*)

TRIDENT BATS (RHINONYCTERIDAE) (4/9)

Orange Diamond-faced Bat (*Rhinonictoris aurantia*)

African Trident Bat (*Triaenops afer*)

Rufous Trident Bat (*T.menamena*)

Persian Trident Bat (*T.persicus*)

MOUSE-TAILED BATS (RHINOPOMATIDAE) (4/5)

Arabian Mouse-tailed Bat (*Rhinopoma cystops*)

Lesser Mouse-tailed Bat (*R.hardwickii*)

Greater Mouse-tailed Bat (*R.microphyllum*)

Muscat Mouse-tailed Bat (*R.muscatellum*)

PANGOLINS (MANIDAE) (4/9)

Sunda Pangolin (*Manis javanica*)

Black-bellied Pangolin (*Phataginus tetradactylus*)

White-bellied Pangolin (*P.tricuspis*)

Giant Pangolin (*Smutsia gigantea*)

RED PANDAS (AILURIDAE) (2/2)

Western Red Panda (*Ailurus fulgens*)

Eastern Red Panda (*A.styani*)

SKUNKS AND STINK-BADGERS (MEPHITIDAE) (9/15)

Molina's Hog-nosed Skunk (*Conepatus chinga*)

American Hog-nosed Skunk (*C.leuconotus*)

Striped Hog-nosed Skunk (*C.semistriatus*)

Hooded Skunk (*Mephitis macroura*)

Striped Skunk (*M.mephitis*)

Southern Spotted Skunk (*Spilogale angustifrons*)

Western Spotted Skunk (*S.gracilis*)

Plains Spotted Skunk (*S.interrupta*)

Sunda Stink Badger (*Mydaus javanensis*)

MUSTELIDS (MUSTELIDAE) (44/69)

Tayra (*Eira barbara*)

Wolverine (*Gulo gulo*)

American Marten (*Martes americana*)

Yellow-throated Marten (*M.flavigula*)

Stone Marten (*M.foina*)

European Pine Marten (*M.martes*)
Japanese Marten (*M.melampus*)
Fisher (*Pekania pennanti*)
Small-toothed Ferret-badger (*Melogale moschata*)
Javan Ferret-badger (*M.orientalis*)
Formosan Ferret-badger (*M.subaurantiaca*)
Zorilla (*Ichonyx striatus*)
Marbled Polecat (*Vormela peregusna*)
Lesser Grison (*Galictis cuja*)
Sea Otter (*Enhydra lutris*)
Spotted-necked Otter (*Hydrictis maculicollis*)
North American River Otter (*Lontra canadensis*)
Marine Otter (*L.felina*)
Central Neotropical River Otter (*L.longicaudis*)
Southern River Otter (*L.provocax*)
African Clawless Otter (*Lutra capensis*)
Asian Small-clawed Otter (*L.cinerea*)
Congo Clawless Otter (*L.congica*)
Eurasian Otter (*L.lutra*)
Smooth-coated Otter (*L.perspicillata*)
Hairy-nosed Otter (*L.sumatrana*)
Giant Otter (*Pteronura brasiliensis*)
Northern Hog Badger (*Arctonyx albogularis*)
Japanese Badger (*Meles anakuma*)
Asian Badger (*M.leucurus*)
European Badger (*M.meles*)

Honey Badger (*Mellivora capensis*)

Altai Mountain Weasel (*Mustela altaica*)

Beringian Ermine (*M.erminea*)

Steppe Polecat (*M.eversmanii*)

European Mink (*M.lutreola*)

Black-footed Ferret (*M.nigripes*)

Least Weasel (*M.nivalis*)

Malay Weasel (*M.nudipes*)

European Polecat (*M.putorius*)

Siberian Weasel (*M.sibirica*)

Long-tailed Weasel (*Neogale frenata*)

American Mink (*N.vison*)

American Badger (*Taxidea taxus*)

RACCOONS, COATIS, AND ALLIES (PROCYONIDAE) (12/13)

Eastern Lowland Olingo (*Bassaricyon alleni*)

Northern Olingo (*B.gabbii*)

Western Lowland Olingo (*B.medius*)

Olinguito (*B.neblina*)

Ringtail (*Bassariscus astutus*)

Cacomistle (*B.sumichrasti*)

White-nosed Coati (*Nasua narica*)

South American Coati (*N.nasua*)

Kinkajou (*Potos flavus*)

Crab-eating Raccoon (*Procyon cancrivorus*)

Northern Raccoon (*P.lotor*)

Cozumel Raccoon (*P.pygmaeus*)

WALRUSES (ODOBENIDAE) (1/1)

Walrus (*Odobenus rosmarus*)

EARED SEALS (OTARIIDAE) (11/15)

South American Fur Seal (*Arctocephalus australis*)

New Zealand Fur Seal (*A.forsteri*)

Afro-Australian Fur Seal (*A.pusillus*)

Guadalupe Fur Seal (*A.townsendi*)

Northern Fur Seal (*Callorhinus ursinus*)

Steller Sea Lion (*Eumetopias jubatus*)

Australian Sea Lion (*Neophoca cinerea*)

South American Sea Lion (*Otaria flavescens*)

New Zealand Sea Lion (*Phocarctos hookeri*)

California Sea Lion (*Zalophus californianus*)

Galapagos Sea Lion (*Z.wollebaeki*)

EARLESS SEALS (PHOCIDAE) (13/19)

Leopard Seal (*Hydrurga leptonyx*)

Northern Elephant Seal (*Mirounga angustirostris*)

Southern Elephant Seal (*M.leonina*)

Mediterranean Monk Seal (*Monachus monachus*)

Hawaiian Monk Seal (*Neomonachus schauinslandi*)

Hooded Seal (*Cystophora cristata*)

Bearded Seal (*Erignathus barbatus*)

Harp Seal (*Pagophilus groenlandicus*)

Gray Seal (*Halichoerus grypus*)

Spotted Seal (*Phoca largha*)

Harbor Seal (*P.vitulina*)

Ringed Seal (*Pusa hispida*)

Saimaa Seal (*P.saimensis*)

BEARS (URSIDAE) (8/8)

Giant Panda (*Ailuropoda melanoleuca*)

Andean Bear (*Tremarctos ornatus*)

Sun Bear (*Helarctos malayanus*)

Sloth Bear (*Melursus ursinus*)

American Black Bear (*Ursus americanus*)

Brown Bear (*U.arctos*)

Polar Bear (*U.maritimus*)

Asian Black Bear (*U.thibetanus*)

CANIDS (CANIDAE) (38/39)

Golden Jackal (*Canis aureus*)

Domestic Dog (*C.familiaris*)

Coyote (*C.latrans*)

African Golden Wolf (*C.lupaster*)

Gray Wolf (*C.lupus*)

Eastern Wolf (*C.lycaon*)

Red Wolf (*C.rufus*)

Ethiopian Wolf (*C.simensis*)

Dhole (*Cuon alpinus*)

Side-striped Jackal (*Lupulella adusta*)

Black-backed Jackal (*L.mesomelas*)

African Wild Dog (*Lycaon pictus*)

Short-eared Dog (*Atelocynus microtis*)

Crab-eating Fox (*Cerdocyon thous*)

Maned Wolf (*Chrysocyon brachyurus*)

Culpeo (*Lycalopex culpaeus*)

Darwin's Fox (*L.fulvipes*)

South American Gray Fox (*L.grisea*)

Pampas Fox (*L.gymnocerca*)

Sechuran Fox (*L.sechurae*)

Hoary Fox (*L.vetula*)

Northern Gray Fox (*Urocyon cinereoargenteus*)

Island Fox (*U.littoralis*)

Common Raccoon Dog (*Nyctereutes procyonoides*)

Japanese Raccoon Dog (*N.viverrinus*)

Bat-eared Fox (*Otocyon megalotis*)

Indian Fox (*Vulpes bengalensis*)

Blanford's Fox (*V.cana*)

Cape Fox (*V.chama*)

Corsac Fox (*V.corsac*)

Tibetan Fox (*V.ferrilata*)

Arctic Fox (*V.lagopus*)

Kit Fox (*V.macrotis*)

Pale Fox (*V.pallida*)

Rüppell's Fox (*V.rueppellii*)

Swift Fox (*V.velox*)

Red Fox (*V.vulpes*)

Fennec Fox (*V.zerda*)

FELIDS (FELIDAE) (34/46)

Cheetah (*Acinonyx jubatus*)

Caracal (*Caracal caracal*)

Bay Cat (*Catopuma badia*)

Asian Golden Cat (*C.temminckii*)

Chinese Mountain Cat (*Felis bieti*)

Domestic Cat (*F.catus*)

Jungle Cat (*F.chaus*)

African Wildcat (*F.lybica*)

Sand Cat (*F.margarita*)

Black-footed Cat (*F.nigripes*)

European Wildcat (*F.silvestris*)

Jaguarundi (*Herpailurus yagouaroundi*)

Northern Colocolo (*Leopardus garleppi*)

Geoffroy's Cat (*L.geoffroyi*)

Andean Mountain Cat (*L.jacobita*)

Ocelot (*L.pardalis*)

Clouded Oncilla (*L.pardinoides*)

Serval (*Leptailurus serval*)

Canadian Lynx (*Lynx canadensis*)

Eurasian Lynx (*L.lynx*)

Iberian Lynx (*L.pardinus*)

Bobcat (*L.rufus*)

Pallas's Cat (*Otocolobus manul*)

Mainland Leopard Cat (*Prionailurus bengalensis*)

Sunda Leopard Cat (*P.javanensis*)

Flat-headed Cat (*P.planiceps*)

Rusty-spotted Cat (*P.rubiginosus*)

Puma (*Puma concolor*)

Sunda Clouded Leopard (*Neofelis diardi*)

Lion (*Panthera leo*)

Jaguar (*P.onca*)

Leopard (*P.pardus*)

Tiger (*P.tigris*)

Snow Leopard (*P.uncia*)

LINSANGS (PRIONODONTIDAE) (1/2)

Banded Linsang (*Prionodon linsang*)

EUPLERIDS (EUPLERIDAE) (3/7)

Spotted Fanaloka (*Fossa fossana*)

Ring-tailed Vontsira (*Galidia elegans*)

Narrow-striped Boky (*Mungotictis decemlineata*)

MONGOOSES (HERPESTIDAE) (24/35)

Marsh Mongoose (*Atilax paludinosus*)

Yellow Mongoose (*Cynictis penicillata*)

Angolan Slender Mongoose (*Herpestes flavescens*)

Egyptian Mongoose (*H.ichneumon*)

Cape Gray Mongoose (*H.pulverulentus*)

Common Slender Mongoose (*H.sanguineus*)

White-tailed Mongoose (*Ichneumia albicauda*)

Selous's Mongoose (*Paracynictis selousi*)

Meller's Mongoose (*Rhynchogale melleri*)

Short-tailed Mongoose (*Urva brachyurus*)

Indian Gray Mongoose (*U.edwardsii*)

Indian Brown Mongoose (*U.fusca*)

Javan Mongoose (*U.javanica*)

Ruddy Mongoose (*U.smithii*)

Crab-eating Mongoose (*U.urva*)

Stripe-necked Mongoose (*U.vitticollis*)

Long-nosed Mongoose (*Xenogale naso*)

Common Cusimanse (*Crossarchus obscurus*)

Pousargues's Mongoose (*Dologale dybowskii*)

Ethiopian Dwarf Mongoose (*Helogale hirtula*)

Common Dwarf Mongoose (*H.parvula*)

Liberian Mongoose (*Liberiictis kuhni*)

Banded Mongoose (*Mungos mungo*)

Meerkat (*Suricata suricatta*)

HYAENAS (HYAENIDAE) (5/5)

Spotted Hyena (*Crocuta crocuta*)

Striped Hyena (*Hyaena hyaena*)

Brown Hyena (*Parahyaena brunnea*)

Southern Aardwolf (*Proteles cristatus*)

Eastern Aardwolf (*P.septentrionalis*)

CIVETS, GENETS, AND OYANS (VIVERRIDAE) (20/36)

Abyssinian Genet (*Genetta abyssinica*)

Angolan Genet (*G.angolensis*) (?)

Feline Genet (*G.felina*)

Rusty-spotted Genet (*G.fieldiana*)

Common Genet (*G.genetta*)

Johnston's Genet (*G.johnstoni*)

Servaline Genet (*G.servalina*)

Cape Genet (*G.tigrina*)

Banded Palm Civet (*Hemigalus derbyanus*)

Binturong (*Arctictis binturong*)

Small-toothed Palm Civet (*Arctogalidia trivirgata*)

Masked Palm Civet (*Paguma larvata*)

Northern Palm Civet (*Paradoxurus hermaphroditus*)

Brown Palm Civet (*P.jerdoni*)

Southern Palm Civet (*P.musanga*)

Philippine Palm Civet (*P.philippinensis*)

Golden Palm Civet (*P.zeylonensis*)

African Civet (*Civettictis civetta*)

Malay Civet (*Viverra zibetha*)

Large Indian Civet (*V.zibetha*)

Small Indian Civet (*Viverricula indica*)

AFRICAN PALM-CIVETS (*NANDINIIDAE*) (1/1)

African Palm Civet (*Nandinia binotata*)

RHINOCEROSES (*RHINOCEROTIDAE*) (3/5)

White Rhinoceros (*Ceratotherium simum*)

Black Rhinoceros (*Diceros bicornis*)

Greater One-horned Rhinoceros (*Rhinoceros unicornis*)

TAPIRS (*TAPIRIDAE*) (4/4)

Central American Tapir (*Tapirus bairdii*)

Malayan Tapir (*T.indicus*)

Mountain Tapir (*T.pinchaque*)

Lowland Tapir (*T.terrestris*)

EQUINES (*EQUIDAE*) (8/9)

Domestic Ass (*Equus asinus*)

Domestic Horse (*E.caballus*)

Wild Horse (*E.ferus*)

Grevy's Zebra (*E.grevyi*)

Onager (*E.hemionus*)

Kiang (*E.kiang*)

Plains Zebra (*E.quagga*)

Mountain Zebra (*E.zebra*)

HIPPOPOTAMUSES (HIPPOPOTAMIDAE) (2/2)

Pygmy Hippopotamus (*Choeropsis liberiensis*)

Common Hippopotamus (*Hippopotamus amphibius*)

BOWHEAD AND RIGHT WHALES (BALAENIDAE) (3/4)

Bowhead Whale (*Balaena mysticetus*)

Southern Right Whale (*Eubalaena australis*)

North Atlantic Right Whale (*E.glacialis*)

RORQUALS (BALAENOPTERIDAE) (9/11)

Common Minke Whale (*Balaenoptera acutorostrata*)

Sei Whale (*B.borealis*)

Bryde's Whale (*B.brydei*)

Eden's Whale (*B.edeni*)

Blue Whale (*B.musculus*)

Omura's Whale (*B.omurai*)

Fin Whale (*B.physalus*)

Gray Whale (*Eschrichtius robustus*)

Humpback Whale (*Megaptera novaeangliae*)

OCEANIC DOLPHINS (DELPHINIDAE) (37/41)

Eastern Pacific Long-beaked Common Dolphin (*Delphinus bairdii*)

Panglobal Common Dolphin (*D.delphis*)

Fraser's Dolphin (*Lagenodelphis hosei*)

Tucuxi (*Sotalia fluviatilis*)

Guiana Dolphin (*S.guianensis*)

Indo-Pacific Humpback Dolphin (*Sousa chinensis*)

Indian Humpback Dolphin (*S.plumbea*)

Australian Humpback Dolphin (*S.sahulensis*)

Pantropical Spotted Dolphin (*Stenella attenuata*)

Striped Dolphin (*S.coeruleoalba*)

Atlantic Spotted Dolphin (*S.frontalis*)

Spinner Dolphin (*S.longirostris*)

Indo-Pacific Bottlenose Dolphin (*Tursiops aduncus*)

Tamanend's Bottlenose Dolphin (*T.erebennus*)

Common Bottlenose Dolphin (*T.truncatus*)

Pygmy Killer Whale (*Feresa attenuata*)

Short-finned Pilot Whale (*Globicephala macrorhynchus*)

Long-finned Pilot Whale (*G.melas*)

Risso's Dolphin (*Grampus griseus*)

Irrawaddy Dolphin (*Orcaella brevirostris*)

Australian Snubfin Dolphin (*O.heinsohni*)

Melon-headed Whale (*Peponocephala electra*)

False Killer Whale (*Pseudorca crassidens*)

Rough-toothed Dolphin (*Steno bredanensis*)

White-beaked Dolphin (*Lagenorhynchus albirostris*)

Atlantic White-sided Dolphin (*Leucopleurus acutus*)

Resident Killer Whale (*Orcinus ater*)

Common Killer Whale (*O.orca*)

Bigg's Killer Whale (*O.rectipinnus*)

Pacific White-sided Dolphin (*Aethalodelphis obliquidens*)

Dusky Dolphin (*A.obscurus*)

Peale's Dolphin (*Cephalorhynchus australis*)

Commerson's Dolphin (*C.commersonii*)

Chilean Dolphin (*C.eutropia*)

Heaviside's Dolphin (*C.heavisidii*)

Hector's Dolphin (*C.hectori*)

Northern Right-whale Dolphin (*Lissodelphis borealis*)

NARWHALS AND BELUGAS (MONODONTIDAE) (2/2)

Beluga (*Delphinapterus leucas*)

Narwhal (*Monodon monoceros*)

PORPOISES (PHOCOENIDAE) (6/8)

Yangtze Finless Porpoise (*Neophocaena asiaeorientalis*)

East Asian Finless Porpoise (*N.sunameri*)

Harbor Porpoise (*Phocoena phocoena*)

Vaquita (*P.sinus*)

Burmeister's Porpoise (*P.spinipinnis*)

Dall's Porpoise (*Phocoenoides dalli*)

SOUTH AMERICAN RIVER DOLPHINS (INIIDAE) (3/4)

Bolivian River Dolphin (*Inia boliviensis*)

Amazon River Dolphin (*I.geoffrensis*)

Orinoco River Dolphin (*I.humboldtiana*)

ESTUARINE RIVER DOLPHINS (PONTOPORIIDAE) (1/1)

Franciscana (*Pontoporia blainvillei*)

DWARF SPERM WHALES (KOGIIDAE) (2/2)

Pygmy Sperm Whale (*Kogia breviceps*)

Dwarf Sperm Whale (*K.sima*)

SPERM WHALES (PHYSETERIDAE) (1/1)

Sperm Whale (*Physeter macrocephalus*)

SOUTH ASIAN RIVER DOLPHINS (PLATANISTIDAE) (1/2)

Ganges River Dolphin (*Platanista gangetica*)

BEAKED WHALES (ZIPHIIDAE) (5/24)

Least Beaked Whale (*Berardius minimus*)

Northern Bottlenose Whale (*Hyperoodon ampullatus*)

Sowerby's Beaked Whale (*Mesoplodon bidens*)

Gervais's Beaked Whale (*M.europaeus*)

Cuvier's Beaked Whale (*Ziphius cavirostris*)

BOVIDS (BOVIDAE) (122/153)

Impala (*Aepyceros melampus*)

Hartebeest (*Alcelaphus buselaphus*)

Hirola (*Beatragus hunteri*)

Black Wildebeest (*Connochaetes gnou*)

Blue Wildebeest (*C.taurinus*)

Tsessebe (*Damaliscus lunatus*)

Bontebok (*D.pygargus*)

Dibatag (*Ammodorcas clarkei*)

Springbok (*Antidorcas marsupialis*)

Blackbuck (*Antilope cervicapra*)

Red-fronted Gazelle (*Eudorcas rufifrons*)

Thomson's Gazelle (*E.thomsonii*)
Arabian Gazelle (*Gazella arabica*)
Chinkara (*G.bennettii*)
Cuvier's Gazelle (*G.cuvieri*)
Dorcas Gazelle (*G.dorcas*)
Mountain Gazelle (*G.gazella*)
Slender-horned Gazelle (*G.leptoceros*)
Sand Gazelle (*G.marica*)
Goitered Gazelle (*G.subgutturosa*)
Gerenuk (*Litocranius walleri*)
Dama Gazelle (*Nanger dama*)
Grant's Gazelle (*N.granti*)
Bright's Gazelle (*N.notatus*)
Peters's Gazelle (*N.petersii*)
Soemmerring's Gazelle (*N.soemmerringii*)
Saiga (*Saiga tatarica*)
Oribi (*Ourebia ourebi*)
Mongolian Gazelle (*Procapra gutturosa*)
Tibetan Gazelle (*P.picticaudata*)
Przewalski's Gazelle (*P.przewalskii*)
Beira (*Dorcatragus megalotis*)
Naivasha Dik-dik (*Madoqua cavendishi*)
Damara Dik-dik (*M.damarensis*)
Guenther's Dik-dik (*M.guentheri*)
Kirk's Dik-dik (*M.kirkii*)
Silver Dik-dik (*M.piacentini*)

Salt's Dik-dik (*M.saltiana*)
Ugogo Dik-dik (*M.thomasi*)
Steenbok (*Raphicerus campestris*)
Cape Gysbok (*R.melanotis*)
Sharpe's Gysbok (*R.sharpei*)
Aoudad (*Ammotragus lervia*)
Arabian Tahr (*Arabitragus jayakari*)
Himalayan Takin (*Budorcas taxicolor*)
Chinese Takin (*B.tibetana*)
Wild Goat (*Capra aegagrus*)
Kuban Tur (*C.caucasica*)
Daghestan Tur (*C.cylindricornis*)
Markhor (*C.falconeri*)
Domestic Goat (*C.hircus*)
Alpine Ibex (*C.ibex*)
Nubian Ibex (*C.nubiana*)
Iberian Ibex (*C.pyrenaica*)
Siberian Ibex (*C.sibirica*)
Walia Ibex (*C.walie*)
Nilgiri Tahr (*Nilgiritragus hylocrius*)
Rocky Mountain Goat (*Oreamnos americanus*)
Argali (*Ovis ammon*)
Domestic Sheep (*O.aries*)
Bighorn Sheep (*O.canadensis*)
Thinhorn Sheep (*O.dalli*)
Urial (*O.vignei*)

Blue Sheep (*Pseudois nayaur*)
Southern Chamois (*Rupicapra pyrenaica*)
Northern Chamois (*R.rupicapra*)
Japanese Serow (*Capricornis crispus*)
Maned Serow (*C.sumatraensis*)
Formosan Serow (*C.swinhoei*)
Himalayan Goral (*Naemorhedus goral*)
Chinese Goral (*N.griseus*)
Muskox (*Ovibos moschatus*)
Chiru (*Pantholops hodgsonii*)
Brooke's Duiker (*Cephalophorus brookei*)
Peters's Duiker (*C.callipygus*)
Kivu Duiker (*C.kivuensis*)
Natal Red Duiker (*C.natalensis*)
Ogilby's Duiker (*C.ogilbyi*)
Weyns's Duiker (*C.weynsi*)
Bay Duiker (*Cephalophus dorsalis*)
Yellow-backed Duiker (*C.silvicultor*)
Aders's Duiker (*Leucocephalophus adersi*)
Maxwell's Duiker (*Philantomba maxwellii*)
Blue Duiker (*P.monticola*)
Bush Duiker (*Sylvicapra grimmia*)
Addax (*Addax nasomaculatus*)
Roan Antelope (*Hippotragus equinus*)
Sable Antelope (*H.niger*)
Beisa Oryx (*Oryx beisa*)

Scimitar-horned Oryx (*O.dammah*)
Gemsbok (*O.gazella*)
Royal Antelope (*Neotragus pygmaeus*)
Suni (*Nesotragus moschatus*)
Klipspringer (*Oreotragus oreotragus*)
Waterbuck (*Kobus ellipsiprymnus*)
Kob (*K.kob*)
Southern Lechwe (*K.leche*)
Puku (*K.vardonii*)
Rhebok (*Pelea capreolus*)
Southern Reedbuck (*Redunca arundinum*)
Mountain Reedbuck (*R.fulvorufula*)
Bohor Reedbuck (*R.redunca*)
Nilgai (*Boselaphus tragocamelus*)
Chowsingha (*Tetracerus quadricornis*)
American Bison (*Bos bison*)
Wisent (*B.bonassus*)
Gaur (*B.gaurus*)
Banteng (*B.javanicus*)
Wild Yak (*B.mutus*)
Domestic Cattle (*B.taurus*)
Asian Wild Buffalo (*Bubalus arnee*)
Water Buffalo (*B.bubalis*)
Tamaraw (*B.mindorensis*)
Cape Buffalo (*Syncerus caffer*)
Nyala (*Tragelaphus angasii*)

Gedemsa (*T.buxtoni*)
Lesser Kudu (*T.imberbis*)
Common Eland (*T.oryx*)
Northern Bushbuck (*T.scriptus*)
Sitatunga (*T.spekii*)
Greater Kudu (*T.strepsiceros*)
Southern Bushbuck (*T.sylvaticus*)
MUSK DEER (MOSCHIDAE) (2/7)
Forest Musk-deer (*Moschus berezovskii*)
Alpine Musk-deer (*M.chrysogaster*)
DEER (CERVIDAE) (32/59)
Moose (*Alces alces*)
Western Roe Deer (*Capreolus capreolus*)
Eastern Roe Deer (*C.pygargus*)
Water Deer (*Hydropotes inermis*)
Marsh Deer (*Blastocerus dichotomus*)
Northern Huemul (*Hippocamelus antisensis*)
Southern Huemul (*H.bisulcus*)
Northwestern Red Brocket (*Mazama americana*)
Central American Red Brocket (*M.reperticia*)
Mule Deer (*Odocoileus hemionus*)
White-tailed Deer (*O.virginianus*)
Pampas Deer (*Ozotoceros bezoarticus*)
Northern Brown Brocket (*Passalites nemorivagus*)
Southern Pudu (*Pudu puda*)
Caribou (*Rangifer tarandus*)

Southern Brown Brocket (*Subulo gouazoubira*)

Chital (*Axis axis*)

Hog Deer (*A.porcinus*)

White-lipped Deer (*Cervus albirostris*)

Wapiti (*C.canadensis*)

Western Red Deer (*C.elaphus*)

Sika Deer (*C.nippon*)

Common Fallow Deer (*Dama dama*)

Pere David's Deer (*Elaphurus davidianus*)

Barasingha (*Rucervus duvaucelii*)

Javan Deer (*Rusa timorensis*)

Sambar (*R.unicolor*)

Tufted Deer (*Elaphodus cephalophus*)

Bornean Yellow Muntjac (*Muntiacus atherodes*)

Southern Red Muntjac (*M.muntjak*)

Reeves's Muntjac (*M.reevesi*)

Northern Red Muntjac (*M.vaginalis*)

GIRAFFES AND OKAPI (GIRAFFIDAE) (4/5)

Northern Giraffe (*Giraffa camelopardalis*)

Southern Giraffe (*G.giraffa*)

Reticulated Giraffe (*G.reticulata*)

Maasai Giraffe (*G.tippelskirchi*)

PRONGHORNS (ANTILOCAPRIDAE) (1/1)

Pronghorn (*Antilocapra americana*)

CHEVROTAINS (TRAGULIDAE) (6/10)

Water Chevrotain (*Hyemoschus aquaticus*)

Indian Chevrotain (*Moschiola indica*)

White-spotted Chevrotain (*M. meminna*)

Javan Chevrotain (*Tragulus javanicus*)

Lesser Indo-Malayan Chevrotain (*T. kanchil*)

Greater Indo-Malayan Chevrotain (*T. napu*)

SUIDS (SUIDAE) (12/18)

Sulawesi Babirusa (*Babirusa celebensis*)

Togian Babirusa (*B. togeanensis*)

Desert Warthog (*Phacochoerus aethiopicus*)

Common Warthog (*P. africanus*)

Giant Forest Hog (*Hylochoerus meinertzhageni*)

Bushpig (*Potamochoerus larvatus*)

Red River Hog (*P. porcus*)

Bearded Pig (*Sus barbatus*)

Sulawesi Warty Pig (*S. celebensis*)

Domestic Pig (*S. domesticus*)

Eurasian Wild Pig (*S. scrofa*)

Javan Warty Pig (*S. verrucosus*)

PECCARIES (TAYASSUIDAE) (3/3)

Collared Peccary (*Dicotyles tajacu*)

Chacoan Peccary (*Parachoerus wagneri*)

White-lipped Peccary (*Tayassu pecari*)

CAMELIDS (CAMELIDAE) (5/7)

Domestic Bactrian Camel (*Camelus bactrianus*)

Dromedary Camel (*C. dromedarius*)

Wild Bactrian Camel (*C. ferus*)

Guanaco (Lama guanicoe)

Vicuña (L.vicugna)

TOTAL 2466