PLATYPUSES (ORNITHORHYNCHIDAE) (1/1)

Platypus (Ornithorhynchus anatinus)

ECHIDNAS (TACHYGLOSSIDAE) (2/4)

Short-beaked Echidna (Tachyglossus aculeatus)

Western Long-beaked Echidna (Zaglossus bruijnii)

OPOSSUMS (DIDELPHIDAE) (25/128)

Derby's Woolly Opossum (Caluromys derbianus)

Brown-eared Woolly Opossum (C.lanatus)

Bare-tailed Woolly Opossum (C.philander)

Water Opossum (Chironectes minimus)

Brazilian White-eared Opossum (Didelphis albiventris)

Southern Black-eared Opossum (D.aurita)

Northern Black-eared Opossum (D.marsupialis)

Andean White-eared Opossum (D.pernigra)

Southern White-eared Opossum (D.poecilotus)

Virginia Opossum (D.virginiana)

Common Four-eyed Opossum (Philander canus)

Dark Four-eyed Opossum (P.melanurus)

Pebas Four-eyed Opossum (P.pebas)

Northern Four-eyed Opossum (P.vossi)

Northeastern Woolly Mouse Opossum (Marmosa demerarae)

Panama Mouse Opossum (M.isthmica)

Rufous Mouse Opossum (M.lepida)

Linnaeus's Mouse Opossum (M.murina)

Robinson's Mouse Opossum (M.robinsoni)

Amazonian Red-sided Opossum (Monodelphis glirina)

Tehuantepec Gray Mouse Opossum (Tlacuatzin canescens)

Common Brown Four-eyed Opossum (Metachirus myosuros)

Agricola's Opossum (Cryptonanus agricolai)

Agile Opossum (Gracilinanus agilis)

Chacoan Fat-tailed Opossum (Thylamys pusillus)

MONITOS DEL MONTE (MICROBIOTHERIIDAE) (1/2)

Southern Monito del Monte (Dromiciops gliroides)

DASYURES (DASYURIDAE) (36/86)

Kaluta (Dasykaluta rosamondae)

Western Quoll (Dasyurus geoffroii)

Northern Quoll (D.hallucatus)

Spotted-tailed Quoll (D.maculatus)

Eastern Quoll (D.viverrinus)

Müller's Three-striped Dasyure (Myoictis melas)

Dibbler (Parantechinus apicalis)

Sandstone Pseudantechinus (Pseudantechinus bilarni)

Fat-tailed Pseudantechinus (P.macdonnellensis)

Ningbing Pseudantechinus (P.ningbing) (?)

Woolley's Pseudantechinus (P.woolleyae)

Tasmanian Devil (Sarcophilus harrisii)

Rusty Antechinus (Antechinus adustus)

Agile Antechinus (A.agilis)

Fawn Antechinus (A.bellus)

Yellow-footed Antechinus (A.flavipes)

Atherton Antechinus (A.godmani)

Mainland Dusky Antechinus (A.mimetes)

Swamp Antechinus (A.minimus)

Brown Antechinus (A.stuartii)

Subtropical Antechinus (A.subtropicus)

Black-tailed Dasyure (Murexia melanura)

Red-tailed Phascogale (Phascogale calurus)

Northern Brush-tailed Phascogale (P.pirata)

Common Brush-tailed Phascogale (P.tapoatafa)

Long-tailed Planigale (Planigale ingrami)

Orange-headed Pilbara Planigale (P.kendricki)

Common Planigale (P.maculata)

Eastern Kultarr (Antechinomys laniger)

Pilbara Ningaui (Ningaui timealeyi)

Southern Ningaui (N.yvonneae)

Fat-tailed Dunnart (Sminthopsis crassicaudata)

Gray-bellied Dunnart (S.fuliginosa)

Gilbert's Dunnart (S.gilberti)

White-footed Dunnart (S.leucopus)

Stripe-faced Dunnart (S.macroura)

Common Dunnart (S.murina)

Eastern Red-cheeked Dunnart (S.virginiae) (?)

Lesser Hairy-footed Dunnart (S.youngsoni) (?)

NUMBATS (MYRMECOBIIDAE) (1/1)

Numbat (Myrmecobius fasciatus)

BANDICOOTS (PERAMELIDAE) (10/22)

Common Spiny Bandicoot (Echymipera kalubu)

Long-nosed Spiny Bandicoot (E.rufescens)

Golden Bandicoot (Isoodon auratus)

Western Brown Bandicoot (I.fusciventer)

Northern Brown Bandicoot (I.macrourus)

Southern Brown Bandicoot (I.obesulus)

Eastern Barred Bandicoot (Perameles gunnii)

Long-nosed Bandicoot (P.nasuta)

Queensland Barred Bandicoot (P.pallescens)

Raffray's Bandicoot (Peroryctes raffrayanus)

BILBIES (THYLACOMYIDAE) (1/1)

Greater Bilby (Macrotis lagotis)

PYGMY POSSUMS (BURRAMYIDAE) (5/5)

Mountain Pygmy Possum (Burramys parvus)

Long-tailed Pygmy Possum (Cercartetus caudatus)

Western Pygmy Possum (C.concinnus)

Little Pygmy Possum (C.lepidus)

Eastern Pygmy Possum (C.nana)

MUSKY RAT-KANGAROOS (HYPSIPRYMNODONTIDAE) (1/1)

Musky Rat Kangaroo (Hypsiprymnodon moschatus)

KANGAROOS, WALLABIES AND ALLIES (MACROPODIDAE) (42/63)

Bennett's Tree Kangaroo (Dendrolagus bennettianus)

Grizzled Tree Kangaroo (D.inustus)

Lumholtz's Tree Kangaroo (D.lumholtzi)

Vogelkop Tree Kangaroo (D.ursinus)

Allied Rock Wallaby (Petrogale assimilis)

Short-eared Rock Wallaby (P.brachyotis)

Monjon (P.burbidgei)

Cape York Rock Wallaby (P.coenensis)

Godman's Rock Wallaby (P.godmani)

Herbert's Rock Wallaby (P.herberti)

Unadorned Rock Wallaby (P.inornata)

Black-footed Rock Wallaby (P.lateralis)

Mareeba Rock Wallaby (P.mareeba)

Brush-tailed Rock Wallaby (P.penicillata)

Proserpine Rock Wallaby (P.persephone)

Purple-necked Rock Wallaby (P.purpureicollis)

Rothschild's Rock Wallaby (P.rothschildi)

Sharman's Rock Wallaby (P.sharmani)

Wilkins's Rock Wallaby (P.wilkinsi)

Yellow-footed Rock Wallaby (P.xanthopus)

Rufous-bellied Pademelon (Thylogale billardierii)

Red-legged Pademelon (T.stigmatica)

Red-necked Pademelon (T.thetis)

Brown Forest Wallaby (Dorcopsis muelleri)

Spectacled Hare Wallaby (Lagorchestes conspicillatus)

Western Gray Kangaroo (Macropus fuliginosus)

Eastern Gray Kangaroo (M.giganteus)

Agile Wallaby (Notamacropus agilis)

Black-striped Wallaby (N.dorsalis)

Tammar Wallaby (N.eugenii)

Western Brush Wallaby (N.irma)

Parma Wallaby (N.parma)

Whip-tailed Wallaby (N.parryi)

Red-necked Wallaby (N.rufogriseus)

Bridled Nail-tailed Wallaby (Onychogalea frenata)

Northern Nail-tailed Wallaby (O.unguifera)

Antilopine Wallaroo (Osphranter antilopinus)

Black Wallaroo (O.bernardus)

Common Wallaroo (O.robustus)

Red Kangaroo (O.rufus)

Quokka (Setonix brachyurus)

Swamp Wallaby (Wallabia bicolor)

POTOROOS AND BETTONGS (POTOROIDAE) (8/8)

Rufous Bettong (Aepyprymnus rufescens)

Eastern Bettong (Bettongia gaimardi)

Burrowing Bettong (B.lesueur)

Brush-tailed Bettong (B.penicillata)

Northern Bettong (B.tropica)

Gilbert's Potoroo (Potorous gilbertii)

Long-footed Potoroo (P.longipes)

Long-nosed Potoroo (P.tridactylus)

FEATHERTAILS (ACROBATIDAE) (3/3)

Broad-toed Feather-tailed Glider (Acrobates frontalis)

Narrow-toed Feather-tailed Glider (A.pygmaeus)

Feather-tailed Possum (Distoechurus pennatus)

GLIDERS, TRIOKS, AND ALLIES (PETAURIDAE) (10/15)

Arfak Striped Possum (Dactylopsila kambuayai)

Torresian Striped Possum (D.trivirgata)

Leadbeater's Possum (Gymnobelideus leadbeateri)

Savanna Glider (Petaurus ariel)

Yellow-bellied Glider (P.australis)

Sugar Glider (P.breviceps)

Mahogany Glider (P.gracilis)

Squirrel Glider (P.norfolcensis)

Krefft's Glider (P.notatus)

New Guinea Glider (P.papuanus)

RINGTAIL POSSUMS (PSEUDOCHEIRIDAE) (14/20)

Lemuroid Ring-tailed Possum (Hemibelideus lemuroides)

Central Greater Glider (Petauroides armillatus)

Northern Greater Glider (P.minor)

Southern Greater Glider (P.volans)

Western Ring-tailed Possum (Pseudocheirus occidentalis)

Eastern Ring-tailed Possum (P.peregrinus)

Lowland Ring-tailed Possum (Pseudochirulus canescens)

Daintree River Ring-tailed Possum (P.cinereus)

Herbert River Ring-tailed Possum (P.herbertensis)

Arfak Ring-tailed Possum (P.schlegelii)

D'Albertis's Ring-tailed Possum (Pseudochirops albertisii)

Green Ring-tailed Possum (P.archeri)

Reclusive Ring-tailed Possum (P.coronatus)

Rock Ring-tailed Possum (P.dahlii)

HONEY POSSUMS (TARSIPEDIDAE) (1/1)

Honey Possum (Tarsipes rostratus)

CUSCUSES AND BRUSHTAIL POSSUMS (PHALANGERIDAE) (14/31)

Common Bear Cuscus (Ailurops ursinus)

Small Sulawesi Cuscus (Strigocuscus celebensis)

Ground Cuscus (Phalanger gymnotis)

Blue-eyed Cuscus (P.matabiru)

Northern Common Cuscus (P.orientalis)

Moluccan Cuscus (P.ornatus)

Peleng Cuscus (P.pelengensis)

Australian Spotted Cuscus (Spilocuscus nudicaudatus)

Waigeo Spotted Cuscus (S.papuensis)

Short-eared Brush-tailed Possum (Trichosurus caninus)

Mountain Brush-tailed Possum (T.cunninghami)

Coppery Brush-tailed Possum (T.johnstonii)

Common Brush-tailed Possum (T.vulpecula)

Scaly-tailed Possum (Wyulda squamicaudata)

KOALAS (PHASCOLARCTIDAE) (1/1)

Koala (Phascolarctos cinereus)

WOMBATS (VOMBATIDAE) (3/3)

Northern Hairy-nosed Wombat (Lasiorhinus krefftii)

Southern Hairy-nosed Wombat (L.latifrons)

Common Wombat (Vombatus ursinus)

SHORT-NOSED ARMADILLOS (CHLAMYPHORIDAE) (8/14)

Screaming Hairy Armadillo (Chaetophractus vellerosus)

Large Hairy Armadillo (C.villosus)

Six-banded Armadillo (Euphractus sexcinctus)

Pichi (Zaedyus pichiy)

Amazon Naked-tailed Armadillo (Cabassous unicinctus)

Giant Armadillo (Priodontes maximus)

Southern Three-banded Armadillo (Tolypeutes matacus)

Brazilian Three-banded Armadillo (T.tricinctus)

LONG-NOSED ARMADILLOS (DASYPODIDAE) (5/11)

Western Andean Long-nosed Armadillo (Dasypus fenestratus)

Guianan Greater Long-nosed Armadillo (D.kappleri)

Mexican Long-nosed Armadillo (D.mexicanus)

Southern Long-nosed Armadillo (D.novemcinctus)

Seven-banded Long-nosed Armadillo (D.septemcinctus)

THREE-TOED SLOTHS (BRADYPODIDAE) (5/5)

Southern Maned Three-toed Sloth (Bradypus crinitus)

Pygmy Three-toed Sloth (B.pygmaeus)

Northern Maned Three-toed Sloth (B.torquatus)

Pale-throated Three-toed Sloth (B.tridactylus)

Brown-throated Three-toed Sloth (B.variegatus)

TWO-TOED SLOTHS (CHOLOEPODIDAE) (2/2)

Linnaeus's Two-toed Sloth (Choloepus didactylus)

Hoffmann's Two-toed Sloth (C.hoffmanni)

SILKY ANTEATERS (CYCLOPEDIDAE) (1/7)

Central American Silky Anteater (Cyclopes dorsalis)

ANTEATERS (MYRMECOPHAGIDAE) (3/3)

Giant Anteater (Myrmecophaga tridactyla)

Northern Tamandua (Tamandua mexicana)

Southern Tamandua (T.tetradactyla)

SENGIS (MACROSCELIDIDAE) (9/20)

Eastern Rock Sengi (Elephantulus myurus)

Karoo Rock Sengi (E.pilicaudus)

Western Rock Sengi (E.rupestris)

Somali Sengi (Galegeeska revoilii)

Rufous Sengi (G.rufescens)

Four-toed Sengi (Petrodromus tetradactylus)

North African Sengi (Petrosaltator rozeti)

Golden-rumped Sengi (Rhynchocyon chrysopygus)

Black-and-rufous Sengi (R.petersi)

GOLDEN MOLES (CHRYSOCHLORIDAE) (1/21)

Congo Golden Mole (Huetia leucorhina)

TENRECS (TENRECIDAE) (4/31)

Lesser Hedgehog Tenrec (Echinops telfairi)

Lowland Streaked Tenrec (Hemicentetes semispinosus)

Greater Hedgehog Tenrec (Setifer setosus)

Tailless Tenrec (Tenrec ecaudatus)

AARDVARKS (ORYCTEROPODIDAE) (1/1)

Aardvark (Orycteropus afer)

ELEPHANTS (ELEPHANTIDAE) (3/3)

Asian Elephant (Elephas maximus)

African Savanna Elephant (Loxodonta africana)

African Forest Elephant (L.cyclotis)

HYRAXES (PROCAVIIDAE) (5/6)

Southern Tree Hyrax (Dendrohyrax arboreus)

Western Tree Hyrax (D.dorsalis)

Eastern Tree Hyrax (D.validus)

Bush Hyrax (Heterohyrax brucei)

Rock Hyrax (Procavia capensis)

DUGONGS (DUGONGIDAE) (1/1)

Dugong (Dugong dugon)

MANATEES (TRICHECHIDAE) (2/3)

Amazonian Manatee (Trichechus inunguis)

West Indian Manatee (T.manatus)

COLUGOS (CYNOCEPHALIDAE) (2/2)

Philippine Colugo (Cynocephalus volans)

Sunda Colugo (Galeopterus variegatus)

PEN-TAILED TREESHREWS (PTILOCERCIDAE) (1/1)

Pen-tailed Treeshrew (Ptilocercus lowii)

TREESHREWS (TUPAIIDAE) (10/22)

Northern Smooth-tailed Treeshrew (Dendrogale murina)

Northern Treeshrew (Tupaia belangeri)

Sumatran Treeshrew (T.ferruginea)

Common Treeshrew (T.glis)

Slender Treeshrew (T.gracilis)

Horsfield's Treeshrew (T.javanica)

Long-footed Treeshrew (T.longipes)

Lesser Treeshrew (T.minor)

Mountain Treeshrew (T.montana)

Large Treeshrew (T.tana)

OLD WORLD MONKEYS (CERCOPITHECIDAE) (107/165)

L'Hoest's Monkey (Allochrocebus lhoesti)

Preuss's Monkey (A.preussi)

Sun-tailed Monkey (A.solatus)

Red-tailed Monkey (Cercopithecus ascanius)

Campbell's Monkey (C.campbelli)

Mustached Monkey (C.cephus)

Dent's Monkey (C.denti)

Diana Monkey (C.diana)

Red-eared Monkey (C.erythrotis)

Lowe's Monkey (C.lowei)

Blue Monkey (C.mitis)

Mona Monkey (C.mona)

De Brazza's Monkey (C.neglectus)

Putty-nosed Monkey (C.nictitans)

Spot-nosed Monkey (C.petaurista)

Crowned Monkey (C.pogonias)

Grivet Monkey (Chlorocebus aethiops)

Malbrouck Monkey (C.cynosuros)

Bale Mountains Monkey (C.djamdjamensis)

Vervet Monkey (C.pygerythrus)

Green Monkey (C.sabaeus)

Tantalus Monkey (C.tantalus)

Common Patas Monkey (Erythrocebus patas)

Northern Talapoin Monkey (Miopithecus ogouensis)

Agile Mangabey (Cercocebus agilis)

Sooty Mangabey (C.atys)

Tana River Mangabey (C.galeritus)

Sanje River Mangabey (C.sanjei)

Red-capped Mangabey (C.torquatus)

Gray-cheeked Mangabey (Lophocebus albigena)

Johnston's Mangabey (L.johnstoni)

Ugandan Crested Mangabey (L.ugandae)

Stump-tailed Macaque (Macaca arctoides)

Assamese Macaque (M.assamensis)

Taiwanese Macaque (M.cyclopis)

Long-tailed Macaque (M.fascicularis)

Japanese Macaque (M.fuscata)

Heck's Macaque (M.hecki)

Northern Pig-tailed Macaque (M.leonina)

Moor Macaque (M.maura)

Rhesus Macaque (M.mulatta)

Southern Pig-tailed Macaque (M.nemestrina)

Crested Macaque (M.nigra)

Booted Macaque (M.ochreata)

Bonnet Macaque (M.radiata)

Lion-tailed Macaque (M.silenus)

Toque Macaque (M.sinica)

Barbary Macaque (M.sylvanus)

Tibetan Macaque (M.thibetana)

Tonkean Macaque (M.tonkeana)

Drill (Mandrillus leucophaeus)

Mandrill (M.sphinx)

Olive Baboon (Papio anubis)

Yellow Baboon (P.cynocephalus)

Hamadryas Baboon (P.hamadryas)

Kinda Baboon (P.kindae)

Chacma Baboon (P.ursinus)

Gelada (Theropithecus gelada)

Angolan Colobus (Colobus angolensis)

Guereza (C.guereza)

King Colobus (C.polykomos)

Black Colobus (C.satanas)

Upper Guinea Red Colobus (Piliocolobus badius)

Udzungwa Red Colobus (P.gordonorum)

Zanzibar Red Colobus (P.kirkii)

Pennant's Red Colobus (P.pennantii)

Tana River Red Colobus (P.rufomitratus)

Semliki Red Colobus (P.semlikiensis)

Ashy Red Colobus (P.tephrosceles)

Olive Colobus (Procolobus verus)

Proboscis Monkey (Nasalis larvatus)

Javan Grizzled Langur (Presbytis comata)

Raffles's Banded Langur (P.femoralis)

Mitered Langur (P.mitrata)

Robinson's Banded Langur (P.robinsoni)

Maroon Langur (P.rubicunda)

Sabah Grizzled Langur (P.sabana)

Pale-thighed Langur (P.siamensis)

Thomas's Langur (P.thomasi)

Gray-shanked Douc (Pygathrix cinerea)

Red-shanked Douc (P.nemaeus)

Black-shanked Douc (P.nigripes)

Yunnan Snub-nosed Monkey (Rhinopithecus bieti)

Golden Snub-nosed Monkey (R.roxellana)

Bengal Sacred Langur (Semnopithecus entellus)

Terai Sacred Langur (S.hector)

Malabar Sacred Langur (S.hypoleucos)

Nilgiri Langur (S.johnii)

Tufted Gray Langur (S.priam)

Nepal Sacred Langur (S.schistaceus)

Purple-faced Langur (S.vetulus)

East Javan Langur (Trachypithecus auratus)

Indochinese Gray Langur (T.crepusculus)

Sunda Silvery Langur (T.cristatus)

Delacour's Langur (T.delacouri)

Golden Langur (T.geei)

Germain's Langur (T.germaini)

Hatinh Langur (T.hatinhensis)

White-headed Langur (T.leucocephalus)

Annamese Langur (T.margarita)

West Javan Langur (T.mauritius)

Shan Langur (T.melamera)

Dusky Langur (T.obscurus)

Capped Langur (T.pileatus)

Cat Ba Langur (T.poliocephalus)

Selangor Silvery Langur (T.selangorensis)

Shortridge's Langur (T.shortridgei)

GREAT APES (HOMINIDAE) (6/8)

Eastern Gorilla (Gorilla beringei)

Western Gorilla (G.gorilla)

Human (Homo sapiens)

Chimpanzee (Pan troglodytes)

Sumatran Orangutan (Pongo abelii)

Bornean Orangutan (P.pygmaeus)

GIBBONS (HYLOBATIDAE) (12/20)

Western Hoolock Gibbon (Hoolock hoolock)

Skywalker Hoolock Gibbon (H.tianxing)

Agile Gibbon (Hylobates agilis)

Eastern Gray Gibbon (H.funereus)

Lar Gibbon (H.lar)

Moloch Gibbon (H.moloch)

Pileated Gibbon (H.pileatus)

Western Black Crested Gibbon (Nomascus concolor)

Southern Yellow-cheeked Crested Gibbon (N.gabriellae)

Northern White-cheeked Crested Gibbon (N.leucogenys)

Southern White-cheeked Crested Gibbon (N.siki)

Siamang (Symphalangus syndactylus)

NIGHT MONKEYS (AOTIDAE) (9/11)

Azara's Night Monkey (Aotus azarae)

Brumback's Night Monkey (A.brumbacki)

Gray-legged Night Monkey (A.griseimembra)

Lemurine Night Monkey (A.lemurinus)

Andean Night Monkey (A.miconax)

Ma's Night Monkey (A.nancymai)

Black-headed Night Monkey (A.nigriceps)

Spix's Night Monkey (A.vociferans)

Panamanian Night Monkey (A.zonalis)

SPIDER, HOWLER, AND WOOLLY MONKEYS (ATELIDAE) (21/23)

Eastern Red-handed Howler (Alouatta belzebul)

Black-and-gold Howler (A.caraya)

Spix's Red-handed Howler (A.discolor)

Brown Howler (A.guariba)

Guianan Red Howler (A.macconnelli)

Amazon Black Howler (A.nigerrima)

Mantled Howler (A.palliata)

Central American Black Howler (A.pigra)

Bolivian Red Howler (A.sara)

Colombian Red Howler (A.seniculus)

White-bellied Spider Monkey (Ateles belzebuth)

Black Spider Monkey (A.chamek)

Brown-headed Spider Monkey (A.fusciceps)

Central American Spider Monkey (A.geoffroyi)

Variegated Spider Monkey (A.hybridus)

White-whiskered Spider Monkey (A.marginatus)

Red-faced Black Spider Monkey (A.paniscus)

Southern Muriqui (Brachyteles arachnoides)

Northern Muriqui (B.hypoxanthus)

Yellow-tailed Woolly Monkey (Lagothrix flavicauda)

Common Woolly Monkey (L.lagothricha)

MARMOSETS AND TAMARINS (CALLITRICHIDAE) (36/54)

Goeldi's Monkey (Callimico goeldii)

Buffy-tufted-ear Marmoset (Callithrix aurita)

Buffy-headed Marmoset (C.flaviceps)

Geoffroy's Tufted-ear Marmoset (C.geoffroyi)

Common Marmoset (C.jacchus)

Wied's Marmoset (C.kuhlii)

Black-tufted-ear Marmoset (C.penicillata)

Northern Pygmy Marmoset (Cebuella pygmaea)

Black-faced Lion Tamarin (Leontopithecus caissara)

Golden-headed Lion Tamarin (L.chrysomelas)

Black Lion Tamarin (L.chrysopygus)

Golden Lion Tamarin (L.rosalia)

Silvery Marmoset (Mico argentatus)

Golden-white Tassel-ear Marmoset (M.chrysoleucos)

Santarém Marmoset (M.humeralifer)

Black-crowned Dwarf Marmoset (M.humilis)

Marca's Marmoset (M.marcai)

Maués Marmoset (M.mauesi)

Black-tailed Marmoset (M.melanurus)

Sateré Marmoset (M.saterei)

Pied Bare-faced Tamarin (Saguinus bicolor)

Spix's Saddle-back Tamarin (S.fuscicollis)

Lesson's Saddle-back Tamarin (S.fuscus)

Geoffroy's Tamarin (S.geoffroyi)

Illiger's Saddle-back Tamarin (S.illigeri)

Mottled-face Tamarin (S.inustus)

Red-bellied Tamarin (S.labiatus)

White-footed Tamarin (S.leucopus)

Midas Tamarin (S.midas)

Spix's Mustached Tamarin (S.mystax)

Black-mantled Tamarin (S.nigricollis)

Cotton-top Tamarin (S.oedipus)

Bearded Emperor Tamarin (S.subgrisescens)

Golden-mantled Saddle-back Tamarin (S.tripartitus)

Eastern Black-handed Tamarin (S.ursula)

Weddell's Saddle-back Tamarin (S.weddellii)

CEBID MONKEYS (CEBIDAE) (16/19)

White-fronted Capuchin (Cebus albifrons)

White-faced Capuchin (C.capucinus)

Weeper Capuchin (C.olivaceus)

Brown Capuchin (Sapajus apella)

Hooded Capuchin (S.cay)

Blond Capuchin (S.flavius)

Black-horned Capuchin (S.nigritus)

Crested Capuchin (S.robustus)

Yellow-breasted Capuchin (S.xanthosternos)

Black-capped Squirrel Monkey (Saimiri boliviensis)

Humboldt's Squirrel Monkey (S.cassiquiarensis)

Collins's Squirrel Monkey (S.collinsi)

Ecuadorian Squirrel Monkey (S.macrodon)

Central American Squirrel Monkey (S.oerstedii)

Guianan Squirrel Monkey (S.sciureus)

Golden-backed Squirrel Monkey (S.ustus)

SAKIS, TITIS, AND UAKARIS (PITHECIIDAE) (33/60)

Blond Titi (Callicebus barbarabrownae)

Coimbra-Filho's Titi (C.coimbrai)

Southern Bahian Titi (C.melanochir)

Black-fronted Titi (C.nigrifrons)

Masked Titi (C.personatus)

Yellow-handed Titi (Cheracebus lucifer)

White-chested Titi (C.lugens)

Medem's Titi (C.medemi)

Madidi Titi (Plecturocebus aureipalatii)

Lake Baptista Titi (P.baptista)

Prince Bernhard's Titi (P.bernhardi)

Caquetá Titi (P.caquetensis)

Ashy Titi (P.cinerascens)

Coppery Titi (P.cupreus)

Red-crowned Titi (P.discolor)

White-eared Titi (P.donacophilus)

Hoffmanns's Titi (P.hoffmannsi)

Río Beni Titi (P.modestus)

Red-bellied Titi (P.moloch)

San Martín Titi (P.oenanthe)

Olallas' Titi (P.olallae)

Ornate Titi (P.ornatus)

Pale Titi (P.pallescens)

Toppin's Titi (P.toppini)

Golden-brown Uacari (Cacajao melanocephalus)

Ucayali Bald Uacari (C.ucayalii)

Red-nosed Bearded Saki (Chiropotes albinasus)

Guianan Bearded Saki (C.sagulatus)

Golden-faced Saki (Pithecia chrysocephala)

Gray's Bald-faced Saki (P.irrorata)

Monk Saki (P.monachus)

Napo Saki (P.napensis)

White-faced Saki (P.pithecia)

TARSIERS (TARSIIDAE) (10/16)

Philippine Tarsier (Carlito syrichta)

Western Tarsier (Cephalopachus bancanus)

Dian's Tarsier (Tarsius dentatus)

Makassar Tarsier (T.fuscus)

Niemitz's Tarsier (T.niemitzi)

Peleng Tarsier (T.pelengensis)

Pygmy Tarsier (T.pumilus)

Gursky's Spectral Tarsier (T.spectrumgurskyae)

'Tompotika' Tarsier (T.sp.nov.a)

'Lompobattang' Tarsier (T.sp.nov.b)

AYE-AYES (DAUBENTONIIDAE) (1/1)

Aye-aye (Daubentonia madagascariensis)

DWARF AND MOUSE LEMURS (CHEIROGALEIDAE) (24/36)

Hairy-eared Dwarf Lemur (Allocebus trichotis)

Montagne d'Ambre Dwarf Lemur (Cheirogaleus andysabini)

Crossley's Dwarf Lemur (C.crossleyi)

Groves's Dwarf Lemur (C.grovesi)

Greater Dwarf Lemur (C.major)

Fat-tailed Dwarf Lemur (C.medius)

Ankarana Dwarf Lemur (C.shethi)

Sibree's Dwarf Lemur (C.sibreei)

Montagne d'Ambre Mouse Lemur (Microcebus arnholdi)

Madame Berthe's Mouse Lemur (M.berthae)

Gray-brown Mouse Lemur (M.griseorufus)

Jolly's Mouse Lemur (M.jollyae)

Goodman's Mouse Lemur (M.lehilahytsara)

Anjiahely Mouse Lemur (M.macarthurii)

Nosy Be Mouse Lemur (M.mamiratra)

Gray Mouse Lemur (M.murinus)

Golden-brown Mouse Lemur (M.ravelobensis)

Rufous Mouse Lemur (M.rufus)

Sambirano Mouse Lemur (M.sambiranensis)

Tavaratra Mouse Lemur (M.tavaratra)

Northern Giant Mouse Lemur (Mirza zaza)

Montagne d'Ambre Fork-marked Lemur (Phaner electromontis)

Pale Fork-marked Lemur (P.pallescens)

Sambirano Fork-marked Lemur (P.parienti)

INDRIS, SIFAKAS, AND WOOLLY LEMURS (INDRIIDAE) (13/19)

Eastern Woolly Lemur (Avahi laniger)

Masoala Woolly Lemur (A.mooreorum)

Western Woolly Lemur (A.occidentalis)

Peyrieras's Woolly Lemur (A.peyrierasi)

Indri (Indri indri)

Silky Sifaka (Propithecus candidus)

Coquerel's Sifaka (P.coquereli)

Crowned Sifaka (P.coronatus)

Diademed Sifaka (P.diadema)

Milne-Edwards's Sifaka (P.edwardsi)

Perrier's Sifaka (P.perrieri)

Tattersall's Sifaka (P.tattersalli)

Verreaux's Sifaka (P.verreauxi)

TYPICAL LEMURS (LEMURIDAE) (17/21)

White-fronted Brown Lemur (Eulemur albifrons)

Crowned Lemur (E.coronatus)

Blue-eyed Black Lemur (E.flavifrons)

Brown Lemur (E.fulvus)

Black Lemur (E.macaco)

Mongoose Lemur (E.mongoz)

Red-bellied Lemur (E.rubriventer)

Red-fronted Brown Lemur (E.rufifrons)

Sanford's Brown Lemur (E.sanfordi)

Lac Alaotra Bamboo Lemur (Hapalemur alaotrensis)

Golden Bamboo Lemur (H.aureus)

Gray Bamboo Lemur (H.griseus)

Northern Bamboo Lemur (H.occidentalis)

Ring-tailed Lemur (Lemur catta)

Greater Bamboo Lemur (Prolemur simus)

Red Ruffed Lemur (Varecia rubra)

Black-and-white Ruffed Lemur (V.variegata)

SPORTIVE LEMURS (LEPILEMURIDAE) (9/25)

Ankarana Sportive Lemur (Lepilemur ankaranensis)

Gray's Sportive Lemur (L.dorsalis)

Milne-Edwards's Sportive Lemur (L.edwardsi)

Daraina Sportive Lemur (L.milanoii)

Weasel Sportive Lemur (L.mustelinus)

Petter's Sportive Lemur (L.petteri)

Red-tailed Sportive Lemur (L.ruficaudatus)

Masoala Sportive Lemur (L.scottorum)

Nosy Be Sportive Lemur (L.tymerlachsoni)

GALAGOS (GALAGIDAE) (13/19)

Southern Needle-clawed Galago (Euoticus elegantulus)

Northern Needle-clawed Galago (E.pallidus)

Somali Lesser Galago (Galago gallarum)

Spectacled Lesser Galago (G.matschiei)

Southern Lesser Galago (G.moholi)

Northern Lesser Galago (G.senegalensis)

Demidoff's Dwarf Galago (Galagoides demidoff)

Thomas's Dwarf Galago (G.thomasi)

Thick-tailed Greater Galago (Otolemur crassicaudatus)

Garnett's Greater Galago (O.garnettii)

Kenya Coast Dwarf Galago (Paragalago cocos)

Tanzania Coast Dwarf Galago (P.zanzibaricus)

Makande Squirrel Galago (Sciurocheirus makandensis)

LORISES AND POTTOS (LORISIDAE) (9/17)

Gray Slender Loris (Loris lydekkerianus)

Bengal Slow Loris (Nycticebus bengalensis)

Malaysian Slow Loris (N.coucang)

Hiller's Slow Loris (N.hilleri)

Philippine Slow Loris (N.menagensis)

Northern Pygmy Slow Loris (Xanthonycticebus intermedius)

Central African Potto (Perodicticus edwardsi)

East African Potto (P.ibeanus)

West African Potto (P.potto)

HARES AND RABBITS (LEPORIDAE) (52/77)

Riverine Rabbit (Bunolagus monticularis)

Antelope Jackrabbit (Lepus alleni)

Snowshoe Hare (L.americanus)

Arctic Hare (L.arcticus)

Japanese Hare (L.brachyurus)

Black-tailed Jackrabbit (L.californicus)

White-sided Jackrabbit (L.callotis)

Cape Hare (L.capensis)

Broom Hare (L.castroviejoi)

Korean Hare (L.coreanus)

Corsican Hare (L.corsicanus)

European Hare (L.europaeus)

Ethiopian Hare (L.fagani)

Tehuantepec Jackrabbit (L.flavigularis)

Iberian Hare (L.granatensis)

Abyssinian Hare (L.habessinicus)

Mediterranean Hare (L.mediterraneus)

African Savanna Hare (L.microtis)

Indian Hare (L.nigricollis)

Woolly Hare (L.oiostolus)

Burmese Hare (L.peguensis)

West Sahara Hare (L.saharae)

Scrub Hare (L.saxatilis)

Moroccan Hare (L.schlumbergeri)

Chinese Hare (L.sinensis)

Ethiopian Highland Hare (L.starcki)

Mountain Hare (L.timidus)

Tolai Hare (L.tolai)

White-tailed Jackrabbit (L.townsendii)

European Rabbit (Oryctolagus cuniculus)

Amami Rabbit (Pentalagus furnessi)

Bunyoro Rabbit (Poelagus marjorita)

Jameson's Red Rock Hare (Pronolagus randensis)

Smith's Red Rock Hare (P.rupestris)

Hewitt's Red Rock Hare (P.saundersiae)

Volcano Rabbit (Romerolagus diazi)

Andean Tapeti (Sylvilagus andinus)

Swamp Rabbit (S.aquaticus)

Desert Cottontail (S.audubonii)

Brush Rabbit (S.bachmani)

Common Tapeti (S.brasiliensis)

Mexican Cottontail (S.cunicularius)

Dice's Cottontail (S.dicei)

Eastern Cottontail (S.floridanus)

Central American Tapeti (S.gabbi)

Robust Cottontail (S.holzneri)

Pygmy Rabbit (S.idahoensis)

Mountain Cottontail (S.nuttallii)

Appalachian Cottontail (S.obscurus)

Marsh Rabbit (S.palustris)

New England Cottontail (S.transitionalis)

Yucatán Cottontail (S.yucatanicus)

PIKAS (OCHOTONIDAE) (10/36)

Gansu Pika (Ochotona cansus)

Collared Pika (O.collaris)

Plateau Pika (O.curzoniae)

Chinese Red Pika (O.erythrotis)

Northern Pika (O.hyperborea)

Large-eared Pika (O.macrotis)

Nubra Pika (O.nubrica)

Pallas's Pika (O.pallasii)

American Pika (O.princeps)

Sijin Pika (O.sikimaria)

GUNDIS (CTENODACTYLIDAE) (2/5)

Common Gundi (Ctenodactylus gundi)

Speke's Gundi (Pectinator spekei)

CAVIES (CAVIIDAE) (9/25)

Brazilian Guinea Pig (Cavia aperea)

Lowland Yellow-toothed Cavy (Galea leucoblephara)

Spix's Yellow-toothed Cavy (G.spixii)

Southern Mountain Cavy (Microcavia australis)

Patagonian Mara (Dolichotis patagonum)

Chacoan Mara (D.salinicola)

Greater Capybara (Hydrochoerus hydrochaeris)

Lesser Capybara (H.isthmius)

Rock Cavy (Kerodon rupestris)

PACAS (CUNICULIDAE) (2/2)

Lowland Paca (Cuniculus paca)

Mountain Paca (C.taczanowskii)

AGOUTIS AND ACOUCHIS (DASYPROCTIDAE) (10/15)

Azara's Agouti (Dasyprocta azarae)

Coiban Agouti (D.coibae)

Orange Agouti (D.croconota)

Black Agouti (D.fuliginosa)

Iack's Red-rumped Agouti (D.iacki)

Common Red-rumped Agouti (D.leporina)

Mexican Agouti (D.mexicana)

Black-rumped Agouti (D.prymnolopha)

Central American Agouti (D.punctata)

Brown Agouti (D.variegata)

CHINCHILLAS AND VISCACHAS (CHINCHILLIDAE) (4/8)

Chilean Chinchilla (Chinchilla laniger)

Southern Mountain Viscacha (Lagidium moreni)

Common Mountain Viscacha (L.viscacia)

Common Plains Viscacha (Lagostomus maximus)

NEW WORLD PORCUPINES (ERETHIZONTIDAE) (12/20)

Broomstraw-spined Porcupine (Chaetomys subspinosus)

Baturité Porcupine (Coendou baturitensis)

Bicolor-spined Porcupine (C.bicolor)

Bahian Hairy Dwarf Porcupine (C.insidiosus)

Amazonian Long-tailed Porcupine (C.longicaudatus)

Black-tailed Porcupine (C.melanurus)

Mexican Hairy Porcupine (C.mexicanus)

Yellow Quill-tipped Porcupine (C.prehensilis)

Rothschild's Porcupine (C.rothschildi)

Stump-tailed Porcupine (C.rufescens)

Pernambuco Dwarf Porcupine (C.speratus)

North American Porcupine (Erethizon dorsatum)

CHINCHILLA RATS (ABROCOMIDAE) (1/8)

Bennett's Chinchilla Rat (Abrocoma bennettii)

TUCO-TUCOS (CTENOMYIDAE) (4/69)

Dune Tuco-tuco (Ctenomys australis)

Magellanic Tuco-tuco (C.magellanicus)

Andean Tuco-tuco (C.opimus)

Talas Tuco-tuco (C.talarum)

SPINY RATS AND HUTIAS (ECHIMYIDAE) (16/102)

Hispaniolan Hutia (Plagiodontia aedium)

Amazon Bamboo Rat (Dactylomys dactylinus)

Colombian Rufous Tree-rat (Diplomys caniceps)

Central American Rufous Tree-rat (D.labilis)

Red-nosed Armored Tree-rat (Makalata didelphoides)

Ferreira's Spiny Tree-rat (Mesomys hispidus)

Black Toro (Toromys grandis)

Armored Rat (Hoplomys gymnurus)

Coypu (Myocastor coypus)

Short-tailed Spiny-rat (Proechimys brevicauda)

Goeldi's Spiny-rat (P.goeldii)

O'Connell's Spiny-rat (P.oconnelli)

Tomes's Spiny-rat (P.semispinosus)

Simons's Spiny-rat (P.simonsi)

Lagoa Santa Punare (Thrichomys apereoides)

Sao Lourenço Punare (T.laurentius)

OCTODONTS AND DEGUS (OCTODONTIDAE) (2/15)

Common Degu (Octodon degus)

Coruro (Spalacopus cyanus)

OLD WORLD PORCUPINES (HYSTRICIDAE) (6/11)

African Brush-tailed Porcupine (Atherurus africanus)

Cape Porcupine (Hystrix africaeaustralis)

Malayan Porcupine (H.brachyura)

Crested Porcupine (H.cristata)

Indian Crested Porcupine (H.indica)

Asian Long-tailed Porcupine (Trichys fasciculata)

AFRICAN MOLERATS (BATHYERGIDAE) (5/26)

Cape Dune Mole-rat (Bathyergus suillus)

Common Mole-rat (Cryptomys hottentotus)

Natal Mole-rat (C.natalensis)

Highveld Mole-rat (C.pretoriae)

Cape Mole-rat (Georychus capensis)

NAKED MOLERATS (HETEROCEPHALIDAE) (1/1)

Naked Mole-rat (Heterocephalus glaber)

DASSIE RATS (PETROMURIDAE) (1/1)

Noki (Petromus typicus)

CANE RATS (THRYONOMYIDAE) (1/2)

Greater Cane Rat (Thryonomys swinderianus)

MOUNTAIN BEAVERS (APLODONTIIDAE) (1/1)

Mountain Beaver (Aplodontia rufa)

DORMICE (GLIRIDAE) (10/30)

Japanese Dormouse (Glirulus japonicus)

European Fat Dormouse (Glis glis)

Lorraine's African Dormouse (Graphiurus lorraineus)

Nagtglas's African Dormouse (G.nagtglasii)

Spectacled African Dormouse (G.ocularis)

Rupicolous African Dormouse (G.rupicola)

Eurasian Forest Dormouse (Dryomys nitedula)

European Garden Dormouse (Eliomys quercinus)

Hazel Dormouse (Muscardinus avellanarius)

Roach's Mouse-tailed Dormouse (Myomimus roachi)

SQUIRRELS (SCIURIDAE) (201/323)

Least Pygmy Squirrel (Exilisciurus exilis)

Tufted Pygmy Squirrel (E.whiteheadi)

Layard's Palm Squirrel (Funambulus layardi)

Indian Palm Squirrel (F.palmarum)

Northern Palm Squirrel (F.pennantii)

Pygmy Striped Squirrel (F.sublineatus)

Jungle Palm Squirrel (F.tristriatus)

Alston's Squirrel (Prosciurillus alstoni)

Whitish Dwarf Squirrel (P.leucomus)

Celebes Dwarf Squirrel (P.murinus)

Mount Topapu Squirrel (P.topapuensis)

Weber's Dwarf Squirrel (P.weberi)

Ear-spot Squirrel (Callosciurus adamsi)

Northern Gray-bellied Squirrel (C.caniceps)

Southern Gray-bellied Squirrel (C.concolor)

Pallas's Squirrel (C.erythraeus)

Finlayson's Squirrel (C.finlaysonii)

Inornate Squirrel (C.inornatus)

Black-striped Squirrel (C.nigrovittatus)

Plantain Squirrel (C.notatus)

Borneo Black-banded Squirrel (C.orestes)

Phayre's Squirrel (C.phayrei)

Prevost's Squirrel (C.prevostii)

Irrawaddy Squirrel (C.pygerythrus)

Anderson's Squirrel (C.quinquestriatus)

Orange-bellied Himalayan Squirrel (Dremomys lokriah)

Perny's Long-nosed Squirrel (D.pernyi)

Asian Red-cheeked Squirrel (D.rufigenis)

Sculptor Squirrel (Glyphotes simus)

Three-striped Ground Squirrel (Lariscus insignis)

Indochinese Ground Squirrel (Menetes berdmorei)

Black-eared Squirrel (Nannosciurus melanotis)

Brooke's Squirrel (Sundasciurus brookei)

Bornean Mountain Ground Squirrel (S.everetti)

Horse-tailed Squirrel (S.hippurus)

Jentink's Squirrel (S.jentinki)

Low's Squirrel (S.lowii)

Robinson's Squirrel (S.robinsoni)

Slender Squirrel (S.tenuis)

Southeast Asian Striped Squirrel (Tamiops barbei)

Maritime Striped Squirrel (T.maritimus)

Himalayan Striped Squirrel (T.mcclellandii)

Cambodian Striped Squirrel (T.rodolphii)

Swinhoe's Striped Squirrel (T.swinhoei)

Pale Giant Squirrel (Ratufa affinis)

Black Giant Squirrel (R.bicolor)

Indian Giant Squirrel (R.indica)

Sri Lankan Giant Squirrel (R.macroura)

Neotropical Pygmy Squirrel (Sciurillus pusillus)

Humboldt's Flying Squirrel (Glaucomys oregonensis)

Northern Flying Squirrel (G.sabrinus)

Southern Flying Squirrel (G.volans)

Particolored Flying Squirrel (Hylopetes alboniger)

Red-cheeked Flying Squirrel (H.spadiceus)

Javanese Flying Squirrel (Iomys horsfieldii)

Morris's Flying Squirrel (Olisthomys morrisi)

Whiskered Flying Squirrel (Petinomys genibarbis)

Black Flying Squirrel (Aeromys tephromelas)

Thomas's Flying Squirrel (A.thomasi)

Hairy-footed Flying Squirrel (Belomys pearsonii)

Red-and-white Giant Flying Squirrel (Petaurista alborufus)

Spotted Giant Flying Squirrel (P.elegans)

Formosan Giant Flying Squirrel (P.grandis)

Taiwan Giant Flying Squirrel (P.lena)

Japanese Giant Flying Squirrel (P.leucogenys)

Bhutan Giant Flying Squirrel (P.nobilis)

Red Giant Flying Squirrel (P.petaurista)

Indian Giant Flying Squirrel (P.philippensis)

Chindwin Giant Flying Squirrel (P.sybilla)

Chinese Giant Flying Squirrel (P.xanthotis)

Yunnan Giant Flying Squirrel (P.yunanensis)

Japanese Flying Squirrel (Pteromys momonga)

Siberian Flying Squirrel (P.volans)

Smoky Flying Squirrel (Pteromyscus pulverulentus)

Central American Dwarf Squirrel (Microsciurus alfari)

Amazon Dwarf Squirrel (M.flaviventer)

Santander Dwarf Squirrel (M.santanderensis)

Abert's Squirrel (Sciurus aberti)

Guianan Squirrel (S.aestuans)

Allen's Squirrel (S.alleni)

Caucasian Squirrel (S.anomalus)

Arizona Gray Squirrel (S.arizonensis)

Red-bellied Squirrel (S.aureogaster)

Brazilian Squirrel (S.brasiliensis)

Eastern Gray Squirrel (S.carolinensis)

Collie's Squirrel (S.colliaei)

Deppe's Squirrel (S.deppei)

Red-tailed Squirrel (S.granatensis)

Western Gray Squirrel (S.griseus)

Bolivian Squirrel (S.ignitus)

Northern Amazon Red Squirrel (S.igniventris)

Japanese Squirrel (S.lis)

Mexican Fox Squirrel (S.nayaritensis)

Eastern Fox Squirrel (S.niger)

Peters's Squirrel (S.oculatus)

Andean Squirrel (S.pucheranii)

Richmond's Squirrel (S.richmondi)

Southern Amazon Red Squirrel (S.spadiceus)

Guayaquil Squirrel (S.stramineus)

Variegated Squirrel (S.variegatoides)

Eurasian Red Squirrel (S.vulgaris)

Yucatán Squirrel (S.yucatanensis)

Bangs's Mountain Squirrel (Syntheosciurus brochus)

Douglas's Squirrel (Tamiasciurus douglasii)

Fremont's Squirrel (T.fremonti)

North American Red Squirrel (T.hudsonicus)

Harris's Antelope Squirrel (Ammospermophilus harrisii)

Texas Antelope Squirrel (A.interpres)

White-tailed Antelope Squirrel (A.leucurus)

Nelson's Antelope Squirrel (A.nelsoni)

Alaska Marmot (Marmota broweri)

Hoary Marmot (M.caligata)

Yellow-bellied Marmot (M.flaviventris)

Himalayan Marmot (M.himalayana)

Alpine Marmot (M.marmota)

Woodchuck (M.monax)

Olympic Marmot (M.olympus)

Tarbagan Marmot (M.sibirica)

Vancouver Island Marmot (M.vancouverensis)

Common Golden-mantled Ground Squirrel (Callospermophilus lateralis)

Cascade Golden-mantled Ground Squirrel (C.saturatus)

California Ground Squirrel (Otospermophilus beecheyi)

Common Rock Squirrel (O.variegatus)

Gunnison's Prairie Dog (Cynomys gunnisoni)

White-tailed Prairie Dog (C.leucurus)

Black-tailed Prairie Dog (C.ludovicianus)

Mexican Prairie Dog (C.mexicanus)

Utah Prairie Dog (C.parvidens)

Mexican Ground Squirrel (Ictidomys mexicanus)

Rio Grande Ground Squirrel (I.parvidens)

Thirteen-lined Ground Squirrel (I.tridecemlineatus)

Franklin's Ground Squirrel (Poliocitellus franklinii)

Alashan Ground Squirrel (Spermophilus alaschanicus)

European Ground Squirrel (S.citellus)

Pallid Ground Squirrel (S.pallidicauda)

Asia Minor Ground Squirrel (S.xanthoprymnus)

Uinta Ground Squirrel (Urocitellus armatus)

Belding's Ground Squirrel (U.beldingi)

Idaho Ground Squirrel (U.brunneus)

Merriam's Ground Squirrel (U.canus)

Columbian Ground Squirrel (U.columbianus)

Wyoming Ground Squirrel (U.elegans)

Piute Ground Squirrel (U.mollis)

Arctic Ground Squirrel (U.parryii)

Richardson's Ground Squirrel (U.richardsonii)

Townsend's Ground Squirrel (U.townsendii)

Long-tailed Ground Squirrel (U.undulatus)

Washington Ground Squirrel (U.washingtoni)

Mohave Ground Squirrel (Xerospermophilus mohavensis)

Perote Ground Squirrel (X.perotensis)

Spotted Ground Squirrel (X.spilosoma)

Round-tailed Ground Squirrel (X.tereticaudus)

African Palm Squirrel (Epixerus ebii)

Carruther's Mountain Squirrel (Funisciurus carruthersi)

Congo Rope Squirrel (F.congicus)

Lady Burton's Rope Squirrel (F.isabella)

Red-cheeked Rope Squirrel (F.leucogenys)

Fire-footed Rope Squirrel (F.pyrropus)

Gambian Sun Squirrel (Heliosciurus gambianus)

Red-legged Sun Squirrel (H.rufobrachium)

Ruwenzori Sun Squirrel (H.ruwenzorii)

Zanj Sun Squirrel (H.undulatus)

Alexander's Bush Squirrel (Paraxerus alexandri)

Boehm's Bush Squirrel (P.boehmi)

Smith's Bush Squirrel (P.cepapi)

Ochre Bush Squirrel (P.ochraceus)

Red Bush Squirrel (P.palliatus)

Green Bush Squirrel (P.poensis)

Swynnerton's Bush Squirrel (P.vexillarius)

Slender-tailed Squirrel (Protoxerus aubinnii)

Forest Giant Squirrel (P.stangeri)

Pere David's Rock Squirrel (Sciurotamias davidianus)

Siberian Chipmunk (Eutamias sibiricus)

Alpine Chipmunk (Neotamias alpinus)

Yellow-pine Chipmunk (N.amoenus)

Gray-footed Chipmunk (N.canipes)

Gray-collared Chipmunk (N.cinereicollis)

Crater Chipmunk (N.cratericus)

Cliff Chipmunk (N.dorsalis)

Merriam's Chipmunk (N.merriami)

Least Chipmunk (N.minimus)

California Chipmunk (N.obscurus)

Yellow-cheeked Chipmunk (N.ochrogenys)

Palmer's Chipmunk (N.palmeri)

Panamint Chipmunk (N.panamintinus)

Long-eared Chipmunk (N.quadrimaculatus)

Colorado Chipmunk (N.quadrivittatus)

Red-tailed Chipmunk (N.ruficaudus)

Hopi Chipmunk (N.rufus)

Shadow Chipmunk (N.senex)

Siskiyou Chipmunk (N.siskiyou)

Sonoma Chipmunk (N.sonomae)

Lodgepole Chipmunk (N.speciosus)

Townsend's Chipmunk (N.townsendii)

Uinta Chipmunk (N.umbrinus)

Eastern Chipmunk (Tamias striatus)

Barbary Ground Squirrel (Atlantoxerus getulus)

Striped Ground Squirrel (Euxerus erythropus)

South African Ground Squirrel (Geosciurus inauris)

Damara Ground Squirrel (G.princeps)

Unstriped Ground Squirrel (Xerus rutilus)

ANOMALURES (ANOMALURIDAE) (4/6)

Beecroft's Anomalure (Anomalurus beecrofti)

Lord Derby's Anomalure (A.derbianus)

Lesser Anomalure (A.pusillus)

Long-eared Pygmy Anomalure (Idiurus macrotis)

FLIGHTLESS ANOMALURES (ZENKERELLIDAE) (1/1)

Zenkerella (Zenkerella insignis)

SPRINGHARES (PEDETIDAE) (2/2)

Southern African Springhare (Pedetes capensis)

East African Springhare (P.surdaster)

BEAVERS (CASTORIDAE) (2/2)

North American Beaver (Castor canadensis)

Eurasian Beaver (C.fiber)

POCKET GOPHERS (GEOMYIDAE) (21/49)

Yellow-faced Pocket Gopher (Cratogeomys castanops)

Oriental Basin Pocket Gopher (C.fulvescens)

Smoky Pocket Gopher (C.fumosus)

Merriam's Pocket Gopher (C.merriami)

Desert Pocket Gopher (Geomys arenarius)

Attwater's Pocket Gopher (G.attwateri)

Baird's Pocket Gopher (G.breviceps)

Plains Pocket Gopher (G.bursarius)

Hall's Pocket Gopher (G.jugossicularis)

Jones's Pocket Gopher (G.knoxjonesi)

Texas Pocket Gopher (G.personatus)

Southeastern Pocket Gopher (G.pinetis) - signs only

Strecker's Pocket Gopher (G.streckeri)

Llano Pocket Gopher (G.texensis)

Botta's Pocket Gopher (Megascapheus bottae)

Camas Pocket Gopher (M.bulbivorus)

Fulvous Pocket Gopher (M.fulvus)

Northern California Pocket Gopher (M.laticeps)

Townsend's Pocket Gopher (M.townsendii)

Western Pocket Gopher (Thomomys mazama)

Mountain Pocket Gopher (T.monticolus)

Northern Pocket Gopher (T.talpoides)

KANGAROO RATS AND POCKET MICE (HETEROMYIDAE) (43/70)

Agile Kangaroo Rat (Dipodomys agilis)

California Kangaroo Rat (D.californicus)

Gulf Coast Kangaroo Rat (D.compactus)

Desert Kangaroo Rat (D.deserti)

Texas Kangaroo Rat (D.elator)

Heermann's Kangaroo Rat (D.heermanni)

Giant Kangaroo Rat (D.ingens)

Merriam's Kangaroo Rat (D.merriami)

Chisel-toothed Kangaroo Rat (D.microps)

San Joaquin Kangaroo Rat (D.nitratoides)

Ord's Kangaroo Rat (D.ordii)

Panamint Kangaroo Rat (D.panamintinus)

Phillips's Kangaroo Rat (D.phillipsii)

Dulzura Kangaroo Rat (D.simulans)

Banner-tailed Kangaroo Rat (D.spectabilis)

Stephens's Kangaroo Rat (D.stephensi)

Narrow-faced Kangaroo Rat (D.venustus)

Dark Kangaroo Mouse (Microdipodops megacephalus)

Pallid Kangaroo Mouse (M.pallidus)

Desmarest's Spiny Pocket Mouse (Heteromys desmarestianus)

Gaumer's Spiny Pocket Mouse (H.gaumeri) - not by me

Mexican Spiny Pocket Mouse (H.irroratus)

Mountain Spiny Pocket Mouse (H.oresterus)

Painted Spiny Pocket Mouse (H.pictus)

Salvin's Spiny Pocket Mouse (H.salvini)

Dalquest's Pocket Mouse (Chaetodipus ammophilus)

Little Desert Pocket Mouse (C.arenarius)

Bailey's Pocket Mouse (C.baileyi)

California Pocket Mouse (C.californicus)

San Diego Pocket Mouse (C.fallax)

Long-tailed Pocket Mouse (C.formosus)

Hispid Pocket Mouse (C.hispidus)

Rock Pocket Mouse (C.intermedius)

Nelson's Coarse-haired Pocket Mouse (C.nelsoni)

Desert Pocket Mouse (C.penicillatus)

Southern Sinaloan Pocket Mouse (C.pernix)

Peninsular Pocket Mouse (C.rudinoris)

Cerralvo Island Pocket Mouse (C.siccus)

Spiny Pocket Mouse (C.spinatus)

Arizona Pocket Mouse (Perognathus amplus) (?)

Silky Pocket Mouse (P.flavus)

San Joaquin Pocket Mouse (P.inornatus)

Little Pocket Mouse (P.longimembris)

Merriam's Pocket Mouse (P.merriami)

Great Basin Pocket Mouse (P.mollipilosus)

JERBOAS (DIPODIDAE) (13/41)

Great Jerboa (Allactaga major)

Balikun Jerboa (Orientallactaga balikunica)

Gobi Jerboa (O.bullata)

Siberian Jerboa (O.sibirica)

Five-toed Pygmy Jerboa (Cardiocranius paradoxus)

Thick-tailed Pygmy Jerboa (Salpingotus crassicauda)

Kozlov's Pygmy Jerboa (S.kozlovi)

Northern Three-toed Jerboa (Dipus sagitta)

African Hammada Jerboa (Jaculus hirtipes)

Lesser Egyptian Jerboa (J.jaculus)

Arabian Jerboa (J.loftusi)

Mongolian Three-toed Jerboa (Stylodipus andrewsi)

Long-eared Jerboa (Euchoreutes naso)

BIRCH MICE (SMINTHIDAE) (1/24)

Northern Birch Mouse (Sicista betulina)

JUMPING MICE (ZAPODIDAE) (4/13)

Western Woodland Jumping Mouse (Napaeozapus abietorum)

Northern Meadow Jumping Mouse (Zapus hudsonius)

Northwestern Jumping Mouse (Z.saltator)

Northern Pacific Jumping Mouse (Z.trinotatus)

HAMSTERS, VOLES, LEMMINGS, AND ALLIES (CRICETIDAE) (189/871)

Eurasian Water Vole (Arvicola amphibius)

Southwestern Water Vole (A.sapidus)

Reed Vole (Alexandromys fortis)

Japanese Grass Vole (A.montebelli)

Root Vole (A.oeconomus)

European Snow Vole (Chionomys nivalis)

Brandt's Vole (Lasiopodomys brandtii)

Sagebrush Vole (Lemmiscus curtatus)

Short-tailed Field Vole (Microtus agrestis)

Common Vole (M.arvalis)

California Vole (M.californicus)

Gray-tailed Vole (M.canicaudus)

Western Meadow Vole (M.drummondii)

Guatemalan Vole (M.guatemalensis)

Harting's Vole (M.hartingi)

Mediterranean Field Vole (M.lavernedii)

Long-tailed Vole (M.longicaudus)

Mexican Vole (M.mexicanus)

Mogollon Vole (M.mogollonensis)

Montane Vole (M.montanus)

Eastern Meadow Vole (M.pennsylvanicus)

Woodland Vole (M.pinetorum)

East European Gray Vole (M.rossiaemeridionalis)

Common Pine Vole (M.subterraneus)

Townsend's Vole (M.townsendii)

Irene Mountain Vole (Neodon irene)

Blyth's Mountain Vole (N.leucurus)

Gobi Altai Mountain Vole (Alticola barakshin)

Mongolian Mountain Vole (A.semicanus)

Southern Red-backed Vole (Clethrionomys gapperi)

Bank Vole (C.glareolus)

Northern Red-backed Vole (C.rutilus)

Gray Red-backed Vole (Craseomys rufocanus)

Sichuan Red-backed Vole (Anteliomys chinensis)

Pere David's Red-backed Vole (Eothenomys melanogaster)

Nearctic Collared Lemming (Dicrostonyx groenlandicus)

Nearctic Brown Lemming (Lemmus trimucronatus)

Southern Bog Lemming (Synaptomys cooperi)

Round-tailed Muskrat (Neofiber alleni)

Common Muskrat (Ondatra zibethicus)

Martino's Dinaric Vole (Dinaromys bogdanovi)

Striped Lesser Hamster (Cricetulus barabensis)

Long-tailed Lesser Hamster (C.longicaudatus)

Common Hamster (Cricetus cricetus)

Gray Hamster (Nothocricetulus migratorius)

Romanian Golden Hamster (Mesocricetus newtoni)

Desert Hamster (Phodopus roborovskii)

Ladakh Tibetan Hamster (Urocricetus lama)

Northern Pygmy Mouse (Baiomys taylori)

Short-tailed Singing Mouse (Scotinomys teguina)

Long-tailed Singing Mouse (S.xerampelinus)

White-throated Woodrat (Neotoma albigula)

Bryant's Woodrat (N.bryanti)

Bushy-tailed Woodrat (N.cinerea)

Guatemala Woodrat (N.ferruginea)

Eastern Woodrat (N.floridana)

Dusky-footed Woodrat (N.fuscipes)

Goldman's Woodrat (N.goldmani)

Desert Woodrat (N.lepida)

Big-eared Woodrat (N.macrotis)

Allegheny Woodrat (N.magister)

Mexican Woodrat (N.mexicana)

Southern Plains Woodrat (N.micropus)

Sonoran Woodrat (N.phenax)

Stephens's Woodrat (N.stephensi) (?)

Golden Mouse (Ochrotomys nuttalli)

Chihuahuan Grasshopper Mouse (Onychomys arenicola)

Northern Grasshopper Mouse (O.leucogaster)

Southern Grasshopper Mouse (O.torridus)

Nelson's Big-toothed Deermouse (Megadontomys nelsoni)

Volcano Deermouse (Neotomodon alstoni)

Osgood's Deermouse (Osgoodomys banderanus)

Oaxacan Rock Deermouse (Peromyscus amplus)

Texas Deermouse (P.attwateri)

Orizaba Deermouse (P.beatae)

Brush Deermouse (P.boylii)

Perote Deermouse (P.bullatus)

California Deermouse (P.californicus)

Jalisco Deermouse (P.chrysopus)

Tamaulipas White-ankled Deermouse (P.collinus) (?)

Cordillera Deermouse (P.cordillerae)

Canyon Deermouse (P.crinitus)

Southern Rock Deermouse (P.difficilis)

Cactus Deermouse (P.eremicus)

Southern Baja Deermouse (P.eva)

Northern Baja Deermouse (P.fraterculus)

Blackish Deermouse (P.furvus)

Gambel's Deermouse (P.gambelii)

Gardner's Deermouse (P.gardneri)

Cotton Deermouse (P.gossypinus)

Large Deermouse (P.grandis)

Saxicoline Deermouse (P.gratus)

Guatemalan Deermouse (P.guatemalensis)

Hooper's Deermouse (P.hooperi)

Transvolcanic Deermouse (P.hylocetes)

Northwestern Deermouse (P.keeni)

Southern Deermouse (P.labecula)

Northern White-ankled Deermouse (P.laceianus)

White-footed Deermouse (P.leucopus)

Tehuantepec Deermouse (P.leucurus)

Nimble-footed Deermouse (P.levipes)

Eastern Deermouse (P.maniculatus)

Broad-faced Deermouse (P.megalops)

Black-eared Deermouse (P.melanotis)

Black-tailed Deermouse (P.melanurus)

Merriam's Deermouse (P.merriami)

Northern Rock Deermouse (P.nasutus)

Nicaraguan Deermouse (P.nicaraguae)

Talamancan Deermouse (P.nudipes)

Southern White-ankled Deermouse (P.pectoralis)

Oldfield Deermouse (P.polionotus)

Sinaloan Deermouse (P.simulus)

Western Deermouse (P.sonoriensis)

Gleaning Deermouse (P.spicilegus)

Stirton's Deermouse (P.stirtoni)

Totontepec Deermouse (P.totontepecus)

Pinyon Deermouse (P.truei)

Yucatán Deermouse (P.yucatanicus)

Florida Deermouse (Podomys floridanus)

Oaxacan Highlands Harvest Mouse (Reithrodontomys albilabris)

Southern Harvest Mouse (R.australis)

Short-nosed Harvest Mouse (R.brevirostris)

Volcano Harvest Mouse (R.chrysopsis)

Talamancan Harvest Mouse (R.creper)

Fulvous Harvest Mouse (R.fulvescens)

Chiriquian Harvest Mouse (R.garichensis)

Slender Harvest Mouse (R.gracilis)

Western Harvest Mouse (R.megalotis)

Mexican Harvest Mouse (R.mexicanus)

Small-toothed Harvest Mouse (R.microdon)

Plains Harvest Mouse (R.montanus)

Sumichrast's Harvest Mouse (R.sumichrasti)

Narrow-nosed Harvest Mouse (R.tenuirostris)

Andean Soft-haired Mouse (Abrothrix andina)

Hairy Soft-haired Mouse (A.hirta)

Olive Soft-haired Mouse (A.olivacea)

Sanborn's Soft-haired Mouse (A.sanborni)

Valdivian Long-clawed Mouse (Geoxus valdivianus)

Yungas Grass Mouse (Akodon aerosus)

White-bellied Grass Mouse (A.albiventer)

Azara's Grass Mouse (A.azarae)

Kemp's Grass Mouse (Deltamys kempi)

Red Hocicudo (Oxymycterus rufus)

Chilean Climbing Mouse (Irenomys tarsalis)

Thomas's Water Mouse (Rheomys thomasi)

Alfaro's Rice Rat (Casiomys alfaroi)

Guerrero Rice Rat (C.guerrerensis)

Highland Rice Rat (C.rhabdops)

Cloud Forest Rice Rat (C.saturatior)

Elegant Rice Rat (Euryoryzomys nitidus)

Brazilian Marsh Rat (Holochilus brasiliensis)

Western Amazonian Rice Rat (Hylaeamys perenensis)

Yungas Rice Rat (H.yunganus)

Black-and-yellow Rice Rat (Melanomys chrysomelas)

White-throated Rice Rat (Nephelomys albigularis)

Boquete Rice Rat (N.devius)

Gray-bellied Rice Rat (N.moerex)

White-bellied Arboreal Rice Rat (Oecomys bicolor)

Foothill Arboreal Rice Rat (O.superans)

Tschudi's Pygmy Rice Rat (Oligoryzomys destructor)

Yellow Pygmy Rice Rat (O.flavescens) (†)

Fulvous Pygmy Rice Rat (O.fulvescens)

Long-tailed Pygmy Rice Rat (O.longicaudatus)

Black-footed Pygmy Rice Rat (O.nigripes)

Straw-colored Pygmy Rice Rat (O.stramineus)

Northeastern Marsh Rice Rat (Oryzomys palustris)

Northwestern Marsh Rice Rat (O.texensis)

Harris's Rice Rat (Tanyuromys aphrastus)

Long-whiskered Rice Rat (Transandinomys bolivaris)

Crafty Vesper Mouse (Calomys callidus)

Large Vesper Mouse (C.callosus)

Small Vesper Mouse (C.laucha)

Drylands Vesper Mouse (C.musculinus)

Chaco Pericote (Graomys chacoensis)

Common Pericote (G.griseoflavus)

Southern Big-eared Mouse (Loxodontomys micropus)

Yellow-rumped Leaf-eared Mouse (Phyllotis xanthopygus)

Arizona Cotton Rat (Sigmodon arizonae)

Tawny-bellied Cotton Rat (S.fulviventer)

Hispid Cotton Rat (S.hispidus)

Yellow-nosed Cotton Rat (S.ochrognathus)

Peruvian Cotton Rat (S.peruanus)

Montane Cotton Rat (S.zanjonensis)

Cariri Climbing Rat (Rhipidomys cariri)

Gardner's Climbing Rat (R.gardneri)

White-footed Climbing Rat (R.leucodactylus)

Splendid Climbing Rat (R.nitela)

Long-tailed Oldfield Mouse (Thomasomys ischyrus)

Taczanowski's Oldfield Mouse (T.taczanowskii) (?)

Sumichrast's Vesper Rat (Nyctomys sumichrasti)

Yucatán Vesper Rat (Otonyctomys hatti)

Big-eared Climbing Rat (Ototylomys phyllotis)

Peters's Climbing Rat (Tylomys nudicaudus)

OLD WORLD MICE AND RATS (MURIDAE) (196/856)

Northeast African Spiny Mouse (Acomys cahirinus)

John's Spiny Mouse (A.johannis)

Louise's Spiny Mouse (A.louisae)

Mullah Spiny Mouse (A.mullah)

Wilson's Spiny Mouse (A.wilsoni)

Ansorge's Brush-furred Rat (Lophuromys ansorgei)

Short-tailed Brush-furred Rat (L.brevicaudus) (?)

Black-clawed Brush-furred Rat (L.melanonyx)

Zena Brush-furred Rat (L.zena)

Ammodile (Ammodillus imbellis)

Pouched Gerbil (Desmodilliscus braueri)

Pleasant Gerbil (Gerbillus amoenus)

Cheesman's Gerbil (G.cheesmani)

Lesser Egyptian Gerbil (G.gerbillus)

Pygmy Gerbil (G.henleyi)

Balochistan Gerbil (G.nanus)

Nigerian Gerbil (G.nigeriae)

Least Gerbil (G.pusillus)

Tarabul Gerbil (G.tarabuli)

Arabian Jird (Meriones arimalius)

Indian Desert Jird (M.hurrianae)

Eastern Midday Jird (M.psammophilus)

Mongolian Jird (M.unguiculatus)

Great Gerbil (Rhombomys opimus)

Congo Tateril (Taterillus congicus)

Cape Short-tailed Gerbil (Desmodillus auricularis)

Kemp's Gerbil (Gerbilliscus kempii)

Bushveld Gerbil (G.leucogaster)

Paeba Hairy-footed Gerbil (G.paeba)

Fringe-tailed Gerbil (G.robustus)

Indian Gerbil (Tatera indica)

Maned Rat (Lophiomys imhausii)

Striped Field Mouse (Apodemus agrarius)

Small Japanese Field Mouse (A.argenteus)

Chevrier's Field Mouse (A.chevrieri)

South China Field Mouse (A.draco)

Western Broad-toothed Field Mouse (A.epimelas)

Yellow-necked Field Mouse (A.flavicollis)

Large-eared Field Mouse (A.latronum) (?)

Korean Field Mouse (A.peninsulae)

Taiwan Field Mouse (A.semotus)

Large Japanese Field Mouse (A.speciosus)

Long-tailed Field Mouse (A.sylvaticus)

Herb Field Mouse (A.uralensis)

Abyssinian Grass Rat (Arvicanthis abyssinicus)

Blick's Grass Rat (A.blicki)

Neumann's Grass Rat (A.neumanni)

African Grass Rat (A.niloticus)

Common Defua Rat (Dephomys defua)

Indian Bush Rat (Golunda ellioti)

East African Thicket Rat (Grammomys ibeanus)

Father Basilio's Striped Mouse (Hybomys basilii)

Typical Striped Grass Mouse (Lemniscomys striatus)

Heuglin's Striped Grass Mouse (L.zebra)

Grant's Rock Rat (Micaelamys granti)

Namaqua Rock Rat (M.namaquensis)

Common Rufous-nosed Rat (Oenomys hypoxanthus)

West-central Four-striped Grass Rat (Rhabdomys bechuanae)

KwaZulu Natal Four-striped Grass Rat (R.chakae)

Mesic Four-striped Grass Rat (R.dilectus)

Karoo Four-striped Grass Rat (R.intermedius)

Xeric Four-striped Grass Rat (R.pumilio)

Black-tailed Thallomys (Thallomys nigricauda)

Western Rainforest Thicket Rat (Thamnomys poensis) (?)

Liberian Forest Striped Mouse (Typomys planifrons)

Indomalayan Pencil-tailed Tree Mouse (Chiropodomys gliroides)

Greater Pencil-tailed Tree Mouse (C.major)

Broad-headed Tree Mouse (Chiruromys lamia)

Brush-tailed Rabbit Rat (Conilurus penicillatus)

Lowland Sulawesi Ranee Mouse (Haeromys minahassae)

Sundaic Ranee Mouse (H.pusillus)

Common Water Rat (Hydromys chrysogaster)

Central Short-tailed Mouse (Leggadina forresti)

Long-footed Tree Mouse (Lorentzimys nouhuysii)

Australian Broad-toothed Rat (Mastacomys fuscus)

Grassland Mosaic-tailed Rat (Melomys burtoni)

Cape York Mosaic-tailed Rat (M.capensis)

Fawn-footed Mosaic-tailed Rat (M.cervinipes)

Black-tailed Mosaic-tailed Rat (M.rufescens)

Black-footed Tree Rat (Mesembriomys gouldii)

Golden-backed Tree Rat (M.macrurus)

Spinifex Hopping Mouse (Notomys alexis)

Mitchell's Hopping Mouse (N.mitchellii)

Common Lowland Mosaic-tailed Rat (Paramelomys platyops)

Bruijn's Brush Mouse (Pogonomelomys bruijnii)

Loria's Tree Mouse (Pogonomys loriae)

Chestnut Tree Mouse (P.macrourus)

Gray-bellied Tree Mouse (P.sylvestris)

Ash-gray Mouse (Pseudomys albocinereus)

Silky Mouse (P.apodemoides)

Plains Mouse (P.australis)

Bolam's Mouse (P.bolami)

Western Pebble Mouse (P.chapmani)

Northern Delicate Mouse (P.delicatulus)

Desert Mouse (P.desertor)

Australian Smoky Mouse (P.fumeus)

Eastern Chestnut Mouse (P.gracilicaudatus)

Sandy Inland Mouse (P.hermannsburgensis)

Central Pebble Mouse (P.johnsoni)

Eastern Delicate Mouse (P.mimulus)

Western Chestnut Mouse (P.nanus)

New Holland Mouse (P.novaehollandiae)

Western Mouse (P.occidentalis)

Hastings River Mouse (P.oralis)

Eastern Pebble Mouse (P.patrius)

Pilbara Delicate Mouse (P.pilbarensis)

Heath Mouse (P.shortridgei)

White-tailed Giant Rat (Uromys caudimaculatus)

False Water Rat (Xeromys myoides)

Common Australian Rock Rat (Zyzomys argurus)

Arnhem Land Rock Rat (Z.maini)

Kimberley Rock Rat (Z.woodwardi)

Eurasian Harvest Mouse (Micromys minutus)

Indomalayan Long-tailed Climbing Mouse (Vandeleuria oleraceus)

Edwards's Swamp Rat (Malacomys edwardsi)

White-tailed Wood Rat (Madromys blanfordi)

Sand-colored Soft-furred Rat (Millardia gleadowi)

Little Indian Field Mouse (Mus booduga)

Cook's Mouse (M.cookii)

Servant Mouse (M.famulus)

Macedonian Mouse (M.macedonicus)

Sub-Saharan Pygmy Mouse (M.minutoides) (?)

House Mouse (M.musculus)

Flat-haired Mouse (M.platythrix)

Mound-building Mouse (M.spicilegus)

Western Mediterranean Mouse (M.spretus)

Heller's Vlei Rat (Otomys helleri)

Southern African Vlei Rat (O.irroratus)

Sloggett's Vlei Rat (O.sloggetti)

Ethiopian Vlei Rat (O.typus)

Karoo Vlei Rat (O.unisulcatus)

Brants's Whistling Rat (Parotomys brantsii)

Allen's Wood Mouse (Hylomyscus alleni)

West African Wood Mouse (H.simus)

Walter Verheyen's Wood Mouse (H.walterverheyeni)

Southern African Multimammate Mouse (Mastomys coucha)

Natal Multimammate Mouse (M.natalensis)

Snowy White-bellied Rocky Mouse (Ochromyscus niveiventris)

De Graaff's Soft-furred Mouse (Praomys degraaffi)

Jackson's Soft-furred Mouse (P.jacksoni)

Misonne's Soft-furred Mouse (P.misonnei)

Cameroon Soft-furred Mouse (P.morio)

West African Soft-furred Mouse (P.rostratus)

Lesser Bandicoot Rat (Bandicota bengalensis)

Greater Bandicoot Rat (B.indica)

Bowers's White-toothed Rat (Berylmys bowersii)

Common Hill Rat (Bunomys chrysocomus)

Bartels's Javan Spiny Rat (Crunomys bartelsii)

Hellwald's Sulawesi Spiny Rat (C.hellwaldii)

Musschenbroek's Sulawesi Spiny Rat (C.musschenbroekii)

Rajah Sundaic Spiny Rat (C.rajah)

Indomalayan Spiny Rat (C.surifer)

Whitehead's Sundaic Spiny Rat (C.whiteheadi)

Ryukyu Islands Tree Rat (Diplothrix legata)

Sulawesi Soft-furred Rat (Eropeplus canus)

Meyer's Giant Rat (Lenomys meyeri)

Gray Tree Rat (Lenothrix cana)

Edwards's Long-tailed Giant Rat (Leopoldamys edwardsi)

Indomalayan Long-tailed Giant Rat (L.sabanus)

Elegant Margareta Rat (Margaretamys elegans)

'Lompobattang' Margareta Rat (M.sp.nov.a)

'Guzman's' Margareta Rat (M.sp.nov.b)

Anderson's White-bellied Rat (Niviventer andersoni)

Cameron Highlands White-bellied Rat (N.cameroni)

Confucian White-bellied Rat (N.confucianus)

Sundaic Arboreal White-bellied Rat (N.cremoriventer)

Soft-furred Taiwan White-bellied Rat (N.culturatus)

Sichuan White-bellied Rat (N.excelsior) (?)

Indochinese White-bellied Rat (N.fulvescens) (?)

South China White-bellied Rat (N.huang) (?)

Montane Javan White-bellied Rat (N.lepturus) (?)

Hainan White-bellied Rat (N.lotipes)

Mekong White-bellied Rat (N.mekongis)

Himalayan White-bellied Rat (N.niviventer)

Montane Bornean White-bellied Rat (N.rapit)

Indochinese Forest Rat (Rattus andamanensis) (?)

Ricefield Rat (R.argentiventer)

Kinabalu Rat (R.baluensis)

Southwestern Xanthurus Rat (R.bontanus)

Australian Dusky Rat (R.colletti)

Pacific Rat (R.exulans)

Lore Lindu Xanthurus Rat (R.facetus)

Australian Bush Rat (R.fuscipes)

Hoffmann's Sulawesi Rat (R.hoffmanni)

Koopman's Peleng Island Rat (R.koopmani)

Cape York Rat (R.leucopus) (?)

Losea Rat (R.losea)

Australian Swamp Rat (R.lutreola)

Lampobatang Sulawesi Rat (R.mollicomulus)

Brown Rat (R.norvegicus)

Peleng Island Xanthurus Rat (R.pelurus)

Large New Guinea Spiny Rat (R.praetor)

Himalayan Rat (R.pyctoris)

Roof Rat (R.rattus)

Southeastern Xanthurus Rat (R.salocco)

Canefield Rat (R.sordidus)

East Asian House Rat (R.tanezumi)

Malaysian Field Rat (R.tiomanicus)

Australian Pale Field Rat (R.tunneyi)

Australian Long-haired Rat (R.villosissimus)

Northeastern Xanthurus Rat (R.xanthurus)

Annandale's Sundaic Rat (Sundamys annandalei)

Müller's Rat (S.muelleri)

Celebes Rat (Taeromys celebensis)

Giant Sulawesi Rat (T.dominator)

Sulawesi Montane Rat (T.hamatus)

NESOMYIDS (NESOMYIDAE) (14/74)

Southern Giant Pouched Rat (Cricetomys ansorgei)

Forest Giant Pouched Rat (C.emini)

Brants's African Climbing Mouse (Dendromus mesomelas)

Long-eared Desert Mouse (Malacothrix typica)

Gray African Climbing Mouse (Poemys melanotis)

White-tailed Tree Rat (Brachytarsomys albicauda)

Lesser Tufted-tail Rat (Eliurus minor)

Milne-Edwards's Tufted-tail Rat (E.myoxinus)

Tanala Tufted-tail Rat (E.tanala) - not by me

Webb's Tufted-tail Rat (E.webbi)

Giant Jumping Rat (Hypogeomys antimena)

Bastard's Big-footed Mouse (Macrotarsomys bastardi)

Audebert's Forest Rat (Nesomys audeberti)

Red Forest Rat (N.rufus)

Common Pygmy Rock Mouse (Petromyscus collinus)

SPALACIDS (SPALACIDAE) (8/41)

Plateau Zokor (Eospalax baileyi)

Giant Root Rat (Tachyoryctes macrocephalus)

African Root Rat (T.splendens)

Bulgarian Blind Mole-rat (Nannospalax bulgaricus)

Hungarian Blind Mole-rat (N.hungaricus)

Lesser Blind Mole-rat (N.leucodon)

Mehely's Blind Mole-rat (Spalax antiquus)

Bukovina Blind Mole-rat (S.graecus)

HEDGEHOGS AND GYMNURES (ERINACEIDAE) (12/35)

Four-toed Hedgehog (Atelerix albiventris)

North African Hedgehog (A.algirus)

Amur Hedgehog (Erinaceus amurensis)

Southern White-breasted Hedgehog (E.concolor)

West European Hedgehog (E.europaeus)

Northern White-breasted Hedgehog (E.roumanicus)

Common Long-eared Hedgehog (Hemiechinus auritus)

Eastern Forest Hedgehog (Mesechinus orientalis)

Desert Hedgehog (Paraechinus aethiopicus)

Indian Hedgehog (P.micropus)

Moonrat (Echinosorex gymnura)

Javan Short-tailed Gymnure (Hylomys suillus)

SHREWS (SORICIDAE) (27/499)

South European White-toothed Shrew (Crocidura fimbriata)

Greater Red White-toothed Shrew (C.flavescens)

Glass's White-toothed Shrew (C.glassi) (?)

Iberian White-toothed Shrew (C.iculisma)

Bicolored White-toothed Shrew (C.leucodon)

Sunda White-toothed Shrew (C.monticola) - not by me

African Giant White-toothed Shrew (C.olivieri)

Fraser's White-toothed Shrew (C.poensis)

Greater White-toothed Shrew (C.russula)

Shantung White-toothed Shrew (C.shantungensis)

Lesser White-toothed Shrew (C.suaveolens)

Turbo White-toothed Shrew (C.turba)

Voi White-toothed Shrew (C.voi)

Asian House Shrew (Suncus murinus)

Nilgiri Highland Shrew (S.niger)

Bioko Forest Shrew (Sylvisorex isabellae)

Chinese Mole Shrew (Anourosorex squamipes)

Northern Short-tailed Shrew (Blarina brevicauda)

Ecuadorean Small-eared Shrew (Cryptotis equatoris)

Highland Broad-clawed Shrew (C.oreoryctes) (†)

Eurasian Water Shrew (Neomys fodiens) (?)

Mediterranean Water Shrew (N.milleri)

Transcaucasian Water Shrew (N.teres)

Common Shrew (Sorex araneus)

Lesser Striped Shrew (S.bedfordiae)

Crowned Shrew (S.coronatus)

Smoky Shrew (S.fumeus)

Eastern Pygmy Shrew (S.hoyi) (?)

Eurasian Pygmy Shrew (S.minutus)

Southern Montane Shrew (S.monticolus) (†)

American Water Shrew (S.palustris)

Radde's Shrew (S.raddei)

Salvin's Shrew (S.salvini) (†)

Trowbridge's Shrew (S.trowbridgii)

MOLES AND DESMANS (TALPIDAE) (4/68)

Pyrenean Desman (Galemys pyrenaicus)

European Mole (Talpa europaea)

Martinos' Mole (T.martinorum)

Japanese Shrew Mole (Urotrichus talpoides)

SOLENODONS (SOLENODONTIDAE) (1/2)

Hispaniolan Solenodon (Solenodon paradoxus)

SHEATH-TAILED BATS (EMBALLONURIDAE) (33/55)

Thomas's Sac-winged Bat (Balantiopteryx io)

Gray Sac-winged Bat (B.plicata)

Thomas's Shaggy Bat (Centronycteris centralis)

Chestnut Sac-winged Bat (Cormura brevirostris)

Short-eared Bat (Cyttarops alecto)

Northern Ghost Bat (Diclidurus albus)

Greater Dog-like Bat (Peropteryx kappleri)

White-winged Dog-like Bat (P.leucoptera)

Lesser Dog-like Bat (P.macrotis)

Pale-winged Dog-like Bat (P.pallidoptera)

Proboscis Bat (Rhynchonycteris naso)

Greater Sac-winged Bat (Saccopteryx bilineata)

Frosted Sac-winged Bat (S.canescens)

Amazonian Sac-winged Bat (S.gymnura)

Lesser Sac-winged Bat (S.leptura)

African Sheath-tailed Bat (Coleura afra)

Small Asian Sheath-tailed Bat (Emballonura alecto)

Lesser Sheath-tailed Bat (E.monticola)

Raffray's Sheath-tailed Bat (E.raffrayana)

Dark Sheath-tailed Bat (Mosia nigrescens)

Peters's Sheath-tailed Bat (Paremballonura atrata)

Western Sheath-tailed Bat (P.tiavato)

Yellow-bellied Sheath-tailed Bat (Saccolaimus flaviventris)

Coastal Sheath-tailed Bat (Taphozous australis)

Common Sheath-tailed Bat (T.georgianus)

Hildegarde's Tomb Bat (T.hildegardeae)

Hill's Sheath-tailed Bat (T.hilli)

Long-winged Sheath-tailed Bat (T.longimanus)

Mauritian Tomb Bat (T.mauritianus)

Black-bearded Tomb Bat (T.melanopogon)

Naked-rumped Tomb Bat (T.nudiventris)

Egyptian Tomb Bat (T.perforatus)

Troughton's Sheath-tailed Bat (T.troughtoni)

SUCKER-FOOTED BATS (MYZOPODIDAE) (1/2)

Eastern Sucker-footed Bat (Myzopoda aurita)

SLIT-FACED BATS (NYCTERIDAE) (6/14)

Bates's Slit-faced Bat (Nycteris arge)

Andersen's Slit-faced Bat (N.aurita) (?)

Hairy Slit-faced Bat (N.hispida)

Javan Slit-faced Bat (N.javanica)

Large-eared Slit-faced Bat (N.macrotis)

Egyptian Slit-faced Bat (N.thebaica)

Malayan Slit-faced Bat (N.tragata)

THUMBLESS AND SMOKY BATS (FURIPTERIDAE) (1/2)

Thumbless Bat (Furipterus horrens)

GHOST-FACED AND MOUSTACHED BATS (MORMOOPIDAE) (12/18)

Antillean Ghost-faced Bat (Mormoops blainvillei)

Peters's Ghost-faced Bat (M.megalophylla)

Davy's Naked-backed Bat (Pteronotus davyi)

Thomas's Naked-backed Bat (P.fulvus)

Big Naked-backed Bat (P.gymnonotus)

Mesoamerican Common Mustached Bat (P.mesoamericanus)

Parnell's Common Mustached Bat (P.parnellii)

Wagner's Lesser Mustached Bat (P.personatus)

Puerto Rican Common Mustached Bat (P.portoricensis)

Dobson's Lesser Mustached Bat (P.psilotis)

Sooty Mustached Bat (P.quadridens)

Wagner's Common Mustached Bat (P.rubiginosus)

NEW ZEALAND SHORT-TAILED BATS (MYSTACINIDAE) (1/2)

Lesser New Zealand Short-tailed Bat (Mystacina tuberculata)

BULLDOG BATS (NOCTILIONIDAE) (2/2)

Lesser Bulldog Bat (Noctilio albiventris)

Greater Bulldog Bat (N.leporinus)

NEW WORLD LEAF-NOSED BATS (PHYLLOSTOMIDAE) (99/230)

Ben Keith's Short-tailed Bat (Carollia benkeithi)

Silky Short-tailed Bat (C.brevicauda)

Chestnut Short-tailed Bat (C.castanea)

Seba's Short-tailed Bat (C.perspicillata)

Sowell's Short-tailed Bat (C.sowelli)

Gray Short-tailed Bat (C.subrufa)

Common Vampire Bat (Desmodus rotundus)

White-winged Vampire Bat (Diaemus youngii)

Hairy-legged Vampire Bat (Diphylla ecaudata)

Eastern Antillean Fruit-eating Bat (Brachyphylla cavernarum)

Brown Flower Bat (Erophylla bombifrons)

Tailed Tailless Bat (Anoura caudifer)

Handley's Tailless Bat (A.cultrata)

Tube-lipped Tailless Bat (A.fistulata)

Geoffroy's Tailless Bat (A.geoffroyi)

Tschudi's Tailless Bat (A.peruana)

Godman's Long-tailed Bat (Choeroniscus godmani)

Mexican Long-tongued Bat (Choeronycteris mexicana)

Underwood's Long-tongued Bat (Hylonycteris underwoodi)

Baker's Long-tongued Bat (Glossophaga bakeri)

Commissaris's Long-tongued Bat (G.commissarisi)

Gray's Long-tongued Bat (G.leachii)

Miller's Long-tongued Bat (G.longirostris)

Western Long-tongued Bat (G.morenoi)

Merriam's Long-tongued Bat (G.mutica)

Pallas's Long-tongued Bat (G.soricina)

Greater Long-nosed Bat (Leptonycteris nivalis)

Lesser Long-nosed Bat (L.yerbabuenae)

Western Antillean Single-leaf Bat (Monophyllus redmani)

Niceforo's Big-eared Bat (Trinycteris nicefori)

Orange Nectar Bat (Lonchophylla robusta)

Common Sword-nosed Bat (Lonchorhina aurita)

Californian Leaf-nosed Bat (Macrotus californicus)

Waterhouse's Leaf-nosed Bat (M.waterhousii)

Orange-throated Bat (Lampronycteris brachyotis)

Hairy Big-eared Bat (Micronycteris hirsuta)

Little Big-eared Bat (M.megalotis)

Common Big-eared Bat (M.microtis)

Tiny Big-eared Bat (M.minuta)

Schmidts' Big-eared Bat (M.schmidtorum)

Northern Big-eared Bat (M.tresamici)

Long-legged Bat (Macrophyllum macrophyllum)

Common Fringe-lipped Bat (Trachops cirrhosus)

Central American Fringe-lipped Bat (T.coffini)

Atlantic Forest Fringe-lipped Bat (T.ehrhardti)

Striped Hairy-nosed Bat (Gardnerycteris crenulata)

Keenan's Hairy-nosed Bat (G.keenani)

Mesoamerican Round-eared Bat (Lophostoma nicaraguae)

White-throated Round-eared Bat (L.silvicola)

Pale-faced Bat (Phylloderma stenops)

Pale Spear-nosed Bat (Phyllostomus discolor)

Lesser Spear-nosed Bat (P.elongatus)

Greater Spear-nosed Bat (P.hastatus)

Guianan Spear-nosed Bat (P.latifolius)

Northern Stripe-headed Round-eared Bat (Tonatia bakeri)

Southern Stripe-headed Round-eared Bat (T.maresi)

Woolly False Vampire Bat (Chrotopterus auritus)

Cozumelan Golden Bat (Mimon cozumelae)

Spectral Bat (Vampyrum spectrum)

Fischer's Little Fruit Bat (Rhinophylla fischerae)

Dwarf Little Fruit Bat (R.pumilio)

Brown Fruit-eating Bat (Artibeus concolor)

Fringed Fruit-eating Bat (A.fimbriatus)

Hairy Fruit-eating Bat (A.hirsutus)

Intermediate Fruit-eating Bat (A.intermedius)

Jamaican Fruit-eating Bat (A.jamaicensis)

Great Fruit-eating Bat (A.lituratus)

Dark Fruit-eating Bat (A.obscurus)

Flat-faced Fruit-eating Bat (A.planirostris)

Andersen's Fruit-eating Bat (Dermanura anderseni)

Aztec Fruit-eating Bat (D.azteca)

Gervais's Fruit-eating Bat (D.cinerea)

Dwarf Fruit-eating Bat (D.gnomus)

Pygmy Fruit-eating Bat (D.phaeotis)

Toltec Fruit-eating Bat (D.tolteca)

Thomas's Fruit-eating Bat (D.watsoni)

Honduran White Bat (Ectophylla alba)

Cuban Fig-eating Bat (Phyllops falcatus)

Hairy Big-eyed Bat (Chiroderma villosum)

MacConnell's Bat (Mesophylla macconnelli)

Short-headed Broad-nosed Bat (Platyrrhinus brachycephalus)

Heller's Broad-nosed Bat (P.helleri)

Incan Broad-nosed Bat (P.incarum)

Buffy Broad-nosed Bat (P.infuscus)

White-lined Broad-nosed Bat (P.lineatus)

Common Tent-making Bat (Uroderma bilobatum)

Pacific Tent-making Bat (U.convexum)

Davis's Tent-making Bat (U.davisi)

Brown Tent-making Bat (U.magnirostrum)

Northern Little Yellow-eared Bat (Vampyressa thyone)

Bidentate Yellow-eared Bat (Vampyriscus bidens)

Brock's Yellow-eared Bat (V.brocki)

Striped Yellow-eared Bat (V.nymphaeus)

Great Stripe-faced Bat (Vampyrodes major)

Hairy Yellow-shouldered Bat (Sturnira erythromos)

Honduran Yellow-shouldered Bat (S.hondurensis)

Little Yellow-shouldered Bat (S.lilium)

Northern Yellow-shouldered Bat (S.parvidens)

Tilda's Yellow-shouldered Bat (S.tildae)

DISC-WINGED BATS (THYROPTERIDAE) (2/5)

Peters's Disk-winged Bat (Thyroptera discifera)

Spix's Disk-winged Bat (T.tricolor)

WING-GLAND BATS (CISTUGIDAE) (1/2)

Le Sueur's Wing-gland Bat (Cistugo lesueuri)

BENT-WINGED BATS (MINIOPTERIDAE) (18/41)

Aellen's Long-fingered Bat (Miniopterus aelleni)

African Long-fingered Bat (M.africanus)

Little Long-fingered Bat (M.australis)

Madagascar Long-fingered Bat (M.brachytragos) (?)

Asian Long-fingered Bat (M.fuliginosus)

Glen's Long-fingered Bat (M.gleni)

Griveaud's Long-fingered Bat (M.griveaudi)

Greater Long-fingered Bat (M.inflatus)

Small Melanesian Long-fingered Bat (M.macrocneme)

Large Long-fingered Bat (M.magnater)

Mahafaly Long-fingered Bat (M.mahafaliensis)

Major's Long-fingered Bat (M.majori)

Intermediate Long-fingered Bat (M.medius)

Least Long-fingered Bat (M.minor)

Natal Long-fingered Bat (M.natalensis)

Australian Long-fingered Bat (M.orianae)

Philippine Long-fingered Bat (M.paululus)

Schreibers's Long-fingered Bat (M.schreibersii)

Great Long-fingered Bat (M.tristis)

FREE-TAILED BATS (MOLOSSIDAE) (38/134)

White-striped Free-tailed Bat (Austronomus australis)

Greater Naked Bat (Cheiromeles torquatus)

Cinnamon Dog-faced Bat (Cynomops abrasus)

Mexican Dog-faced Bat (C.mexicanus)

Common Dwarf Bonneted Bat (Eumops bonariensis)

Fierce Bonneted Bat (E.ferox)

Florida Bonneted Bat (E.floridanus)

Western Bonneted Bat (E.perotis)

East Coast Free-tailed Bat (Micronomus norfolkensis)

Dwarf Dog-faced Bat (Molossops temminckii)

Alvarez's Mastiff Bat (Molossus alvarezi)

Bonda Mastiff Bat (M.bondae)

Thomas's Mastiff Bat (M.currentium)

Pallas's Mastiff Bat (M.molossus)

Northern Black Mastiff Bat (M.nigricans)

Miller's Mastiff Bat (M.pretiosus)

Madagascar Free-tailed Bat (Mops atsinanana)

Short-winged Free-tailed Bat (M.brachypterus)

Angolan Free-tailed Bat (M.condylurus)

Greater Northern Free-tailed Bat (M.jobensis)

Malagasy White-bellied Free-tailed Bat (M.leucostigma)

Midas Free-tailed Bat (M.midas)

Malayan Free-tailed Bat (M.mops)

Wrinkle-lipped Free-tailed Bat (M.plicatus)

Little Free-tailed Bat (M.pumilus)

Sulawesian Free-tailed Bat (M.sarasinorum)

Pocketed Free-tailed Bat (Nyctinomops femorosaccus)

Broad-eared Free-tailed Bat (N.laticaudatus)

Big Free-tailed Bat (N.macrotis)

Egyptian Free-tailed Bat (Nyctinomus aegyptiacus)

Harrison's Giant Mastiff Bat (Otomops harrisoni)

Lumsden's Free-tailed Bat (Ozimops lumsdenae)

Inland Free-tailed Bat (O.petersi)

Southern Free-tailed Bat (O.planiceps)

Ride's Free-tailed Bat (O.ridei)

Big Crested Mastiff Bat (Promops centralis)

Brazilian Free-tailed Bat (Tadarida brasiliensis)

European Free-tailed Bat (T.teniotis)

FUNNEL-EARED BATS (NATALIDAE) (2/11)

Caribbean Lesser Funnel-eared Bat (Chilonatalus micropus)

Mexican Funnel-eared Bat (Natalus mexicanus)

EVENING BATS (VESPERTILIONIDAE) (156/544)

Hardwicke's Woolly Bat (Kerivoula hardwickii)

Least Woolly Bat (K.minuta)

Fly River Woolly Bat (K.muscina)

Clear-winged Woolly Bat (K.pellucida)

Painted Woolly Bat (K.picta)

'Lore Lindu' Woolly Bat (K.sp.nov.)

Golden-tipped Bat (Phoniscus papuensis)

Hairy-winged Bat (Harpiocephalus harpia)

Flores Tube-nosed Bat (Murina florium)

Hilgendorf's Tube-nosed Bat (M.hilgendorfi)

Rufous Tube-nosed Bat (M.leucogaster)

Silver-tipped Myotis (Myotis albescens)

Alcathoe Whiskered Myotis (M.alcathoe)

Indochinese Whiskered Myotis (M.alticraniatus)

Valparaíso Myotis (M.arescens)

Armién's Myotis (M.armiensis)

Peters's Myotis (M.ater)

Southwestern Myotis (M.auriculus)

Southeastern Myotis (M.austroriparius)

Bechstein's Myotis (M.bechsteinii)

Lesser Myotis (M.blythii)

Brandt's Myotis (M.brandtii)

California Myotis (M.californicus)

Long-fingered Myotis (M.capaccinii)

Chilean Myotis (M.chiloensis)

Western Small-footed Myotis (M.ciliolabrum)

Pond Myotis (M.dasycneme)

Daubenton's Myotis (M.daubentonii)

Elegant Myotis (M.elegans)

Geoffroy's Myotis (M.emarginatus)

Escalera's Myotis (M.escalerai)

Long-eared Myotis (M.evotis)

Mexican Black Myotis (M.extremus)

Black-and-orange Myotis (M.formosus)

Fraternal Myotis (M.frater) (?)

Malagasy Myotis (M.goudotii)

Gray Myotis (M.grisescens)

Lesser Large-footed Myotis (M.hasseltii)

Horsfield's Myotis (M.horsfieldii)

Eastern Small-footed Myotis (M.leibii)

Yellowish Myotis (M.levis)

Little Brown Myotis (M.lucifugus)

Big-footed Myotis (M.macrodactylus)

Southern Myotis (M.macropus)

Maluku Myotis (M.moluccarum)

Nepalese Whiskered Myotis (M.muricola)

Greater Myotis (M.myotis)

Common Whiskered Myotis (M.mystacinus)

Natterer's Myotis (M.nattereri)

Common Black Myotis (M.nigricans)

Barbados Myotis (M.nyctor)

Arizona Myotis (M.occultus)

Montane Myotis (M.oxyotus)

Northern Hairy-legged Myotis (M.pilosatibialis)

Flat-headed Myotis (M.planiceps)

Maghreb Myotis (M.punicus)

Ridley's Myotis (M.ridleyi)

Riparian Myotis (M.riparius)

Long-toed Myotis (M.secundus)

Northern Myotis (M.septentrionalis)

Indiana Myotis (M.sodalis)

Fringed Myotis (M.thysanodes)

Cave Myotis (M.velifer)

Fish-eating Myotis (M.vivesi)

Long-legged Myotis (M.volans)

Welwitsch's Myotis (M.welwitschii)

Yuma Myotis (M.yumanensis)

Taiwan Broad-muzzled Bat (Submyotodon latirostris)

Common Pallid Bat (Antrozous pallidus)

Allen's Yellow Bat (Baeodon alleni)

Slender Yellow Bat (B.gracilis)

Van Gelder's Bat (Bauerus dubiaquercus)

Yucatán Yellow Bat (Rhogeessa aenea)

Bickham's Yellow Bat (R.bickhami)

Menchu's Yellow Bat (R.menchuae)

Northern Little Yellow Bat (R.parvula)

Canyon Bat (Parastrellus hesperus)

Tricolored Bat (Perimyotis subflavus)

Eastern Red Bat (Lasiurus borealis)

Northern Hoary Bat (L.cinereus)

Desert Red Bat (L.frantzii)

Northern Yellow Bat (L.intermedius)

Seminole Bat (L.seminolus)

Western Yellow Bat (L.xanthinus)

Long-tailed Serotine (Cnephaeus hottentotus) (?)

Northern Serotine (C.nilssonii)

Eurasian Serotine (C.serotinus)

Big Brown Bat (Eptesicus fuscus)

Beatrix's Butterfly Bat (Glauconycteris beatrix)

Doria's False Serotine (Hesperoptenus doriae)

Great Evening Bat (Ia io)

Silver-haired Bat (Lasionycteris noctivagans)

Brazilian Serotine (Neoeptesicus brasiliensis)

Diminutive Serotine (N.diminutus)

Argentine Serotine (N.furinalis)

North American Evening Bat (Nycticeius humeralis)

Harlequin Bat (Scotomanes ornatus)

Inland Broad-nosed Bat (Scotorepens balstoni)

Little Broad-nosed Bat (S.greyii)

Northern Broad-nosed Bat (S.sanborni)

Japanese Pipistrelle (Alionoctula abramus)

Kelaart's Pipistrelle (A.ceylonica)

Indian Pipistrelle (A.coromandra)

Javan Pipistrelle (A.javanica)

Minahassa Pipistrelle (A.minahassae)

Narrow-winged Pipistrelle (A.stenoptera)

Least Pipistrelle (A.tenuis)

Northern Pipistrelle (A.westralis)

Azores Noctule (Nyctalus azoreum)

Greater Noctule (N.lasiopterus)

Leisler's Noctule (N.leisleri)

Common Noctule (N.noctula)

Kuhl's Pipistrelle (Pipistrellus kuhlii)

Madeira Pipistrelle (P.maderensis)

Nathusius's Pipistrelle (P.nathusii)

Common Pipistrelle (P.pipistrellus)

Soprano Pipistrelle (P.pygmaeus)

Western Barbastelle (Barbastella barbastellus)

Eastern Barbastelle (B.darjelingensis)

Mexican Big-eared Bat (Corynorhinus mexicanus)

Rafinesque's Big-eared Bat (C.rafinesquii)

Townsend's Big-eared Bat (C.townsendii)

Spotted Bat (Euderma maculatum)

Allen's Big-eared Bat (Idionycteris phyllotis)

Brown Long-eared Bat (Plecotus auritus)

Gray Long-eared Bat (P.austriacus)

Alpine Long-eared Bat (P.macrobullaris)

Taiwan Long-eared Bat (P.taivanus)

African Yellow Bat (Scotophilus dinganii)

Greater Asian Yellow Bat (S.heathii)

Lesser Asian Yellow Bat (S.kuhlii)

Banana Serotine (Afronycteris nanus)

Large-eared Pied Bat (Chalinolobus dwyeri)

Gould's Wattled Bat (C.gouldii)

Chocolate Wattled Bat (C.morio)

Hoary Wattled Bat (C.nigrogriseus) (?)

Little Pied Bat (C.picatus)

New Zealand Long-tailed Bat (C.tuberculatus) (?)

Eastern False Pipistrelle (Falsistrellus tasmaniensis)

Alashanian Pipistrelle (Hypsugo alashanicus)

Chinese Pipistrelle (H.pulveratus)

Savi's Pipistrelle (H.savii)

Cape Serotine (Laephotis capensis)

Schlieffen's Serotine (Nycticeinops schlieffenii)

Northern Long-eared Bat (Nyctophilus arnhemensis)

Eastern Long-eared Bat (N.bifax)

Lesser Long-eared Bat (N.geoffroyi)

Gould's Long-eared Bat (N.gouldi)

Mount Missim Long-eared Bat (N.shirleyae) (?)

Pygmy Long-eared Bat (N.walkeri)

Nyanza Serotine (Pseudoromicia nyanza)

Malayan Greater Bamboo Bat (Tylonycteris malayana)

Sumatran Greater Bamboo Bat (T.robustula)

Northern Cave Bat (Vespadelus caurinus)

Large Forest Bat (V.darlingtoni)

Finlayson's Cave Bat (V.finlaysoni)

Eastern Forest Bat (V.pumilus)

Southern Forest Bat (V.regulus)

Eastern Cave Bat (V.troughtoni)

Little Forest Bat (V.vulturnus)

Asian Particolored Bat (Vespertilio sinensis)

OLD WORLD FRUIT BATS (PTEROPODIDAE) (62/197)

Malayan Spotted-winged Fruit Bat (Balionycteris seimundi)

Common Dayak Fruit Bat (Dyacopterus spadiceus)

Lucas's Short-nosed Fruit Bat (Penthetor lucasii) (?)

Blanford's Fruit Bat (Sphaerias blanfordi)

Common Swift Fruit Bat (Thoopterus nigrescens)

Suhaniah's Swift Fruit Bat (T.suhaniahae)

Lesser Short-nosed Fruit Bat (Cynopterus brachyotis)

Horsfield's Short-nosed Fruit Bat (C.horsfieldii)

Peters's Short-nosed Fruit Bat (C.luzoniensis)

Minute Short-nosed Fruit Bat (C.minutus)

Greater Short-nosed Fruit Bat (C.sphinx)

White-collared Fruit Bat (Megaerops albicollis)

Ratanaworabhan's Tailless Fruit Bat (M.niphanae)

Greater Musky Fruit Bat (Ptenochirus jagorii)

Madagascan Straw-colored Fruit Bat (Eidolon dupreanum)

African Straw-colored Fruit Bat (E.helvum)

Greater Dawn Bat (Eonycteris major)

Lesser Dawn Bat (E.spelaea)

Peters's Epauletted Fruit Bat (Epomophorus crypturus) (?)

Little Epauletted Fruit Bat (E.labiatus)

Lesser Epauletted Fruit Bat (E.pusillus)

Wahlberg's Epauletted Fruit Bat (E.wahlbergi)

Büttikofer's Epauletted Fruit Bat (Epomops buettikoferi)

Franquet's Epauletted Fruit Bat (E.franqueti)

Hammer-headed Fruit Bat (Hypsignathus monstrosus)

Sulawesi Fruit Bat (Pilonycteris celebensis)

Angolan Soft-furred Fruit Bat (Myonycteris angolensis)

Egyptian Rousette (Rousettus aegyptiacus)

Geoffroy's Rousette (R.amplexicaudatus)

Leschenault's Rousette (R.leschenaultii)

Malagasy Rousette (R.madagascariensis)

Halmahera Naked-backed Fruit Bat (Dobsonia crenulata)

Sulawesi Naked-backed Fruit Bat (D.exoleta)

New Guinea Naked-backed Fruit Bat (D.magna)

Lesser Naked-backed Fruit Bat (D.minor)

Moluccan Naked-backed Fruit Bat (D.moluccensis)

Sulawesi Harpy Fruit Bat (Harpyionycteris celebensis)

Lesser Long-tongued Blossom Bat (Macroglossus minimus)

Greater Long-tongued Blossom Bat (M.sobrinus) (?)

Southern Blossom Bat (Syconycteris australis)

Halmaheran Blossom Bat (S.carolinae)

Broad-striped Tube-nosed Fruit Bat (Nyctimene aello)

Common Tube-nosed Fruit Bat (N.albiventris)

Pallas's Tube-nosed Fruit Bat (N.cephalotes)

Round-eared Tube-nosed Fruit Bat (N.cyclotis)

Queensland Tube-nosed Fruit Bat (N.robinsoni)

Unstriped Tube-nosed Fruit Bat (Paranyctimene raptor)

Sulawesi Flying Fox (Acerodon celebensis)

Golden-capped Flying Fox (A.jubatus)

Black Flying Fox (Pteropus alecto)

North Moluccan Flying Fox (P.caniceps)

Spectacled Flying Fox (P.conspicillatus)

Ryukyu Flying Fox (P.dasymallus)

Island Flying Fox (P.hypomelanus)

Lyle's Flying Fox (P.lylei)

Big-eared Flying Fox (P.macrotis)

Indian Flying Fox (P.medius)

Great Flying Fox (P.neohibernicus)

Ornate Flying Fox (P.ornatus)

Moluccan Masked Flying Fox (P.personatus)

Gray-headed Flying Fox (P.poliocephalus)

Malagasy Flying Fox (P.rufus)

Little Red Flying Fox (P.scapulatus)

Large Flying Fox (P.vampyrus)

Wallace's Stripe-faced Fruit Bat (Styloctenium wallacei)

HOG-NOSED BATS (CRASEONYCTERIDAE) (1/1)

Kitti's Hog-nosed Bat (Craseonycteris thonglongyai)

OLD WORLD LEAF-NOSED BATS (HIPPOSIDERIDAE) (41/94)

Stoliczka's Trident Bat (Aselliscus stoliczkanus)

Temminck's Trident Bat (A.tricuspidatus)

Cyclops Roundleaf Bat (Doryrhina cyclops)

Ha Long Roundleaf Bat (Hipposideros alongensis)

Philippine Dusky Roundleaf Bat (H.antricola)

Great Himalayan Roundleaf Bat (H.armiger)

Common Dusky Roundleaf Bat (H.ater)

Benito Roundleaf Bat (H.beatus)

Bicolored Roundleaf Bat (H.bicolor)

Boeadi's Roundleaf Bat (H.boeadii)

Sundevall's Roundleaf Bat (H.caffer)

Fawn-colored Roundleaf Bat (H.cervinus)

Least Roundleaf Bat (H.cineraceus)

Diadem Roundleaf Bat (H.diadema)

Dayak Roundleaf Bat (H.dyacorum)

Fulvus Roundleaf Bat (H.fulvus)

Cantor's Roundleaf Bat (H.galeritus)

Andersen's Roundleaf Bat (H.gentilis)

Crested Roundleaf Bat (H.inexpectatus)

Arnhem Roundleaf Bat (H.inornatus)

Phou Khao Khouay Roundleaf Bat (H.khaokhouayensis)

Kunz's Roundleaf Bat (H.kunzi)

Indian Roundleaf Bat (H.lankadiva)

Horsfield's Roundleaf Bat (H.larvatus)

Large Asian Roundleaf Bat (H.lekaguli)

Shield-faced Roundleaf Bat (H.lylei)

Maggie Taylor's Roundleaf Bat (H.maggietaylorae)

Orbiculus Roundleaf Bat (H.orbiculus)

Biak Roundleaf Bat (H.papua)

Peleng Roundleaf Bat (H.pelingensis)

Pendlebury's Roundleaf Bat (H.pendleburyi)

Allen's Roundleaf Bat (H.poutensis)

Philippine Pygmy Roundleaf Bat (H.pygmaeus)

Ridley's Roundleaf Bat (H.ridleyi)

Noack's Roundleaf Bat (H.ruber)

Semon's Roundleaf Bat (H.semoni)

Schneider's Roundleaf Bat (H.speoris)

Maghreb Roundleaf Bat (H.tephrus)

Commerson's Roundleaf Bat (Macronycteris commersonii)

Giant Roundleaf Bat (M.gigas)

Striped Roundleaf Bat (M.vittata)

FALSE VAMPIRE BATS (MEGADERMATIDAE) (6/7)

Heart-nosed False-vampire (Cardioderma cor)

Yellow-winged False-vampire (Lavia frons)

Indian Greater False-vampire (Lyroderma lyra)

Eastern Greater False-vampire (L.sinense)

Ghost False-vampire (Macroderma gigas)

Lesser Asian False-vampire (Megaderma spasma)

HORSESHOE BATS (RHINOLOPHIDAE) (50/118)

Queensland Horseshoe Bat (Rhinolophus achilles)

Heuglin's Horseshoe Bat (R.acrotis)

Acuminate Horseshoe Bat (R.acuminatus)

Intermediate Horseshoe Bat (R.affinis)

Halcyon Horseshoe Bat (R.alcyone)

Beddome's Woolly Horseshoe Bat (R.beddomei)

Poso Horseshoe Bat (R.belligerator)

Cape Horseshoe Bat (R.capensis)

Sulawesi Horseshoe Bat (R.celebensis)

Chutamas's Horseshoe Bat (R.chutamasae)

Geoffroy's Horseshoe Bat (R.clivosus)

Croslet Horseshoe Bat (R.coelophyllus)

Little Japanese Horseshoe Bat (R.cornutus)

Creagh's Horseshoe Bat (R.creaghi)

Damara Horseshoe Bat (R.damarensis)

Dent's Horseshoe Bat (R.denti)

Eloquent Horseshoe Bat (R.eloquens)

Allen's Horseshoe Bat (R.episcopus)

Mediterranean Horseshoe Bat (R.euryale)

New Guinea Broad-eared Horseshoe Bat (R.euryotis)

Greater Horseshoe Bat (R.ferrumequinum)

Andersen's Woolly Horseshoe Bat (R.foetidus)

Formosan Woolly Horseshoe Bat (R.formosae)

Lesser Horseshoe Bat (R.hipposideros)

Lander's Horseshoe Bat (R.landeri)

Big-eared Horseshoe Bat (R.macrotis)

Malayan Horseshoe Bat (R.malayanus)

Eastern Horseshoe Bat (R.megaphyllus)

Mehely's Horseshoe Bat (R.mehelyi)

Vietnamese Brown Horseshoe Bat (R.microglobosus)

Formosan Horseshoe Bat (R.monoceros)

Malaysian Woolly Horseshoe Bat (R.morio)

Greater Japanese Horseshoe Bat (R.nippon)

Pearson's Horseshoe Bat (R.pearsonii)

Northern Woolly Horseshoe Bat (R.perniger)

Large-eared Horseshoe Bat (R.philippinensis)

Least Horseshoe Bat (R.pusillus)

Glossy Horseshoe Bat (R.refulgens)

King Horseshoe Bat (R.rex)

Robinson's Horseshoe Bat (R.robinsoni)

Indian Rufous Horseshoe Bat (R.rouxii)

Ruwenzori Horseshoe Bat (R.ruwenzorii)

Lesser Woolly Horseshoe Bat (R.sedulus)

Shamel's Horseshoe Bat (R.shameli)

Bushveld Horseshoe Bat (R.simulator)

Chinese Rufous Horseshoe Bat (R.sinicus)

Sulawesi Broad-eared Horseshoe Bat (R.tatar)

Thailand Horseshoe Bat (R.thailandensis)

Thomas's Horseshoe Bat (R.thomasi)

Trefoil Horseshoe Bat (R.trifoliatus)

TRIDENT BATS (RHINONYCTERIDAE) (4/9)

Orange Diamond-faced Bat (Rhinonicteris aurantia)

African Trident Bat (Triaenops afer)

Rufous Trident Bat (T.menamena)

Persian Trident Bat (T.persicus)

MOUSE-TAILED BATS (RHINOPOMATIDAE) (4/5)

Arabian Mouse-tailed Bat (Rhinopoma cystops)

Lesser Mouse-tailed Bat (R.hardwickii)

Greater Mouse-tailed Bat (R.microphyllum)

Muscat Mouse-tailed Bat (R.muscatellum)

PANGOLINS (MANIDAE) (4/9)

Sunda Pangolin (Manis javanica)

Black-bellied Pangolin (Phataginus tetradactylus)

White-bellied Pangolin (P.tricuspis)

Giant Pangolin (Smutsia gigantea)

RED PANDAS (AILURIDAE) (2/2)

Western Red Panda (Ailurus fulgens)

Eastern Red Panda (A.styani)

SKUNKS AND STINK-BADGERS (MEPHITIDAE) (9/15)

Molina's Hog-nosed Skunk (Conepatus chinga)

American Hog-nosed Skunk (C.leuconotus)

Striped Hog-nosed Skunk (C.semistriatus)

Hooded Skunk (Mephitis macroura)

Striped Skunk (M.mephitis)

Southern Spotted Skunk (Spilogale angustifrons)

Western Spotted Skunk (S.gracilis)

Plains Spotted Skunk (S.interrupta)

Sunda Stink Badger (Mydaus javanensis)

MUSTELIDS (MUSTELIDAE) (44/69)

Tayra (Eira barbara)

Wolverine (Gulo gulo)

American Marten (Martes americana)

Yellow-throated Marten (M.flavigula)

Stone Marten (M.foina)

European Pine Marten (M.martes)

Japanese Marten (M.melampus)

Fisher (Pekania pennanti)

Small-toothed Ferret-badger (Melogale moschata)

Javan Ferret-badger (M.orientalis)

Formosan Ferret-badger (M.subaurantiaca)

Zorilla (Ictonyx striatus)

Marbled Polecat (Vormela peregusna)

Lesser Grison (Galictis cuja)

Sea Otter (Enhydra lutris)

Spotted-necked Otter (Hydrictis maculicollis)

North American River Otter (Lontra canadensis)

Marine Otter (L.felina)

Central Neotropical River Otter (L.longicaudis)

Southern River Otter (L.provocax)

African Clawless Otter (Lutra capensis)

Asian Small-clawed Otter (L.cinerea)

Congo Clawless Otter (L.congica)

Eurasian Otter (L.lutra)

Smooth-coated Otter (L.perspicillata)

Hairy-nosed Otter (L.sumatrana)

Giant Otter (Pteronura brasiliensis)

Northern Hog Badger (Arctonyx albogularis)

Japanese Badger (Meles anakuma)

Asian Badger (M.leucurus)

European Badger (M.meles)

Honey Badger (Mellivora capensis)

Altai Mountain Weasel (Mustela altaica)

Beringian Ermine (M.erminea)

Steppe Polecat (M.eversmanii)

Yellow-bellied Weasel (M.kathiah) - not by me

European Mink (M.lutreola)

Black-footed Ferret (M.nigripes)

Least Weasel (M.nivalis)

Malay Weasel (M.nudipes)

European Polecat (M.putorius)

Siberian Weasel (M.sibirica)

Long-tailed Weasel (Neogale frenata)

American Mink (N.vison)

American Badger (Taxidea taxus)

RACCOONS, COATIS, AND ALLIES (PROCYONIDAE) (12/13)

Eastern Lowland Olingo (Bassaricyon alleni)

Northern Olingo (B.gabbii)

Western Lowland Olingo (B.medius)

Olinguito (B.neblina)

Ringtail (Bassariscus astutus)

Cacomistle (B.sumichrasti)

White-nosed Coati (Nasua narica)

South American Coati (N.nasua)

Kinkajou (Potos flavus)

Crab-eating Raccoon (Procyon cancrivorus)

Northern Raccoon (P.lotor)

Cozumel Raccoon (P.pygmaeus)

WALRUSES (ODOBENIDAE) (1/1)

Walrus (Odobenus rosmarus)

EARED SEALS (OTARIIDAE) (11/15)

South American Fur Seal (Arctocephalus australis)

New Zealand Fur Seal (A.forsteri)

Afro-Australian Fur Seal (A.pusillus)

Guadalupe Fur Seal (A.townsendi)

Northern Fur Seal (Callorhinus ursinus)

Steller Sea Lion (Eumetopias jubatus)

Australian Sea Lion (Neophoca cinerea)

South American Sea Lion (Otaria flavescens)

New Zealand Sea Lion (Phocarctos hookeri)

California Sea Lion (Zalophus californianus)

Galapagos Sea Lion (Z.wollebaeki)

EARLESS SEALS (PHOCIDAE) (13/19)

Leopard Seal (Hydrurga leptonyx)

Northern Elephant Seal (Mirounga angustirostris)

Southern Elephant Seal (M.leonina)

Mediterranean Monk Seal (Monachus monachus)

Hawaiian Monk Seal (Neomonachus schauinslandi)

Hooded Seal (Cystophora cristata)

Bearded Seal (Erignathus barbatus)

Harp Seal (Pagophilus groenlandicus)

Gray Seal (Halichoerus grypus)

Spotted Seal (Phoca largha)

Harbor Seal (P.vitulina)

Ringed Seal (Pusa hispida)

Saimaa Seal (P.saimensis)

BEARS (URSIDAE) (8/8)

Giant Panda (Ailuropoda melanoleuca)

Andean Bear (Tremarctos ornatus)

Sun Bear (Helarctos malayanus)

Sloth Bear (Melursus ursinus)

American Black Bear (Ursus americanus)

Brown Bear (U.arctos)

Polar Bear (U.maritimus)

Asian Black Bear (U.thibetanus)

CANIDS (CANIDAE) (38/39)

Golden Jackal (Canis aureus)

Domestic Dog (C.familiaris)

Coyote (C.latrans)

African Golden Wolf (C.lupaster)

Gray Wolf (C.lupus)

Eastern Wolf (C.lycaon)

Red Wolf (C.rufus)

Ethiopian Wolf (C.simensis)

Dhole (Cuon alpinus)

Side-striped Jackal (Lupulella adusta)

Black-backed Jackal (L.mesomelas)

African Wild Dog (Lycaon pictus)

Short-eared Dog (Atelocynus microtis)

Crab-eating Fox (Cerdocyon thous)

Maned Wolf (Chrysocyon brachyurus)

Culpeo (Lycalopex culpaeus)

Darwin's Fox (L.fulvipes)

South American Gray Fox (L.grisea)

Pampas Fox (L.gymnocerca)

Sechuran Fox (L.sechurae)

Hoary Fox (L.vetula)

Northern Gray Fox (Urocyon cinereoargenteus)

Island Fox (U.littoralis)

Common Raccoon Dog (Nyctereutes procyonoides)

Japanese Raccoon Dog (N.viverrinus)

Bat-eared Fox (Otocyon megalotis)

Indian Fox (Vulpes bengalensis)

Blanford's Fox (V.cana)

Cape Fox (V.chama)

Corsac Fox (V.corsac)

Tibetan Fox (V.ferrilata)

Arctic Fox (V.lagopus)

Kit Fox (V.macrotis)

Pale Fox (V.pallida)

Rüppell's Fox (V.rueppellii)

Swift Fox (V.velox)

Red Fox (V.vulpes)

Fennec Fox (V.zerda)

FELIDS (FELIDAE) (34/46)

Cheetah (Acinonyx jubatus)

Caracal (Caracal caracal)

Bay Cat (Catopuma badia)

Asian Golden Cat (C.temminckii)

Chinese Mountain Cat (Felis bieti)

Domestic Cat (F.catus)

Jungle Cat (F.chaus)

African Wildcat (F.lybica)

Sand Cat (F.margarita)

Black-footed Cat (F.nigripes)

European Wildcat (F.silvestris)

Jaguarundi (Herpailurus yagouaroundi)

Northern Colocolo (Leopardus garleppi)

Geoffroy's Cat (L.geoffroyi)

Andean Mountain Cat (L.jacobita)

Ocelot (L.pardalis)

Clouded Oncilla (L.pardinoides)

Serval (Leptailurus serval)

Canadian Lynx (Lynx canadensis)

Eurasian Lynx (L.lynx)

Iberian Lynx (L.pardinus)

Bobcat (L.rufus)

Pallas's Cat (Otocolobus manul)

Mainland Leopard Cat (Prionailurus bengalensis)

Sunda Leopard Cat (P.javanensis)

Flat-headed Cat (P.planiceps)

Rusty-spotted Cat (P.rubiginosus)

Puma (Puma concolor)

Sunda Clouded Leopard (Neofelis diardi)

Lion (Panthera leo)

Jaguar (P.onca)

Leopard (P.pardus)

Tiger (P.tigris)

Snow Leopard (P.uncia)

LINSANGS (PRIONODONTIDAE) (1/2)

Banded Linsang (Prionodon linsang)

EUPLERIDS (EUPLERIDAE) (6/7)

Fossa (Cryptoprocta ferox)

Spotted Fanaloka (Fossa fossana)

Ring-tailed Vontsira (Galidia elegans)

Broad-striped Vontsira (Galidictis fasciata)

Narrow-striped Boky (Mungotictis decemlineata)

Brown-tailed Vontsira (Salanoia concolor)

MONGOOSES (HERPESTIDAE) (24/35)

Marsh Mongoose (Atilax paludinosus)

Yellow Mongoose (Cynictis penicillata)

Angolan Slender Mongoose (Herpestes flavescens)

Egyptian Mongoose (H.ichneumon)

Cape Gray Mongoose (H.pulverulentus)

Common Slender Mongoose (H.sanguineus)

White-tailed Mongoose (Ichneumia albicauda)

Selous's Mongoose (Paracynictis selousi)

Meller's Mongoose (Rhynchogale melleri)

Short-tailed Mongoose (Urva brachyurus)

Indian Gray Mongoose (U.edwardsii)

Indian Brown Mongoose (U.fusca)

Javan Mongoose (U.javanica)

Ruddy Mongoose (U.smithii)

Crab-eating Mongoose (U.urva)

Stripe-necked Mongoose (U.vitticollis)

Long-nosed Mongoose (Xenogale naso)

Common Cusimanse (Crossarchus obscurus)

Pousargues's Mongoose (Dologale dybowskii)

Ethiopian Dwarf Mongoose (Helogale hirtula)

Common Dwarf Mongoose (H.parvula)

Liberian Mongoose (Liberiictis kuhni)

Banded Mongoose (Mungos mungo)

Meerkat (Suricata suricatta)

HYAENAS (HYAENIDAE) (5/5)

Spotted Hyena (Crocuta crocuta)

Striped Hyena (Hyaena hyaena)

Brown Hyena (Parahyaena brunnea)

Southern Aardwolf (Proteles cristatus)

Eastern Aardwolf (P.septentrionalis)

CIVETS, GENETS, AND OYANS (VIVERRIDAE) (21/36)

Abyssinian Genet (Genetta abyssinica)

Angolan Genet (G.angolensis) (?)

Feline Genet (G.felina)

Rusty-spotted Genet (G.fieldiana)

Common Genet (G.genetta)

Johnston's Genet (G.johnstoni)

Servaline Genet (G.servalina)

Cape Genet (G.tigrina)

Banded Palm Civet (Hemigalus derbyanus)

Binturong (Arctictis binturong)

Small-toothed Palm Civet (Arctogalidia trivirgata)

Masked Palm Civet (Paguma larvata)

Northern Palm Civet (Paradoxurus hermaphroditus)

Brown Palm Civet (P.jerdoni)

Southern Palm Civet (P.musanga)

Philippine Palm Civet (P.philippinensis)

Golden Palm Civet (P.zeylonensis)

African Civet (Civettictis civetta)

Large-spotted Civet (Viverra megaspila)

Malay Civet (V.tangalunga)

Large Indian Civet (V.zibetha)

Small Indian Civet (Viverricula indica)

AFRICAN PALM-CIVETS (NANDINIIDAE) (1/1)

African Palm Civet (Nandinia binotata)

RHINOCEROSES (RHINOCEROTIDAE) (3/5)

White Rhinoceros (Ceratotherium simum)

Black Rhinoceros (Diceros bicornis)

Greater One-horned Rhinoceros (Rhinoceros unicornis)

TAPIRS (TAPIRIDAE) (4/4)

Central American Tapir (Tapirus bairdii)

Malayan Tapir (T.indicus)

Mountain Tapir (T.pinchaque)

Lowland Tapir (T.terrestris)

EQUINES (EQUIDAE) (8/9)

Domestic Ass (Equus asinus)

Domestic Horse (E.caballus)

Wild Horse (E.ferus)

Grevy's Zebra (E.grevyi)

Onager (E.hemionus)

Kiang (E.kiang)

Plains Zebra (E.quagga)

Mountain Zebra (E.zebra)

HIPPOPOTAMUSES (HIPPOPOTAMIDAE) (2/2)

Pygmy Hippopotamus (Choeropsis liberiensis)

Common Hippopotamus (Hippopotamus amphibius)

BOWHEAD AND RIGHT WHALES (BALAENIDAE) (3/4)

Bowhead Whale (Balaena mysticetus)

Southern Right Whale (Eubalaena australis)

North Atlantic Right Whale (E.glacialis)

RORQUALS (BALAENOPTERIDAE) (9/11)

Common Minke Whale (Balaenoptera acutorostrata)

Sei Whale (B.borealis)

Bryde's Whale (B.brydei)

Eden's Whale (B.edeni)

Blue Whale (B.musculus)

Omura's Whale (B.omurai)

Fin Whale (B.physalus)

Gray Whale (Eschrichtius robustus)

Humpback Whale (Megaptera novaeangliae)

OCEANIC DOLPHINS (DELPHINIDAE) (37/41)

Eastern Pacific Long-beaked Common Dolphin (Delphinus bairdii)

Panglobal Common Dolphin (D.delphis)

Fraser's Dolphin (Lagenodelphis hosei)

Tucuxi (Sotalia fluviatilis)

Guiana Dolphin (S.guianensis)

Indo-Pacific Humpback Dolphin (Sousa chinensis)

Indian Humpback Dolphin (S.plumbea)

Australian Humpback Dolphin (S.sahulensis)

Pantropical Spotted Dolphin (Stenella attenuata)

Striped Dolphin (S.coeruleoalba)

Atlantic Spotted Dolphin (S.frontalis)

Spinner Dolphin (S.longirostris)

Indo-Pacific Bottlenose Dolphin (Tursiops aduncus)

Tamanend's Bottlenose Dolphin (T.erebennus)

Common Bottlenose Dolphin (T.truncatus)

Pygmy Killer Whale (Feresa attenuata)

Short-finned Pilot Whale (Globicephala macrorhynchus)

Long-finned Pilot Whale (G.melas)

Risso's Dolphin (Grampus griseus)

Irrawaddy Dolphin (Orcaella brevirostris)

Australian Snubfin Dolphin (O.heinsohni)

Melon-headed Whale (Peponocephala electra)

False Killer Whale (Pseudorca crassidens)

Rough-toothed Dolphin (Steno bredanensis)

White-beaked Dolphin (Lagenorhynchus albirostris)

Atlantic White-sided Dolphin (Leucopleurus acutus)

Resident Killer Whale (Orcinus ater)

Common Killer Whale (O.orca)

Bigg's Killer Whale (O.rectipinnus)

Pacific White-sided Dolphin (Aethalodelphis obliquidens)

Dusky Dolphin (A.obscurus)

Peale's Dolphin (Cephalorhynchus australis)

Commerson's Dolphin (C.commersonii)

Chilean Dolphin (C.eutropia)

Heaviside's Dolphin (C.heavisidii)

Hector's Dolphin (C.hectori)

Northern Right-whale Dolphin (Lissodelphis borealis)

NARWHALS AND BELUGAS (MONODONTIDAE) (2/2)

Beluga (Delphinapterus leucas)

Narwhal (Monodon monoceros)

PORPOISES (PHOCOENIDAE) (6/8)

Yangtze Finless Porpoise (Neophocaena asiaeorientalis)

East Asian Finless Porpoise (N.sunameri)

Harbor Porpoise (Phocoena phocoena)

Vaquita (P.sinus)

Burmeister's Porpoise (P.spinipinnis)

Dall's Porpoise (Phocoenoides dalli)

SOUTH AMERICAN RIVER DOLPHINS (INIIDAE) (3/4)

Bolivian River Dolphin (Inia boliviensis)

Amazon River Dolphin (I.geoffrensis)

Orinoco River Dolphin (I.humboldtiana)

ESTUARINE RIVER DOLPHINS (PONTOPORIIDAE) (1/1)

Franciscana (Pontoporia blainvillei)

DWARF SPERM WHALES (KOGIIDAE) (2/2)

Pygmy Sperm Whale (Kogia breviceps)

Dwarf Sperm Whale (K.sima)

SPERM WHALES (PHYSETERIDAE) (1/1)

Sperm Whale (Physeter macrocephalus)

SOUTH ASIAN RIVER DOLPHINS (PLATANISTIDAE) (1/2)

Ganges River Dolphin (Platanista gangetica)

BEAKED WHALES (ZIPHIIDAE) (5/24)

Least Beaked Whale (Berardius minimus)

Northern Bottlenose Whale (Hyperoodon ampullatus)

Sowerby's Beaked Whale (Mesoplodon bidens)

Gervais's Beaked Whale (M.europaeus)

Cuvier's Beaked Whale (Ziphius cavirostris)

BOVIDS (BOVIDAE) (123/153)

Impala (Aepyceros melampus)

Hartebeest (Alcelaphus buselaphus)

Hirola (Beatragus hunteri)

Black Wildebeest (Connochaetes gnou)

Blue Wildebeest (C.taurinus)

Tsessebe (Damaliscus lunatus)

Bontebok (D.pygargus)

Dibatag (Ammodorcas clarkei)

Springbok (Antidorcas marsupialis)

Blackbuck (Antilope cervicapra)

Red-fronted Gazelle (Eudorcas rufifrons)

Thomson's Gazelle (E.thomsonii)

Arabian Gazelle (Gazella arabica)

Chinkara (G.bennettii)

Cuvier's Gazelle (G.cuvieri)

Dorcas Gazelle (G.dorcas)

Mountain Gazelle (G.gazella)

Slender-horned Gazelle (G.leptoceros)

Sand Gazelle (G.marica)

Goitered Gazelle (G.subgutturosa)

Gerenuk (Litocranius walleri)

Dama Gazelle (Nanger dama)

Grant's Gazelle (N.granti)

Bright's Gazelle (N.notatus)

Peters's Gazelle (N.petersii)

Soemmerring's Gazelle (N.soemmerringii)

Saiga (Saiga tatarica)

Oribi (Ourebia ourebi)

Mongolian Gazelle (Procapra gutturosa)

Tibetan Gazelle (P.picticaudata)

Przewalski's Gazelle (P.przewalskii)

Beira (Dorcatragus megalotis)

Naivasha Dik-dik (Madoqua cavendishi)

Damara Dik-dik (M.damarensis)

Guenther's Dik-dik (M.guentheri)

Kirk's Dik-dik (M.kirkii)

Silver Dik-dik (M.piacentinii)

Salt's Dik-dik (M.saltiana)

Ugogo Dik-dik (M.thomasi)

Steenbok (Raphicerus campestris)

Cape Grysbok (R.melanotis)

Sharpe's Grysbok (R.sharpei)

Aoudad (Ammotragus lervia)

Arabian Tahr (Arabitragus jayakari)

Himalayan Takin (Budorcas taxicolor)

Chinese Takin (B.tibetana)

Wild Goat (Capra aegagrus)

Kuban Tur (C.caucasica)

Daghestan Tur (C.cylindricornis)

Markhor (C.falconeri)

Domestic Goat (C.hircus)

Alpine Ibex (C.ibex)

Nubian Ibex (C.nubiana)

Iberian Ibex (C.pyrenaica)

Siberian Ibex (C.sibirica)

Walia Ibex (C.walie)

Nilgiri Tahr (Nilgiritragus hylocrius)

Rocky Mountain Goat (Oreamnos americanus)

Argali (Ovis ammon)

Domestic Sheep (O.aries)

Bighorn Sheep (O.canadensis)

Thinhorn Sheep (O.dalli)

Urial (O.vignei)

Blue Sheep (Pseudois nayaur)

Southern Chamois (Rupicapra pyrenaica)

Northern Chamois (R.rupicapra)

Japanese Serow (Capricornis crispus)

Maned Serow (C.sumatraensis)

Formosan Serow (C.swinhoei)

Himalayan Goral (Naemorhedus goral)

Chinese Goral (N.griseus)

Muskox (Ovibos moschatus)

Chiru (Pantholops hodgsonii)

Brooke's Duiker (Cephalophorus brookei)

Peters's Duiker (C.callipygus)

Kivu Duiker (C.kivuensis)

Natal Red Duiker (C.natalensis)

Ogilby's Duiker (C.ogilbyi)

Weyns's Duiker (C.weynsi)

Bay Duiker (Cephalophus dorsalis)

Yellow-backed Duiker (C.silvicultor)

Aders's Duiker (Leucocephalophus adersi)

Maxwell's Duiker (Philantomba maxwellii)

Blue Duiker (P.monticola)

Bush Duiker (Sylvicapra grimmia)

Addax (Addax nasomaculatus)

Roan Antelope (Hippotragus equinus)

Sable Antelope (H.niger)

Beisa Oryx (Oryx beisa)

Scimitar-horned Oryx (O.dammah)

Gemsbok (O.gazella)

Royal Antelope (Neotragus pygmaeus)

Suni (Nesotragus moschatus)

Klipspringer (Oreotragus oreotragus)

Waterbuck (Kobus ellipsiprymnus)

Kob (K.kob)

Southern Lechwe (K.leche)

Puku (K.vardonii)

Rhebok (Pelea capreolus)

Southern Reedbuck (Redunca arundinum)

Mountain Reedbuck (R.fulvorufula)

Bohor Reedbuck (R.redunca)

Nilgai (Boselaphus tragocamelus)

Chowsingha (Tetracerus quadricornis)

American Bison (Bos bison)

Wisent (B.bonasus)

Gaur (B.gaurus)

Banteng (B.javanicus)

Wild Yak (B.mutus)

Domestic Cattle (B.taurus)

Asian Wild Buffalo (Bubalus arnee)

Water Buffalo (B.bubalis)

Tamaraw (B.mindorensis)

Cape Buffalo (Syncerus caffer)

Nyala (Tragelaphus angasii)

Gedemsa (T.buxtoni)

Bongo (T.eurycerus)

Lesser Kudu (T.imberbis)

Common Eland (T.oryx)

Northern Bushbuck (T.scriptus)

Sitatunga (T.spekii)

Greater Kudu (T.strepsiceros)

Southern Bushbuck (T.sylvaticus)

MUSK DEER (MOSCHIDAE) (2/7)

Forest Musk-deer (Moschus berezovskii)

Alpine Musk-deer (M.chrysogaster)

DEER (CERVIDAE) (32/59)

Moose (Alces alces)

Western Roe Deer (Capreolus capreolus)

Eastern Roe Deer (C.pygargus)

Water Deer (Hydropotes inermis)

Marsh Deer (Blastocerus dichotomus)

Northern Huemul (Hippocamelus antisensis)

Southern Huemul (H.bisulcus)

Northwestern Red Brocket (Mazama americana)

Central American Red Brocket (M.reperticia)

Mule Deer (Odocoileus hemionus)

White-tailed Deer (O.virginianus)

Pampas Deer (Ozotoceros bezoarticus)

Northern Brown Brocket (Passalites nemorivagus)

Southern Pudu (Pudu puda)

Caribou (Rangifer tarandus)

Southern Brown Brocket (Subulo gouazoubira)

Chital (Axis axis)

Hog Deer (A.porcinus)

White-lipped Deer (Cervus albirostris)

Wapiti (C.canadensis)

Western Red Deer (C.elaphus)

Sika Deer (C.nippon)

Common Fallow Deer (Dama dama)

Pere David's Deer (Elaphurus davidianus)

Barasingha (Rucervus duvaucelii)

Javan Deer (Rusa timorensis)

Sambar (R.unicolor)

Tufted Deer (Elaphodus cephalophus)

Bornean Yellow Muntjac (Muntiacus atherodes)

Southern Red Muntjac (M.muntjak)

Reeves's Muntjac (M.reevesi)

Northern Red Muntjac (M.vaginalis)

GIRAFFES AND OKAPI (GIRAFFIDAE) (4/5)

Northern Giraffe (Giraffa camelopardalis)

Southern Giraffe (G.giraffa)

Reticulated Giraffe (G.reticulata)

Maasai Giraffe (G.tippelskirchi)

PRONGHORNS (ANTILOCAPRIDAE) (1/1)

Pronghorn (Antilocapra americana)

CHEVROTAINS (TRAGULIDAE) (6/10)

Water Chevrotain (Hyemoschus aquaticus)

Indian Chevrotain (Moschiola indica)

White-spotted Chevrotain (M.meminna)

Javan Chevrotain (Tragulus javanicus)

Lesser Indo-Malayan Chevrotain (T.kanchil)

Greater Indo-Malayan Chevrotain (T.napu)

SUIDS (SUIDAE) (12/18)

Sulawesi Babirusa (Babyrousa celebensis)

Togian Babirusa (B.togeanensis)

Desert Warthog (Phacochoerus aethiopicus)

Common Warthog (P.africanus)

Giant Forest Hog (Hylochoerus meinertzhageni)

Bushpig (Potamochoerus larvatus)

Red River Hog (P.porcus)

Bearded Pig (Sus barbatus)

Sulawesi Warty Pig (S.celebensis)

Domestic Pig (S.domesticus)

Eurasian Wild Pig (S.scrofa)

Javan Warty Pig (S.verrucosus)

PECCARIES (TAYASSUIDAE) (3/3)

Collared Peccary (Dicotyles tajacu)

Chacoan Peccary (Parachoerus wagneri)

White-lipped Peccary (Tayassu pecari)

CAMELIDS (CAMELIDAE) (5/7)

Domestic Bactrian Camel (Camelus bactrianus)

Dromedary Camel (C.dromedarius)

Wild Bactrian Camel (C.ferus)

Guanaco (Lama guanicoe)

Vicuña (L.vicugna)

Total 2519